046CC0158967
www.PS-Team.de

COMPLETE VEHICLES CERTIFICATE OF CONFORMITY

Übereinstimmungsbescheinigung
Πιστοποιητικό Συμμόρφωσης
Certificat de Conformité
Certificate of Conformity
Certificato di Conformità
Conformiteitscertificaat
Świadectwo Zgodności
Certifikat o skladnosti
Certificado de Conformidad

The Undersigned S.W.KIM, GENERAL MANAGER herewith certifies that the vehicle

0.1.	Make (Trade name of manufacture)	Kia
0.2.	Type	CV
	Variant	F5E22
	Version	E11A11
0.2.1.	Commercial Name	EV6
0.2.2.1.	Allowed Parameter Values for multistage type approval to use the base vehicle emission values	
	Final Vehicle actual mass:	
	Final Vehicle technically permissible maximum laden mass (in kg):	
	Frontal area for final vehicle (in cm2):	
	Rolling resistance (kg/t):	
	Cross-sectional area of air entrance of the front grille (in cm2):	
0.2.3.	Identifiers:	
0.2.3.1.	Interpolation family's identifier:	IP-0931062-KNA-1
0.2.3.2.	ATCT family's identifier:	
0.2.3.3.	PEMS family's identifier:	
0.2.3.4.	Roadload family's identifier:	RL-0931062-KNA-1
0.2.3.5.	Roadload Matrix family's identifier:	
0.2.3.6.	Periodic regeneration family's identifier:	
0.2.3.7.	Evaporative test family's identifier:	
0.4.	Vehicle Category:	M1
0.5.	Company name and address of Manufacturer: Kia Corporation,12,Heolleung-ro,Seocho-gu,Seoul,Korea	
0.6.	Location and method of attachment of the statutory plates : On the left hand B-post, bonded	
	Location of the vehicle identification number: Under the right front seat	

0.9.	Name and address of the manufacturer's representative (if any) Hyundai Motor Europe Technical Center GmbH, Hyundai-Platz, 65428 Russelsheim, Germany	
0.10.	Vehicle identification number:	KNAC381AFP5611630
0.11.	Date of manufacture of the vehicle:	17.06.2023
General construction characteristics:		
1.	Number of axles and wheels:	2 ; 4
3.	Powered axles:	1, Rear
3.1	Specify if the vehicle is non-automated/automated/fully automated:	non-automated
Main Dimensions:		
4.	Wheelbase:	2900 mm
4.1.	Axle spacing:	2900 mm
5.	Length:	4680 mm
6.	Width:	1880 mm
7.	Height:	1545 mm
Masses		
13.	Mass in running order:	1985 kg
13.2.	Actual mass of the vehicle:	2026 kg
16.	Technically permissible maximum masses	
16.1.	Technically permissible maximum laden mass:	2425 kg
16.2.	Technically permissible maximum mass on each axle:	1. 1280 kg 2. 1390 kg
16.4.	Technically permissible maximum mass of the combination:	4025 kg
18.	Technically permissible maximum towable mass in case of:	
18.1.	Drawbar trailer:	kg
18.3.	Centre-axle trailer:	1600 kg
18.4.	Unbraked trailer:	750 kg
19.	Technically permissible maximum static vertical mass at the coupling point:	100 kg

conforms in all respects to the type described in approval e9*2018/858*11073*03 granted on 28.06.2022 and can be permanently registered in Member states having right hand traffic and using metric units for the speedometer and metric units for the odometers.

Frankfurt, 08.08.2023 **(signature)** S.W. Kim

Für dieses Dokument wurde eine Zulassungsbescheinigung Teil II (HB354180) ausgegeben. Landratsamt München

2182962

Power plant

20. Manufacturer of the engine: Hyundai Mobis
21. Engine code as marked on the engine: EM17
22. Working principle:
23. Pure electric: yes
23.1. Class of Hybrid (electric) vehicle:
24. Number and arrangement of cylinders:
25. Engine capacity: cm^3
26. Fuel: Electricity
26.1. Mono fuel/Bi fuel/flex fuel/Dual-fuel:
26.2. (Dual fuel only)
27. Maximum power
27.1. Maximum net power: kW at min-1
27.3. Maximum net power (electric motor): 168.10 kW
27.4. Maximum 30 minutes power (electric motor): 56.00 kW
28. Gearbox(type): N/A
28.1 Gearbox ratios(to complete for vehicles with manual shift transmissions)

1.Gear	2.Gear	3.Gear	4.Gear	5.Gear	6.Gear	7.Gear	8.Gear

28.1.1. Final drive ratios(if applicable):
28.1.2. Final drive ratios(to complete if and where applicable)

1.Gear	2.Gear	3.Gear	4.Gear	5.Gear	6.Gear	7.Gear	8.Gear

Maximum Speed

29. Maximum Speed: 185 km/h

Axles and Suspension

30. Axle(s) track 1. 1628 mm
2. 1637 mm
35. Fitted tyre/wheel combination/energy efficiency class of rolling resistance coefficients (RRC) and tyre category used for CO2 determination
Axle 1: 235/55R19 105V 7.5J X 19/ET54.5 / A/C1
Axle 2: 235/55R19 105V 7.5J X 19/ET54.5 / A/C1

Brakes

36. Trailer brake connections:

Bodywork

38. Code for bodywork: AF(multi-purpose vehicle)
40. Colour of the vehicle: GREY
41. Number and configuration of doors: 5 ; 2 le,2 ri, 1 re
42. Number of seating positions (including driver): 5
42.1. Seat(s) designated for use only when the vehicle is stationary:
42.3. Number of wheelchair user accessible position:

Environmental performance

46. Sound level
-Stationary: dB(A) at engine speed: min-1
-Drive -by: 68.00 dB(A)
47. Exhaust emission level: 2017/1151;WLTP;reine Elektrofz
47.1. Parameters for emission testing V_{ind}
47.1.1. Test mass, kg: 2149
47.1.2. Frontal area, m^2:
47.1.2.1. Projected frontal area of air entrance of the front grille, cm^2:
47.1.3. Road load coefficients:
47.1.3.0. F0, N: 112
47.1.3.1. F1, N/ (KM/h): 1.295
47.1.3.2. F2, N/ (KM/h): 0.03089
47.2. Driving cycle
47.2.1. Driving Cycle class: 3b
47.2.2. Downscaling factor (f_{dsc}):
47.2.3. Capped speed: N
48. Exhaust emissions: EC 2018/1832AX
Number of the base regulatory act and latest amending regulatory act applicable: 715/2007
48.1. Smoke corrected absorption coefficient: (m-1)
48.1.2 Test procedure: type I (WLTP highest values) or WHSC (EURO VI)

CO:	mg/km	THC:	mg/km
NMHC:	mg/km	NOx:	mg/km
THC + NOx:	mg/km	NH3:	mg/km
Particulates: (mass)	mg/km	Particles: (number)	E+11

48.2. Declared maximum RDE values (if applicable)
Complete RDE trip: NOx Particle Number:
Urban RDE trip: NOx Particle Number:
48.2.2 Test procedure: WHTC (EURO VI)

CO:	mg/km	NOx::	mg/km
NMHC:	mg/km	THC:	mg/km
CH4:	mg/km	NH3:	mg/km
Particulates: (mass)	mg/km	Particles: (number)	E+11

49. CO2-Emissions / fuel consumption / electric energy consumption
49.1. All powertrains except OVC electric (if applicable)

WLTP values	CO2 emissions	Fuel consumptions	Electric consumption (ECAC)
Low	g/km	l/100km	106 Wh/km
Medium	g/km	l/100km	121 Wh/km
High	g/km	l/100km	146 Wh/km
Extra High	g/km	l/100km	220 Wh/km
Combined	g/km	l/100km	165 Wh/km

49.2. Electric range of pure electric vehicles (if applicable)

Electric range	528 km
Electric range city	740 km

49.3. Vehicle fitted with eco-innovation(s): no
49.3.1. General code of eco innovation(s):
49.3.2. Total CO2 emissions savings due to the eco-innovation(s):
49.3.2.1. WLTP savings: g/Km
49.4. OVC hybrid electric vehicles (if applicable)

WLTP values	Charge Sustaining		Electric consumption
	CO2 emission	Fuel consumption	
Low	g/km	l/100km	Wh/km
Medium	g/km	l/100km	Wh/km
High	g/km	l/100km	Wh/km
Extra High	g/km	l/100km	Wh/km
City			Wh/km
Combined	g/km	l/100km	Wh/km

WLTP values	Charge depleting	
	CO2 Emissions	Fuel Consumption
Combined	g/km	l/100km

Weighted combined values	CO2 Emission	Fuel Consumption	Electric Consumption (ECAC)
	g/km	l/100km	Wh/km

49.5 Electric range of OVC hybrid electric vehicles (if applicable)

Equivalent All Electric Range (EAER)	km
Equivalent All Electric Range city (EAER city)	km
All Electric Range (AER)	km
All Electric Range city (AER city)	km

51. For special purpose vehicles: designation in accordance with point 5 of Part A of annex I to Regulation (EU)2018/858 of the European Parliament and of the Council:
52. Remarks:
5:4695*6:1890*7:1550*13:1985*35:235/55R19 105V,7.5Jx19/ET54.5*35:LM-Rad*

For this vehicle the registration document no. HB 354 180 has already been issued for Germany.




Bild 1 : Diagonal vorn links



Bild 2 : Diagonal vorn rechts



Bild 3 : Diagonal hinten rechts



Bild 4 : Diagonal hinten links



Bild 5 : Fahrzeugunterseite




Bild 6 : Kombiinstrument (betriebsbereit) mit Km-Stand




Bild 7 : Serviceintervallanzeige



Bild 8 : Durch geöffnete Fahrertüre: Fahrersitz, Armaturenbrett und Schalthebel




Bild 9 : Durch geöffnete hintere Tür: Rücksitzbank



Bild 10 : Mittelkonsole (Radio/Navi eingeschaltet)




Bild 11 : Serviceheft letzter Eintrag, alle Fahrzeugschlüssel, Bordmappe




Bild 12 : ZLB Teil 1 (ohne Halterdaten)



Bild 13 : Ladekabel E-Fahrzeug



Bild 14 : Stoßfänger hinten Lackierung, zerkratzt, smart repair



Bild 15 : Motorhaube Lackierung, zerkratzt, lackieren mit Lackaufbau



Bild 16 : A-Säulenverkleidung links Kratzer



Bild 17 : Einstieg hinten rechts Kratzer



Bild 18 : Einstieg hinten rechts Kratzer

DEKRA-Nr: 0297 / 0100029192 / 2026 / B086080000772 vom 29.10.2026

Zustandsbericht / Minderwertgutachten

Vorgang

Auftraggeber	Mobility Concept GmbH, Grünwalder Weg 34, 82041 Oberhaching
Besichtigung	29.10.2026

Bemerkungen

Diese Dienstleistung wurde entsprechend den Vorgaben des Auftraggebers (Kriterien der fairen Fahrzeugbewertung) erstellt. Im Einzelfall können Abweichungen zum DEKRA Standard vorliegen.
Bei der Lackschichtdickenmessung wurden bei mindestens drei Messungen pro Bauteil Lackschichtdicken von 160 µm bis 225 µm festgestellt.
Es wurde eine optische Überprüfung auf Vorschäden und eine Lackschichtdickenmessung vorgenommen. Die augenscheinliche Überprüfung sowie die Lackschichtdickenmessung ergaben keine Hinweise auf Nachlackierungen, Instandsetzungsarbeiten oder reparierte Vorschäden.
Die vorgefundenen Besichtigungsbedingungen waren ausreichend. Das Fahrzeug / Objekt wurde von oben und von unten besichtigt. Im Rahmen der Fahrzeug / Objektbesichtigung wurde ein Probelauf des Motors durchgeführt.
Für die Bearbeitung des Vorganges standen folgende Unterlagen zur Verfügung: - Fz-Schein/Zul.Beschein. Teil I 2 Hauptschlüssel, 0 Nebenschlüssel vorgelegt.

Fahrzeugdaten

Erstzulassung	17.08.2023	Hersteller	KIA
Typ / Verkaufsbez.	EV6 77,4-kWh	Aufbauart	Limousine
Türen	5	Sitzplätze	5
Fahrzeug-Ident.-Nr.	KNAC381AFP5611630	HSN / TSN	2233 / ABA
Schlüssel-Nr.	10800596	Km-Stand abgelesen	51810
Nächste HU §29 StVZO	10 / 2027	Energiequelle / Kraftstoff	Elektro
Zylinderanzahl	/	Leistung (kW)	56
Schadstoffklasse:	2017/1151;WLTP;reine Elektrofz		
Felgen	Leichtmetall	Farbe	STEEL GRAY

Es wird unterstellt, dass die Gesamtlaufleistung dem abgelesenen Km-Stand entspricht.

Räder / Reifen

Achse		Reifenbezeichnung	Hersteller/Typ	Art	Profiltiefe
1	links	235 / 55 R 19 105 V	Nexen / N Fera Sport	S /O	6 mm
	rechts	235 / 55 R 19 105 V	Nexen / N Fera Sport	S /O	6 mm
2	links	235 / 55 R 19 105 V	Nexen / N Fera Sport	S /O	6 mm
	rechts	235 / 55 R 19 105 V	Nexen / N Fera Sport	S /O	6 mm
	Ersatzrad	235 / 55 R 19 105 V	Nexen / N Fera Sport	S /O	6 mm

S/ Sommer; /O Original; /F Runflat;

Serienausstattung


Serie: ABS (Anti-Blockier-System), Airbag: 2 Frontairbags, Airbag: Mittenairbag vorn, Airbag: Seitenairbags vorn und Vorhangairbags durchgehend, Alternator Management System (AMS), Autobahnassistent (Highway Driving Assist, HDA), Außenspiegel beheizbar und elektrisch anklappbar, Außenspiegel in Klavierschwarz, Batterie: Vorheizsystem für die Batterie, Berganfahrhilfe (Hill-Start Assist Control, HAC), Bluetooth-Freisprecheinrichtung, Bremsleuchte: Dritte mit LED, Dachspoiler, Display: Integriertes Digitaldisplay mit 31,2 cm Bildschirmdiagonale (12,3 Zoll), gewölbt, Drive Mode Select, Dämmerungssensor, ESC (Elektronisches Stabilitätsprogramm), Fensterheber elektrisch vorne und hinten, Fernlichtassistent, Frontkollisionswarner (Forward Collision Avoidance Assist - Abbiegefunktion FCA-JX), Frontkollisionswarner (Forward Collision Avoidance Assist, FCA), Gegenlenkunterstützung, Geschwindigkeitsassistent intelligent (Intelligent Speed Limit Assist, ISLA), Geschwindigkeitsregelanlage, Navigationsbasiert, Geschwindigkeitsregelanlage, adaptiv inkl. Stop&Go-Funktion, Getriebe: Direktantrieb, Heckscheibenheizung, ISOFIX-Halterungen an äußeren Rücksitzen, Innenrückspiegel selbstabblendend, Insassenalarm (Rear Occupant Alert, ROA), Kindersicherung in den hinteren Türen (manuell), Klimaautomatik mit Zweizonen-Kontrolle, Kopfstützen aktiv vorne, LED-Rückleuchten, LED-Scheinwerfer, LED-Spots an C-Säule, Lackierung: Runway Rot Mettalic, Ladekabel Typ-2 auf Typ-2-Stecker, Lenkrad höhen- und tiefenverstellbar, Lenkrad: Lederlenkrad beheizbar, Lenkrad: Multifunktionslenkrad, Mittelarmlehne hinten, Multikollisionsbremse (Multiple Collision Braking, MCB), Navigation: Kia Kartennavigation (12,3 Zoll), Notruf-Service e-Call, On-Board-Charger (3-Phasen, AC), Online-Dienste Kia Connect mit Kia Live, Parkbremse, elektronisch (EPB), Parksensoren hinten (PDW), Polster: Stoff/Kunstleder, Radiozubehör: USB-Anschluss, Regensensor, Reifendruckkontrollsystem (TPMS), Rekuperationswippen am Lenkrad, Räder: 19-Zoll-Leichtmetallfelgen, Rückfahrkamera (Rear View Monitor, RVM), Schnellladesystem (400 V, 800 V, DC), Servolenkung, Sicherheitsgurte vorn höhenverstellbar, Sitze: Beifahrersitz höhenverstellbar, Sitze: Fahrersitz höhenverstellbar, Sitze: Lendenwirbelstütze Fahrer, elektrisch einstellbar, Sitze: Rücksitzlehne im Verhältnis 60:40 geteilt, umklappbar, Sitze: Sitzheizung vorn, Sitze: Ski-Durchreiche, Smart Key und Startknopf, Spurhalteassistent inkl. Müdigkeitswarner, Stauassistent (Lane Follow Assist, LFA), Türgriffe mit manueller Flush-Funktion, USB-Anschluss hinten, an Sitzlehne der Frontsitze, USB-Anschluss, Tunnelkonsole vorn (2 Stück), Wegfahrsperre, Zentralverriegelung mit Fernbedienung

Allgemeinzustand und Wartung

Abgesehen von den beschriebenen Schäden/Mängeln weist das Fahrzeug/Objekt einen, bezogen auf Alter und Nutzung, üblichen Gesamtzustand auf.

Wartungsnachweis:	vollständig
letzte Wartung:	am 22.10.2026 bei Kilometerstand 51.495

Nicht akzeptierter Zustand / Ausstehende Reparaturen



Bezeichnung des Schadens / Rep.-Weg

1. A-Säulenverkleidung links Kratzer, erneuern (Bild 16)
2. Einstieg hinten rechts Kratzer, smart repair (Bild 17, 18)
3. Motorhaube Lackierung, zerkratzt, lackieren mit Lackaufbau (Bild 15)
4. Stoßfänger hinten Lackierung, zerkratzt, smart repair (Bild 14)