TÜV SÜD Auto Partner GmbH
Wiesenring 2
04159 Leipzig

Besichtigungsort
TÜV SÜD Auto Partner: MVI Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum: 05.10.2026
Protokollnummer: 48114466
Erstellt durch: Markus Böttcher
Besichtigt durch: R. Armbruster

VSSZZZKP5T1007244

Angaben zum Fahrzeug

Halter		**Besichtigungszustand**	ausreichend
Kennzeichen		**Laufleistung (abgelesen)**	22.294 km
Hersteller	CUPRA	**Restlauf bis Service**	1.800 km
Typ/Modell	TERRAMAR	**HU (abgelesen aus ZBI)**	09/2028
Vehicle Identification number	VSSZZZKP5T1007244	**Leistung**	195 kW
Hubraum	1.984 ccm	**Zylinder**	4
Erstzulassung	11.09.2025	**Polster/Farbe**	Alcantara/Leder / Schwarz
Letzte Wartung		**Lackierung**	Blau
Kraftstoffart	Benzin	**Getriebe**	Automatik

Zustandsbericht

Gebrauchsspuren

Nr.	Bauteilgruppe	Beschreibung
Das Fahrzeug weist dem Alter und Einsatzzweck entsprechende Gebrauchsspuren auf.		

Fehlteile

Fehlteil

Festgestellte Nachlackierungen

Nr.	Ort
Keine feststellbar	

Hauptbereifung

Achse	Reifengröße	Hersteller	Reifentyp	Profiltiefe	Verktgl.	Zul.
1	255/40 R20 101Y	Continental	Sommerreifen	7mm - 7mm	i.O.	i.O.
2	255/40 R20 101Y	Continental	Sommerreifen	7mm - 7mm	i.O.	i.O.

Der Verschleißzustand sowie evtl. Schäden an der Bereifung sind wertmäßig berücksichtigt.

TÜV SÜD Auto Partner GmbH
Wiesenring 2
04159 Leipzig

Besichtigungsort
TÜV SÜD Auto Partner: MVI Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum:	05.10.2026
Protokollnummer:	**48114466**
Erstellt durch:	Markus Böttcher
Besichtigt durch:	R. Armbruster

Angaben zum Fahrzeug

Hersteller	CUPRA	**Besichtigungszustand**	ausreichend
Typ/Modell	TERRAMAR	**Laufleistung (abgelesen)**	22.294 km
Vehicle Identification number	VSSZZZKP5T1007244	**Erstzulassung**	11.09.2025

Angaben zum Auftrag:
Auftragsgemäß erfolgte die Fahrzeugzustandsbewertung in demontagefreien Zustand.

Grundlage dieses Produktes stellt der Leitfaden für Fahrzeugrücknahmen und Bewertungen gemäß des Schadengrenzmusterkatalog des Auftraggebers dar. Die expliziten Feststellungen im Einzelfall trifft der Sachverständige objektiv im Rahmen der vorgegebenen Standards aufgrund eigener Sachkunde.

Fahrzeug-Identifizierung:
Die Fahrzeug-Identifizierungsnummer (FIN) wurde am Fahrzeug abgelesen und die Übereinstimmung im Verlauf der Besichtigung durch den Unterzeichner mit den vorgelegten Unterlagen festgestellt.

Besichtigungsbedingungen:
Die Besichtigungsbedingungen waren zur Beurteilung des Fahrzeuges ausreichend.

Allgemeinzustand:
Das Fahrzeug weist dem Alter und Einsatzzweck entsprechende Gebrauchsspuren auf.



Unterschrift Sachverständiger (Markus Böttcher)

Vorliegendes Druckexemplar wurde auf elektronischem Wege erzeugt. Der benannte Sachverständige versichert, dass der Inhalt die von ihm getroffenen Feststellungen korrekt wiedergibt. Es ist ohne Originalunterschrift gültig.

TÜV SÜD Auto Partner GmbH
Wiesenring 2
04159 Leipzig

Besichtigungsort
TÜV SÜD Auto Partner: MVI Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum:	05.10.2026
Protokollnummer:	**48114466**
Erstellt durch:	Markus Böttcher
Besichtigt durch:	R. Armbruster

Übersichtsfotos



Abbildung 1: FIN



Abbildung 2: Schräg vorne



Abbildung 3: Schräg vorne



Abbildung 4: Schräg hinten



Abbildung 5: Schräg hinten



Abbildung 6: Montierte Bereifung

TÜV SÜD Auto Partner GmbH
Wiesenring 2
04159 Leipzig

Besichtigungsort
TÜV SÜD Auto Partner: MVI Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum:	05.10.2026
Protokollnummer:	**48114466**
Erstellt durch:	Markus Böttcher
Besichtigt durch:	R. Armbruster




Abbildung 7: Innenraum vorne



Abbildung 8: Laderaum



Abbildung 9: Kombiinstrument



Abbildung 10: Kombiinstrument



Abbildung 11: Instrumententafel




Abbildung 12: Dokumente




Abbildung 13: Dokumente




Abbildung 14: Sonstiges

Certificate of Co

046CC0189235

www.PS-Team.de

Complete vehicles

The undersigned hereby certify that the vehicle:

0.1.	Make (Trade name of manufacturer):		CUPRA
0.2.	Type:	Variant:	Version:
	KP	XDNPBX1	AD7SAD7GC0064VN1B0AFKP03
0.2.1.	Commercial name:		TERRAMAR
0.2.2.1.	Allowed Parameter Values for multistage type approval to use the base vehicle emission values		
	Final Vehicle actual mass [kg]:		---------- - ----------
	Final Vehicle technically permissible maximum laden mass[kg]:		---------- - ----------
	Frontal area for final vehicle [cm2]:		---------- - ----------
	Rolling resistance [kg/t]:		---------- - ----------
	Cross-sectional area of air entrance of the front grille [cm2]:		---------- - ----
0.2.3.1.	Interpolation family's identifier:		IP-MQB37AS_A0_1265-VSS
0.2.3.2.	ATCT family's identifier:		AT-5QA_0V_0356_000-VSS
0.2.3.3.	PEMS family's identifier:		05-VSS-715W_KP_DNPB_AD7_A-000
0.2.3.4.	Roadload family's identifier:		RL-DQ381_7A_23_006-WVW
0.2.3.5.	Roadload matrix family's identifier (if applicable):		---------- - ----------
0.2.3.6.	Periodic regeneration family's identifier:		PR-AU_00109_00_000-WVW
0.2.3.7.	Evaporative test family's identifier:		EV-F3_APW_D_AEABXX-WAU
0.4.	Vehicle category:		M1
0.5.	Company name and address of manufacturer:		SEAT, S.A.,
	Autovía A-2, Km. 585, ES-08760 Martorell		
0.6.	Location and method of attachment of the statutory plates:		
	On the right A-pillar,glued or bonded		
0.9.	Location of the vehicle identification number:		
	In the vehicle floor,front right		
	Name and address of the manufacturer's representative:		----------
0.10.	Vehicle identification number:		VSSZZZKP5T1007244
0.11.	Date of manufacture of the vehicle:		2025-08-07

conforms in all respects to the type described in approval e9*2018/858*04014*03 granted on 2025-05-29 and can be permanently registered in Member States having right hand traffic and using metric units for the speedometer and metric units for the odometer.

Martorell, 2025-08-07

Daniel Cortina Munuera
Director Quality Assurance

Martorell, 2025-08-07

Dr. Lars Markworth
Head of Technical Conformity

Internal Manufacturer's data VSSZZZKP5T1007244

CoC Version: 1

49. CO_2 emissions/fuel consumption/electric energy consumption:

1. All powertrains, except OVC hybrid electric vehicles (if applicable):

WLTP values	CO_2 emissions			Fuel consumption (/100 km)			Electric Consumption
	Petrol/ Diesel: (g/km)	Gas: CNG/LPG (g/km)	Other: (g/km)	Petrol/ Diesel: (L)	Gas: CNG/LPG (L)/(m³)	Others: (L)	(Wh/km)
Low:	264	----	----	11.6	----	----	--------
Medium:	193	----	----	8.5	----	----	--------
High:	165	----	----	7.3	----	----	--------
Extra High:	189	----	----	8.3	----	----	--------
Combined:	192	----	----	8.5	----	----	--------

2. Electric range of pure electric vehicles (if applicable):

Electric range [km]:	-----	Electric range city [km]:	-----

3. Vehicle fitted with eco-innovation(s): yes

3.1. General code of the eco-innovation(s): e5 29 37

3.2. Total CO_2 emissions savings due to the eco-innovation(s):

3.2.2. WLTP savings (if applicable) [g/km]: Petrol/Diesel: 1.90 Gas (CNG/LPG): ---- Others: ----

4. OVC hybrid electric vehicles (if applicable):

WLTP values (CO2 and fuel consumption sustaining, if not otherwise mentioned)	CO_2 emissions			Fuel consumption (/100 km)			Electric Consumption (Wh/km)
	Petrol/ Diesel: (g/km)	Gas: CNG/LPG (g/km)	Others: (g/km)	Petrol/ Diesel: (L)	Gas: CNG / LPG (m³)/(L)	Other: (L)	
Low	----	----	----	----	----	----	--------
Medium	----	----	----	----	----	----	--------
High	----	----	----	----	----	----	--------
Extra High	----	----	----	----	----	----	--------
City	----	----	----	----	----	----	--------
Combined (sustaining)	----	----	----	----	----	----	--------
Combined (depleting)	----	----	----	----	----	----	--------
Weighted, combined	----	----	----	----	----	----	--------

5. Electric range of OVC hybrid electric vehicles (if applicable):

Equivalent All Electric Range [km]:	(EAER):	-----	(EAER city):	-----
All Electric Range [km]:	(AER):	-----	(AER city):	-----

51. For special purpose vehicles: Designation in accordance with CR (CE) 2018/858 annex I part A point 5: ----------

52. Remarks:

NO 16.2.: with trailer axle 2:+60 kg##NO 35.: alt. to pos 35 with deviating val.
in pos 49: 255/40 R20 101Y XL#8,5JX20 ET38;##255/45 R19 100Y#8,5JX19 ET38;##235
/55 R18 100V M+S#8,0JX18 ET38;##235/45 R20 100V XL M+S#8,5JX20 ET38

54. Vehicle fitted with advanced vehicle systems: ADDW, AEBS, AIF, DDAW, eCall, EDR, ELKS, ESS, ISA, TPMS

55. Vehicle certified in accordance with UN-R No 155: yes

56. Vehicle certified in accordance with UN-R No 156: yes

SEAT, S.A. Sdad. Unipersonal Dom. Soc.: Autovía A-2, km. 585 - 08760 Martorell / (VAT) NIF (ES) A28049161

1.	Number of axles / wheels:	2 / 4
3.	Powered axles (number, position):	2, Axle 1/2
	Interconnection of powered axles:	cardan shaft
3.1.	Specify if the vehicle is non-automated/automated/fully automated:	non-automated
4.	Wheelbase[mm]:	2676
4.1.	Axle spacing [mm]:	2676
5.	Length [mm]:	4519
6.	Width [mm]:	1869
7.	Height [mm]:	1586
13.	Mass in running order [kg]:	1750
13.2.	Actual mass of the vehicle [kg]:	1799
16.	Technically permissible maximum masses:	
16.1.	Technically permissible maximum laden mass [kg]:	2290
16.2.	Technically permissible mass on each axle (1./2.) [kg]:	1200 / 1140
16.4.	Technically permissible maximum mass of the combination [kg]:	4490
18.	Technically permissible maximum towable mass in case of:	
18.1.	Drawbar trailer [kg]:	----
18.3.	Centre-axle trailer [kg]:	2200
18.4.	Unbraked trailer [kg]:	750
19.	Technically permissible maximum static vertical mass at the coupling point [kg]:	100
20.	Manufacturer of the engine:	Volkswagen AG
21.	Engine code as marked on the engine:	DNP
22.	Working principle:	Positive ignition / 4 stroke
23.	Pure electric:	no
23.1.	Class of Hybrid (electric) vehicle:	----------
24.	Number and arrangement of cylinders:	4; in Line
25.	Engine capacity [cm³]:	1984
26.	Fuel:	petrol
26.1.	Mono fuel/Bi fuel/Flex fuel/Dual fuel:	mono fuel vehicle
26.2.	Type of dual fuel engine:	----------
27.	Maximum power	
27.1.	Maximum net power [kW at min^{-1}] (internal combustion engine):	195.00 / 5000
27.3.	Maximum net power [kW] (electric motor):	------
27.4.	Maximum 30 minutes power [kW] (electric motor):	------

28.	Gearbox (type):	automatic
	Gear	---- ---- ---- ---- ---- ---- ---- ---- ----
28.1.	Gearbox ratios:	------ ------ ------ ------ ------ ------ ------ ------ ------
28.1.2.	Final drive ratio:	------ ------ ------ ------ ------ ------ ------ ------ ------
29.	Maximum speed [km/h]:	243
30.	Axle(s) track (1./2.) [mm]:	1590 / 1578
35.	Fitted tyre/wheel combination/energyefficiency class of RRC/type category used for CO_2 determination:	
	Axle 1:	255/40 R20 101Y XL / 8,5JX20 ET38 / B / C1
	Axle 2:	255/40 R20 101Y XL / 8,5JX20 ET38 / B / C1
36.	Trailer brake connections:	----------
38.	Code for bodywork:	AC
40.	Colour of vehicle:	BLUE
41.	Number and configuration of doors:	5 / le. 2, ri. 2, ba. 1
42.	Number of seating positions (including the driver):	5
42.1.	Seat(s) designated for use only when the vehicle is stationary:	---
42.3.	Number of wheelchair user accessible position:	---
46.	Sound level	
	Stationary [dB(A) at min^{-1}]:	72.00 / 3750
	Drive-by [dB(A)]:	67.00
47.	Exhaust emission level:	EURO 6 EB
47.1	Parameters for emission testing of V_{ind}:	
47.1.1.	Test mass [kg]:	1877
47.1.2.	Frontal area [m²]:	--------

47.1.3. Road load coefficients	47.1.3.0. f0 [N]	47.1.3.1. f1 [N/(km/h)]	47.1.3.2. f2: [N/(km/h)²]
	176.5	0.367	0.03965

47.2.	Driving cycle:	
47.2.1.	Driving cycle class:	3b
47.2.2.	Downscaling factor (f_{asc}):	-----
47.2.3.	Capped speed:	no
48.	Exhaust emissions:	715/2007*2023/443EB

1.2. Test procedure: Type 1 (WLTP highest values) [mg/km] or WHSC (EURO VI) [mg/kWh]

Petrol / Diesel	CO	THC	NMHC	NO_x	THC + NO_x	NH_3 [ppm]	Particulates	Particles #
	205.1	24.6	22.3	36.6	------	------	0.4200	0.21E11
LPG/CNG	------	------	------	------	------	------	--------	--
Other	------	------	------	------	------	------	-------	--

2.2. Test procedure: WHTC (EURO VI) [mg/kWh]

Petrol / Diesel	CO	THC	NMHC	CH_4	NO_x	NH_3	Particulates	Particles #
	------	------	------	------	------	------	------	--
LPG/CNG	------	------	------	------	------	------	------	--
Other	------	------	------	------	------	------	------	--

48.1.	Smoke corrected absorption coefficient [m^{-1}]:	--------	
48.2.	Declared maximum RDE values (if applicable):	NO_x [mg/km]	Particles (number) with exponent (#/km)
	Complete RDE trip:	60.0	6.00 E11
	Urban RDE trip:	60.0	6.00 E11