

49. CO₂ emissions/fuel consumption/electric energy consumption:

1. All powertrains, except OVC hybrid electric vehicles (if applicable):

WLTP values	CO ₂ emissions			Fuel consumption (/100 km)			Electric Consumption (Wh/km)
	Petrol/ Diesel (g/km)	Gas CNG/LPG (g/km)	Other (g/km)	Petrol/ Diesel (L)	Gas CNG/LPG (L)/(m ³)	Other (L)	
Low:	292	---	---	12.9	---	---	---
Medium:	201	---	---	8.9	---	---	---
High:	175	---	---	7.8	---	---	---
Extra High:	195	---	---	8.6	---	---	---
Combined:	203	---	---	9.0	---	---	---

2. Electric range of pure electric vehicles (if applicable):

Electric range [km]: ---

Electric range city [km]: ---

3. Vehicle fitted with eco-innovation(s):

yes

3.1. General code of the eco-innovation(s):

e9 29 37

3.2. Total CO₂ emissions savings due to the eco-innovation(s):

3.2.2. WLTP savings (if applicable) [g/km]: Petrol/Diesel: 1.96

Gas (CNG/LPG): --- Others: ---

4. OVC hybrid electric vehicles (if applicable):

WLTP values (CO ₂ and fuel consumption sustaining, if not otherwise mentioned)	CO ₂ emissions			Fuel consumption: (/100 km)			Electric Consumption (Wh/km)
	Petrol/ Diesel (g/km)	Gas CNG/LPG (g/km)	Others (g/km)	Petrol/ Diesel (L)	Gas: CNG / LPG (m ³)/(L)	Other (L)	
Low	---	---	---	---	---	---	---
Medium	---	---	---	---	---	---	---
High	---	---	---	---	---	---	---
Extra High	---	---	---	---	---	---	---
City	---	---	---	---	---	---	---
Combined (sustaining)	---	---	---	---	---	---	---
Combined (depleting)	---	---	---	---	---	---	---
Weighted, combined	---	---	---	---	---	---	---

5. Electric range of OVC hybrid electric vehicles (if applicable):

Equivalent All Electric Range

(EAER): ---

(EAER city): ---

All Electric Range [km]:

(AER): ---

(AER city): ---

51. For special purpose vehicles: designation in accordance with CR (CE) 2018/858 annex I part A point 5: ---

52. Remarks:

NO 16.2.: with trailer axle 2:+35 kg##NO

35.: alt. to pos 35 with deviating val. in pos 49:##245/40 R19 94W#8,0JX19 ET45

##245/40 R19 98Y#8,0JX19 ET45;##225/45 R19 92W M+S#8,0JX19 ET45;##225/50 R18 95

W M+S#7,0JX18 ET45;##

Certificate of Conformity

046CC0159206



www.PS-Team.de

Complete vehicles

The undersigned hereby certify that the vehicle:

0.1.	Make (Trade name of manufacturer):	CUPRA
0.2.	Type:	Variant:
	5FP	CXDNFCX1
		AD7CAD7GC0064BIML1C19ADA8117
0.2.1.	Commercial name:	CUPRA ATECA
0.2.2.1.	Allowed Parameter Values for multistage type approval to use the base vehicle emission values	
	Final Vehicle actual mass [kg]:	-----
	Final Vehicle technically permissible maximum laden mass[kg]:	-----
	Frontal area for final vehicle [cm2]:	-----
	Rolling resistance [kg/t]:	-----
	Cross sectional area of air entrance of the front grille [cm2]:	-----
0.2.3.1.	Interpolation family's identifier:	IP-MQB37SZ_A0_0558-VSS-1
0.2.3.2.	ATCT family's identifier:	AT-5Q0_OV_0411_000-VSS-1
0.2.3.3.	PEMS family's identifier:	09-VSS-715W_5FP_DNFC_AD7_A-000
0.2.3.4.	Roadload family's identifier:	RL-DQ381_7A_17_020-WWW-1
0.2.3.5.	Roadload matrix family's identifier (if applicable):	-----
0.2.3.6.	Periodic regeneration family's identifier:	PR-AU_00109_00_000-WWW-1
0.2.3.7.	Evaporative test family's identifier:	EV-A1_DGW_D_AYAAXX-WWW-1
0.4.	Vehicle category:	M1
0.5.	Company name and address of manufacturer:	SEAT, S.A., Autovia A-2, Km. 585, ES-08760 Martorell
0.6.	Location and method of attachment of the statutory plates:	
	On the right B-pillar, glued or bonded	
	Location of the vehicle identification number:	
	In the engine compartment, right	
0.9.	Name and address of the manufacturer's representative:	-----
0.10.	Vehicle identification number:	VSSZZZ5F7P6564250
0.11.	Date of manufacture of the vehicle:	2023-05-10

conforms in all respects to the type described in approval e9*2007/46*6394*38 granted on 2023-02-07 and can be permanently registered in Member States having right hand traffic and using metric units for the speedometer and metric units for the odometer.

Martorell, 2023-05-10

Martorell, 2023-05-10

Daniel Cortina Munuera
Director Quality Assurance

Robin Christoph Bräutigam
Head of Technical Conformity

Internal Manufacturer's data



VSSZZZ5F7P6564250

1.	Number of axles / wheels:	2 / 4	28.	Gearbox (type):	automatic																																				
3.	Powered axles (number, position):	2, Axle 1/2		Gear	<table border="1"> <tr><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td></tr> <tr><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td></tr> <tr><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td><td>-----</td></tr> </table>	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----									
-----	-----	-----	-----	-----	-----	-----	-----	-----																																	
-----	-----	-----	-----	-----	-----	-----	-----	-----																																	
-----	-----	-----	-----	-----	-----	-----	-----	-----																																	
	Interconnection of powered axles:	front-rear axle gear box-cardan shaft	28.1.	Gearbox ratios:																																					
			28.1.2.	Final drive ratio:																																					
3.1.	Specify if the vehicle is non-automated/automated/fully automated:	non-automated	29.	Maximum speed [km/h]:	249																																				
4.	Wheelbase[mm]:	2628	30.	Axle(s) track (1./2.) [mm]:	1575 / 1549																																				
4.1.	Axle spacing [mm]:	2628	35.	Fitted tyre/wheel combination/energyefficiency class of RRC/type category used for CO ₂ determination:																																					
5.	Length [mm]:	4386		Axle 1:	245/40 R19 94W / 8,0JX19 ET45 / C / C1																																				
6.	Width [mm]:	1841		Axle 2:	245/40 R19 94W / 8,0JX19 ET45 / C / C1																																				
7.	Height [mm]:	1613	36.	Trailer brake connections:	-----																																				
13.	Mass in running order [kg]:	1628	38.	Code for bodywork:	AC																																				
13.2.	Actual mass of the vehicle [kg]:	1688	40.	Colour of vehicle:	BLACK																																				
16.	Technically permissible maximum masses:		41.	Number and configuration of doors:	5 / le. 2, ri. 2, ba. 1																																				
16.1.	Technically permissible maximum laden mass [kg]:	2130	42.	Number of seating positions (including the driver):	5																																				
16.2.	Technically permissible mass on each axle (1./2.) [kg]:	1110 / 1070	42.1.	Seat(s) designated for use only when the vehicle is stationary:	---																																				
16.4.	Technically permissible maximum mass of the combination [kg]:	4230	42.3.	Number of wheelchair user accessible position:	---																																				
18.	Technically permissible maximum towable mass in case of:		46.	Sound level																																					
18.1.	Drawbar trailer [kg]:	----		Stationary [dB(A) at min ⁻¹]:	83.70 / 3750																																				
18.3.	Centre-axle trailer [kg]:	2100		Drive-by [dB(A)]:	69.00																																				
18.4.	Unbraked trailer [kg]:	750	47.	Exhaust emission level:	EURO 6 AP																																				
19.	Technically permissible maximum static vertical mass at the coupling point [kg]:	90	47.1.	Parameters for emission testing of V _{ed} :																																					
20.	Manufacturer of the engine:	AUDI AG	47.1.1.	Test mass [kg]:	1765																																				
21.	Engine code as marked on the engine:	DNF	47.1.2.	Frontal area [m ²]:	-----																																				
22.	Working principle:	Positive ignition / 4 stroke	47.1.3.	Road load coefficients	<table border="1"> <tr> <td>47.1.3.0. f0 [N]</td> <td>47.1.3.1. f1 [N/(km/h)]</td> <td>47.1.3.2. f2: [N/(km/h)²]</td> </tr> <tr> <td>176.0</td> <td>0.753</td> <td>0.04007</td> </tr> </table>	47.1.3.0. f0 [N]	47.1.3.1. f1 [N/(km/h)]	47.1.3.2. f2: [N/(km/h) ²]	176.0	0.753	0.04007																														
47.1.3.0. f0 [N]	47.1.3.1. f1 [N/(km/h)]	47.1.3.2. f2: [N/(km/h) ²]																																							
176.0	0.753	0.04007																																							
23.	Pure electric:	no	47.2.	Driving cycle:																																					
23.1.	Class of Hybrid (electric) vehicle:	-----	47.2.1.	Driving cycle class:	3b																																				
24.	Number and arrangement of cylinders:	4; in Line	47.2.2.	Downscaling factor (f _{dsc}):	----																																				
25.	Engine capacity [cm ³]:	1984	47.2.3.	Capped speed:	no																																				
26.	Fuel:	petrol	48.	Exhaust emissions:	715/2007*2018/1832AP																																				
26.1.	Mono fuel/Bi fuel/Flex fuel/Dual fuel:	mono fuel vehicle	1.2. Test procedure: Type 1 (WLTP highest values) [mg/km] or WHSC (EURO VI) [mg/kWh]																																						
26.2.	Type of dual fuel engine:	-----	<table border="1"> <tr> <th>Petrol / Diesel</th> <th>CO</th> <th>THC</th> <th>NMHC</th> <th>NO_x</th> <th>THC + NO_x</th> <th>NH₃ [ppm]</th> <th>Particulates</th> <th>Particles #</th> </tr> <tr> <td></td> <td>494.3</td> <td>28.6</td> <td>23.1</td> <td>19.8</td> <td>-----</td> <td>-----</td> <td>0.2300</td> <td>0.28E11</td> </tr> <tr> <td>LPG/CNG</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>---</td> </tr> <tr> <td>Other</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>---</td> </tr> </table>			Petrol / Diesel	CO	THC	NMHC	NO _x	THC + NO _x	NH ₃ [ppm]	Particulates	Particles #		494.3	28.6	23.1	19.8	-----	-----	0.2300	0.28E11	LPG/CNG	-----	-----	-----	-----	-----	-----	-----	---	Other	-----	-----	-----	-----	-----	-----	-----	---
Petrol / Diesel	CO	THC	NMHC	NO _x	THC + NO _x	NH ₃ [ppm]	Particulates	Particles #																																	
	494.3	28.6	23.1	19.8	-----	-----	0.2300	0.28E11																																	
LPG/CNG	-----	-----	-----	-----	-----	-----	-----	---																																	
Other	-----	-----	-----	-----	-----	-----	-----	---																																	
27.	Maximum power		2.2. Test procedure: WHTC (EURO VI) [mg/kWh]																																						
27.1.	Maximum net power [kW at min ⁻¹] (internal combustion engine):	221.00 / 5300	<table border="1"> <tr> <th>Petrol / Diesel</th> <th>CO</th> <th>THC</th> <th>NMHC</th> <th>CH₄</th> <th>NO_x</th> <th>NH₃</th> <th>Particulates</th> <th>Particles #</th> </tr> <tr> <td></td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>---</td> </tr> <tr> <td>LPG/CNG</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>---</td> </tr> <tr> <td>Other</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>-----</td> <td>---</td> </tr> </table>			Petrol / Diesel	CO	THC	NMHC	CH ₄	NO _x	NH ₃	Particulates	Particles #		-----	-----	-----	-----	-----	-----	-----	---	LPG/CNG	-----	-----	-----	-----	-----	-----	-----	---	Other	-----	-----	-----	-----	-----	-----	-----	---
Petrol / Diesel	CO	THC	NMHC	CH ₄	NO _x	NH ₃	Particulates	Particles #																																	
	-----	-----	-----	-----	-----	-----	-----	---																																	
LPG/CNG	-----	-----	-----	-----	-----	-----	-----	---																																	
Other	-----	-----	-----	-----	-----	-----	-----	---																																	
27.3.	Maximum net power [kW] (electric motor):	-----	48.1.	Smoke corrected absorption coefficient [m ⁻¹]:	-----																																				
27.4.	Maximum 30 minutes power [kW] (electric motor):	-----	48.2.	Declared maximum RDE values (if applicable):	<table border="0"> <tr> <td>NO_x [mg/km]</td> <td>Particles (number) with exponent (#/km)</td> </tr> <tr> <td>Complete RDE trip:</td> <td>60.0 6.00 E11</td> </tr> <tr> <td>Urban RDE trip:</td> <td>60.0 6.00 E11</td> </tr> </table>	NO _x [mg/km]	Particles (number) with exponent (#/km)	Complete RDE trip:	60.0 6.00 E11	Urban RDE trip:	60.0 6.00 E11																														
NO _x [mg/km]	Particles (number) with exponent (#/km)																																								
Complete RDE trip:	60.0 6.00 E11																																								
Urban RDE trip:	60.0 6.00 E11																																								



Bild 1 : Diagonal vorn links



Bild 2 : Diagonal vorn rechts




Bild 3 : Diagonal hinten rechts



Bild 4 : Diagonal hinten links




Bild 5 : Fahrzeugunterseite



Bild 6 : Kombiinstrument (betriebsbereit) mit Km-Stand




Bild 7 : Serviceintervallanzeige




Bild 8 : Durch geöffnete Fahrentüre: Fahrersitz, Armaturenbrett und Schalthebel




Bild 9 : Durch geöffnete hintere Tür: Rücksitzbank



Bild 10 : Mittelkonsole (Radio/Navi eingeschaltet)




Bild 11 : Serviceheft letzter Eintrag, alle Fahrzeugschlüssel, Bordmappe




Bild 12 : ZLB Teil 1 (ohne Halterdaten)

Zustandsbericht / Minderwertgutachten

Vorgang

Auftraggeber
Besichtigung

Mobility Concept GmbH, Grünwalder Weg 34, 82041 Oberhaching
19.06.2026

Bemerkungen

Diese Dienstleistung wurde entsprechend den Vorgaben des Auftraggebers (Kriterien der fairen Fahrzeugbewertung) erstellt. Im Einzelfall können Abweichungen zum DEKRA Standard vorliegen. Bei der Lackschichtdickenmessung wurden bei mindestens drei Messungen pro Bauteil Lackschichtdicken von 90 µm bis 600 µm festgestellt.

Es wurde eine optische Überprüfung auf Vorschäden und eine Lackschichtdickenmessung vorgenommen. Dabei wurden Nachlackierungen an folgenden Karosserieteilen festgestellt:

- Kotflügel vorne rechts 250µm
- Tür vorne rechts 600µm
- Tür hinten rechts 180 µm

Ohne weitergehende Untersuchungen wurde nach dem Umfang der festgestellten Nachlackierungen und der Ausführungsqualität nach sachverständigem Ermessen *kein* merkantiler Minderwert angesetzt. (Kundenvorgabe)

Es sind Instandsetzungsrückstände an der Tür vorne rechts ersichtlich.

Die vorgefundenen Besichtigungsbedingungen waren ausreichend. Das Fahrzeug / Objekt wurde von oben und auf einer Hebebühne von unten besichtigt. Im Rahmen der Fahrzeug / Objektbesichtigung wurde ein Probelauf des Motors durchgeführt.

Für die Bearbeitung des Vorganges standen folgende Unterlagen zur Verfügung: - Fz-Schein/Zul.Beschein. Teil I 2 Hauptschlüssel, 0 Nebenschlüssel vorgelegt.

Fahrzeugdaten

Erstzulassung	04.09.2023	Letzte Zulassung	04.09.2023
Hersteller	CUPRA	Marke	CUPRA
Typ / Verkaufsbez.	Ateca VZ 2.0 TSI 4Drive DSG	Türen	5
Sitzplätze	5	Fahrzeug-Ident.-Nr.	VSSZZZ5F7P6564250
HSN / TSN	7593 / ATK	Schlüssel-Nr.	40640278
Km-Stand abgelesen	23969	Nächste HU §29 StVZO	09 / 2026
Energiequelle / Kraftstoff	Benzin	Zylinderanzahl	4 / Reihenmotor
Leistung (kW)	221	Hubraum (ccm)	1984
Schadstoffklasse:	EURO6;WLTP;AP;PI/CI; M, N1 I	Antriebsart	Allrad
Getriebe / Gänge	Automatik / 7	Felgen	Leichtmetall
Farbe (Hersteller)	Black magic pearl effect (F9R) / Perlcoloreffekt	Polster / Farbe	Alcantara / Anthrazit
Es wird unterstellt, dass die Gesamtleistung dem abgelesenen Km-Stand entspricht.			

Räder / Reifen

Achse	Reifenbezeichnung	Hersteller/Typ	Art	Profiltiefe
1 links	245 / 40 R 19 94 W	Bridgestone / Turanza T 005 FSL	S / O	6 mm
rechts	245 / 40 R 19 94 W	Bridgestone / Turanza T 005 FSL	S / O	6 mm
2 links	245 / 40 R 19 94 W	Bridgestone / Turanza T 005 FSL	S / O	6 mm
rechts	245 / 40 R 19 94 W	Bridgestone / Turanza T 005 FSL	S / O	6 mm
Notrad				

S/ Sommer; /O Original; /F Runflat;

Serienausstattung

Serie: Ablagen, Airbag: Airbag für Fahrer und Beifahrer, Airbag: Knie-Airbag auf der Fahrerseite, Airbag: Kopfairbag-System, vorn und hinten, Airbag: Seitenairbag für Fahrer und Beifahrer, Allradantrieb 4Drive, Ambientelicht vorn, Außenspiegel elektrisch einstell-, anklapp- und beheizbar, Berganfahrassistent (HHC), Blinkleuchten integriert in Außenspiegel, Bordcomputer, Bremslicht, drittes, CUPRA CONNECT, CUPRA Drive Profile, Climatronic mit elektronischer Temperaturregelung, Dachhimmel in Schwarz, Dachreling in Schwarz, Differentialsperre, elektronisch (XDS), Dreipunkt-Automatik-Sicherheitsgurte, vorne und hinten, Elektronische Stabilisierungskontrolle (ESC), Fahrwerk: Adaptive Fahrwerksregelung DCC, Fensterheber vorn und hinten elektrisch, Gepäckraumabdeckung, Geschwindigkeitsregelanlage (GRA), Getriebe: 7-Gang-Doppelkupplungsgetriebe (DSG), Heckscheibe beheizbar, Heckscheibewischer, Heckspoiler in Wagenfarbe, ISOFIX-Kindersitz-Sicherungssystem, Kopfstützen, 2 vorn, 3 hinten, LED-Technologie, Lackierung: Uni, Lenkrad: Multifunktionslenkrad in Leder mit Schaltwippen, Beheizbar, Mittelarmlehne hinten, Mittelkonsole mit integriertem Staufach, Müdigkeitserkennung, Navigationssystem, Notruf-Service, Ottopartikelfilter, Paket: Licht- und Sicht, Parkbremse, elektronisch inkl. Auto-Hold-Funktion, Parklenkassistent, Radiozubehör: 2 USB-C-Ladebuchsen für die 2. Sitzreihe, Radiozubehör: 8 Lautsprecher, Radiozubehör: Bluetooth-Schnittstelle, Radiozubehör: Full Link, Reifenkontrollanzeige, Räder: Leichtmetallräder (4) "Exclusive Black/Silver", Räder: Tyre fit, Rückfahrkamera, Schlüsselloser Schließ- und Startsystem "Kessy", Seitenscheiben ab 2. Sitzreihe und Heckscheibe dunkel getönt, Servolenkung, elektromechanisch, Sitze: Beifahrersitz mit Höheneinstellung, Sitze: Fahrersitz mit Höheneinstellung, Sitze: Lendenwirbelstütze für Fahrer und Beifahrer, Sitze: Rücksitzlehne asymmetrisch geteilt umklappbar, Sitze: Schalensitze vorn, Sonnenblenden mit Make-up Spiegel, Beleuchtet, Sportpedalerie in Aluminiumoptik, Start-Stopp-System, Steckdose, 12-V, vorn, Telefon: Wireless Charger im Ablagefach der Mittelkonsole, Top View Kamera, Türeinstiegsleisten vorn in Aluminiumoptik, beleuchtet, Umfeldbeobachtungssystem "Front Assist" mit City-Notbremsfunktion, Verzurrrösen im Gepäckraum, Virtual Cockpit, Voll-LED-Scheinwerfer, Wegfahrsperre, elektronisch, Wärmeschutzverglasung, Zentralverriegelung inkl. Heckklappe mit Funkfernbedienung

Allgemeinzustand und Wartung

Abgesehen von den beschriebenen Schäden/Mängeln weist das Fahrzeug/Objekt einen, bezogen auf Alter und Nutzung, üblichen Gesamtzustand auf.

Wartungsnachweis: digital
bis Wartung verbleiben: 13.800 km (zum Besichtigungszeitpunkt)

Akzeptierter Zustand / Gebrauchsspuren

Das Fahrzeug weist dem Alter, der Laufleistung und dem Einsatzzweck entsprechende Gebrauchsspuren auf.

Bezeichnung des Schadens

Einstieg hinten rechts, Lackierung
verschrammt,

Schadensfälle der internen Belegnummer 99057556

Fahrzeugdaten

Modell Cupra Ateca Deal 0523 2.0 TSI 221kW 4Drive DSG
Fahrzeug-Ident-Nr. VSSZZZ5F7P6564250

Schadennummer	Unfalldatum	Beschädigung	Schadenhöhe in EUR
2026109404	28.02.2026	Fahrerseite Außenspiegel	0,00
2026109596	31.03.2026	Beifahrerseite Tür hinten	0,00
2026109598	31.01.2026	Beifahrerseite Tür vorne	0,00