COMPLETE VEHICLES
CERTIFICATE OF CONFORMITY

Übereinstimmungsbescheinigung
Πιστοποιητικό Συμμόρφωσης
Certificat de Conformité
Certificate of Conformity
Certificato di Conformità
Conformiteitscertificaat
Świadectwo Zgodności
Certifikat o skladnosti
Certificado de Conformidad

046CC0160109

www.PS-Team.de

The Undersigned S.W.KIM, GENERAL MANAGER herewith certifies that the vehicle

0.1.	Make (Trade name of manufacture)	KIA
0.2.	Type	CD
	Variant	BCP41
	Version	M65HZ2
0.2.1.	Commercial Name	XCeed
0.2.2.1.	Allowed Parameter Values for multistage type approval to use	
	the base vehicle emission values	
	Final Vehicle actual mass:	
	Final Vehicle technically permissible maximum laden mass (in kg):	
	Frontal area for final vehicle (in cm2):	
	Rolling resistance (kg/t):	
	Cross-sectional area of air entrance of the front grille (in cm2):	
0.2.3.	Identifiers:	
0.2.3.1.	Interpolation family's identifier:	IP-091898-U5Y-1
0.2.3.2.	ATCT family's identifier:	AT-091893-U5Y-1
0.2.3.3.	PEMS family's identifier:	9-KMS-3-0
0.2.3.4.	Roadload family's identifier:	RL-041164-U5Y-1
0.2.3.5.	Roadload Matrix family's identifier:	
0.2.3.6.	Periodic regeneration family's identifier:	
0.2.3.7.	Evaporative test family's identifier:	EV-000003-TMA-1
0.4.	Vehicle Category:	M1
0.5.	Company name and address of Manufacturer:	
	Kia Slovakia s.r.o.,Sv.Jana Nepomuckeho 1282/1,Teplicka nad	
0.6.	Location and method of attachment of the statutory plates :	
	On the left hand B-post, bonded	
	Location of the vehicle identification number:	
	Under the right front seat	

0.9.	Name and address of the manufacturer's representative (if any)	
	Hyundai Motor Europe Technical Center GmbH, Hyundai-Platz, 65428 Russelsheim, Germany	
0.10.	Vehicle identification number:	U5YH5F15ARL161233
0.11.	Date of manufacture of the vehicle:	05.07.2023
General construction characteristics:		
1.	Number of axles and wheels:	2 ; 4
3.	Powered axles:	1, Front
3.1	Specify if the vehicle is non-automated/automated/fully automated:	non-automated
Main Dimensions:		
4.	Wheelbase:	2650 mm
4.1.	Axle spacing:	2650 mm
5.	Length:	4395 mm
6.	Width:	1826 mm
7.	Height:	1483 mm
Masses		
13.	Mass in running order:	1370 kg
13.2.	Actual mass of the vehicle:	1427 kg
16.	Technically permissible maximum masses	
16.1.	Technically permissible maximum laden mass:	1840 kg
16.2.	Technically permissible maximum mass on each axle:	1. 1050 kg
		2. 950 kg
16.4.	Technically permissible maximum mass of the combination:	3250 kg
18.	Technically permissible maximum towable mass in case of:	
18.1.	Drawbar trailer:	kg
18.3.	Centre-axle trailer:	1410 kg
18.4.	Unbraked trailer:	600 kg
19.	Technically permissible maximum static vertical mass at the coupling point:	75 kg

conforms in all respects to the type described in approval e4*2007/46*1299*18 granted on 08.07.2022 and can be permanently registered in Member states having right hand traffic and using metric units for the speedometer and metric units for the odometers.

Frankfurt, 13.07.2023 **(signature)**

S.W. Kim

2241297

Power plant

20. Manufacturer of the engine: Hyundai or Kia
21. Engine code as marked on the engine: G4LH
22. Working principle: Spark ignition / 4-stroke
23. Pure electric: no
23.1. Class of Hybrid (electric) vehicle:
24. Number and arrangement of cylinders: 4; inline
25. Engine capacity: 1482 cm^3
26. Fuel: Gasoline
26.1. Mono fuel/Bi fuel/flex fuel/Dual-fuel: Mono fuel
26.2. (Dual fuel only)
27. Maximum power
27.1. Maximum net power: 117.50 kW at 5500 min-1
27.3. Maximum net power (electric motor): kW
27.4. Maximum 30 minutes power (electric motor): kW
28. Gearbox(type): Manual
28.1 Gearbox ratios(to complete for vehicles with manual shift transmissions)

1.Gear	2.Gear	3.Gear	4.Gear	5.Gear	6.Gear	7.Gear	8.Gear
3.615	1.962	1.257	0.951	0.778	0.674		

28.1.1. Final drive ratios(if applicable):
28.1.2. Final drive ratios(to complete if and where applicable)

1.Gear	2.Gear	3.Gear	4.Gear	5.Gear	6.Gear	7.Gear	8.Gear
4.188	4.188	4.188	4.188	4.188	4.188		

Maximum Speed

29. Maximum Speed: 208 km/h

Axles and Suspension

30. Axle(s) track 1. 1575 mm
2. 1573 mm
35. Fitted tyre/wheel combination/energy efficiency class of rolling resistance coefficients (RRC) and tyre category used for CO2 determination
Axle 1: 235/45R18 94V 7.5Jx18/ET45 / B/C1
Axle 2: 235/45R18 94V 7.5Jx18/ET45 / B/C1

Brakes

36. Trailer brake connections:

Bodywork

38. Code for bodywork: AB(hatchback)
40. Colour of the vehicle: WHITE
41. Number and configuration of doors: 5 ; 2 le,2 ri, 1 re
42. Number of seating positions (including driver): 5
42.1. Seat(s) designated for use only when the vehicle is stationary:
42.3. Number of wheelchair user accessible position:

Environmental performance

46. Sound level
-Stationary: 74.00 dB(A) at engine speed: 3750 min-1
-Drive -by: 66.00 dB(A)
47. Exhaust emission level: EURO6;WLTP;AP;PI/CI; M, N1 I
47.1. Parameters for emission testing V_{ind}
47.1.1. Test mass, kg: 1501
47.1.2. Frontal area, m^2: 2.26
47.1.2.1. Projected frontal area of air entrance of the front grille, cm^2:
47.1.3. Road load coefficients:
47.1.3.0. F0, N: 96.7
47.1.3.1. F1, N/ (KM/h): 1.2
47.1.3.2. F2, N/ (KM/h): 0.03439
47.2. Driving cycle
47.2.1. Driving Cycle class: 3b
47.2.2. Downscaling factor (f_{dsc}):
47.2.3. Capped speed: N
48. Exhaust emissions: EC 2018/1832AP
Number of the base regulatory act and latest amending regulatory act applicable: 715/2007
48.1. Smoke corrected absorption coefficient: (m-1)
48.1.2 Test procedure: type I (WLTP highest values) or WHSC (EURO VI)

CO:	568.5 mg/km	THC:	42.6 mg/km
NMHC:	35.32 mg/km	NOx:	28.0 mg/km
THC + NOx:	mg/km	NH3:	mg/km
Particulates: (mass)	0.32 mg/km	Particles: (number)	0.60 E+11

48.2. Declared maximum RDE values (if applicable)
Complete RDE trip: 60 NOx Particle Number: 6E+11
Urban RDE trip: 60 NOx Particle Number: 6E+11
48.2.2 Test procedure: WHTC (EURO VI)

CO:	mg/km	NOx::	mg/km
NMHC:	mg/km	THC:	mg/km
CH4:	mg/km	NH3:	mg/km
Particulates: (mass)	mg/km	Particles: (number)	E+11

49. CO2-Emissions / fuel consumption / electric energy consumption
49.1. All powertrains except OVC electric (if applicable)

WLTP values	CO2 emissions	Fuel consumptions	Electric consumption (ECAC)
Low	162 g/km	7.2 l/100km	Wh/km
Medium	135 g/km	6 l/100km	Wh/km
High	125 g/km	5.5 l/100km	Wh/km
Extra High	151 g/km	6.7 l/100km	Wh/km
Combined	141 g/km	6.3 l/100km	Wh/km

49.2. Electric range of pure electric vehicles (if applicable)

Electric range	km
Electric range city	km

49.3. Vehicle fitted with eco-innovation(s): yes
49.3.1. General code of eco innovation(s): e9 29+ e9 28
49.3.2. Total CO2 emissions savings due to the eco-innovation(s): 2.05
49.3.2.1. WLTP savings: 2.05 g/Km
49.4. OVC hybrid electric vehicles (if applicable)

WLTP values	Charge Sustaining		Electric consumption
	CO2 emission	Fuel consumption	
Low	g/km	l/100km	Wh/km
Medium	g/km	l/100km	Wh/km
High	g/km	l/100km	Wh/km
Extra High	g/km	l/100km	Wh/km
City			Wh/km
Combined	g/km	l/100km	Wh/km

WLTP values	Charge depleting	
	CO2 Emissions	Fuel Consumption
Combined	g/km	l/100km

Weighted combined values	CO2 Emission	Fuel Consumption	Electric Consumption (ECAC)
	g/km	l/100km	Wh/km

49.5 Electric range of OVC hybrid electric vehicles (if applicable)

Equivalent All Electric Range (EAER)	km
Equivalent All Electric Range city (EAER city)	km
All Electric Range (AER)	km
All Electric Range city (AER city)	km

51. For special purpose vehicles: designation in accordance with point 5 of Part A of annex I to Regulation (EU)2018/858 of the European Parliament and of the Council:
52. Remarks:
7:1495*13:1370*30:A1:1585;A2:1583*35:205/60R16 92H,6.5Jx16/ET40;235/45R18 94V,7.5Jx18/ET45*Vehicle equipped with a 24 GHz short-range radar equipment(narrow band only)*

For this vehicle the registration document no. GY 705 841 has already been issued for Germany.



Bild 1 : Diagonal vorn links



Bild 2 : Diagonal vorn rechts



Bild 3 : Diagonal hinten rechts



Bild 4 : Diagonal hinten links



Bild 5 : Fahrzeugunterseite



Bild 6 : Kombiinstrument (betriebsbereit) mit Km-Stand




Bild 7 : Serviceintervallanzeige




Bild 8 : Durch geöffnete Fahrertüre: Fahrersitz, Armaturenbrett und Schalthebel



Bild 9 : Durch geöffnete hintere Tür: Rücksitzbank




Bild 10 : Mittelkonsole (Radio/Navi eingeschaltet)




Bild 11 : Serviceheft letzter Eintrag, alle Fahrzeugschlüssel, Bordmappe




Bild 12 : ZLB Teil 1 (ohne Halterdaten)



Bild 13 : Motorraum

DEKRA-Nr: 0119 / 0100047785 / 2026 / B082011000640 vom 15.10.2026

Zustandsbericht / Minderwertgutachten

Vorgang

Auftraggeber	Mobility Concept GmbH, Grünwalder Weg 34, 82041 Oberhaching
Besichtigung	15.10.2026

Bemerkungen

Diese Dienstleistung wurde entsprechend den Vorgaben des Auftraggebers (Kriterien der fairen Fahrzeugbewertung) erstellt. Im Einzelfall können Abweichungen zum DEKRA Standard vorliegen.
Bei der Lackschichtdickenmessung wurden bei mindestens drei Messungen pro Bauteil Lackschichtdicken von 80 µm bis 145 µm festgestellt.
Es wurde eine optische Überprüfung auf Vorschäden und eine Lackschichtdickenmessung vorgenommen. Die augenscheinliche Überprüfung sowie die Lackschichtdickenmessung ergaben keine Hinweise auf Nachlackierungen, Instandsetzungsarbeiten oder reparierte Vorschäden.
Die vorgefundenen Besichtigungsbedingungen waren ausreichend. Das Fahrzeug / Objekt wurde auf einer Hebebühne von unten besichtigt. Bei der Besichtigung konnte keine Fahrprobe durchgeführt werden. Folglich sind Mängel bzw. Schäden, die nur bei einer Fahrprobe feststellbar sind, nicht berücksichtigt. Im Rahmen der Fahrzeug / Objektbesichtigung wurde ein Probelauf des Motors durchgeführt. Der Fehlerspeicher war zum Besichtigungszeitpunkt nicht ausgelesen.
Für die Bearbeitung des Vorganges standen folgende Unterlagen zur Verfügung: - Fz-Schein/Zul.Beschein. Teil I 2 Hauptschlüssel, 0 Nebenschlüssel vorgelegt.

Fahrzeugdaten

Erstzulassung	04.10.2023	Letzte Zulassung	04.10.2023
Hersteller	KIA	Typ / Verkaufsbez.	XCeed 1.5 T-GDI OPF DCT7 VISION
Aufbauart	Limousine	Türen	5
Sitzplätze	5	Fahrzeug-Ident.-Nr.	U5YH5F15ARL161233
HSN / TSN	2234 / AAT	Schlüssel-Nr.	10800835
Km-Stand abgelesen	24092	Nächste HU §29 StVZO	02 / 2028
Energiequelle / Kraftstoff	Benzin	Zylinderanzahl	4 / Reihenmotor
Leistung (kW)	118	Hubraum (ccm)	1482
Schadstoffklasse:	EURO6;WLTP;AP;PI/CI; M, N1 I	Getriebe / Gänge	Automatik / 7
Felgen	Leichtmetall	Farbe	CASSA WHITE / Perlcoloreffekt
Polster / Farbe	Stoff / Anthrazit		

Es wird unterstellt, dass die Gesamtlaufleistung dem abgelesenen Km-Stand entspricht.

Räder / Reifen

Achse	Reifenbezeichnung	Hersteller/Typ	Art	Profiltiefe
1 links	235 / 45 R 18 94 V	Continental / PremiumContact 6 FR	S /O	5 mm
rechts	235 / 45 R 18 94 V	Continental / PremiumContact 6 FR	S /O	5 mm
2 links	235 / 45 R 18 94 V	Continental / PremiumContact 6 FR	S /O	5 mm
rechts	235 / 45 R 18 94 V	Continental / PremiumContact 6 FR	S /O	5 mm
Pannenset				

S/ Sommer; /O Original;

Serienausstattung

Serie: ABS (Anti-Blockier-System) mit elektronischer Bremskraftverteilung, Adaptive Geschwindigkeitsregelanlage inkl. Stop&Go-Funktion, Airbag: 2 Frontairbags, Airbag: 2 Seitenairbags, Airbag: 2 Vorhangairbags, Aktiver Spurhalteassistent mit korrigierendem Lenkeingriff (Lane Keep Assist, LKA), Aktives Bremslicht ESS, Autobahnassistent (Highway Driving Assist, HDA), Außenspiegel beheizbar, Außenspiegel elektrisch einstellbar, Außenspiegel in Wagenfarbe, Berganfahrhilfe (Hill-Start Assist Control, HAC), Bordcomputer, Bremsassistent (BAS), Bremsleuchte: Dritte mit LED, Dachhimmel und Säulenverkleidung in Grau, Dachkonsole vorn mit Lesespots und zentraler Beleuchtung, Dachkonsole vorne mit Brillenfach, Diebstahlwarnanlage, Drehzahlmesser, Dreipunktgurte an allen Sitzplätzen, Drive Mode Select, Dämmerungssensor, ESC (elektronische Stabilitätskontrolle) mit Traktionskontrolle (TCS), EcoDynamics (Start-Stopp-System ISG), Einstiegsleisten in Aluminium, Energie-Regenerationssystem, Fensterheber Elektrisch mit Öffnungs-/Schließautomatik und Einklemmschutz hinten, Fensterheber Elektrisch mit Öffnungs-/Schließautomatik und Einklemmschutz vorn, Fernlichtassistent, Frontkollisionswarner, Fußmattenset, Gepäcknetzösen, Gepäckraumabdeckung, Gepäckraumbeleuchtung, Getriebe: 7-Gang-Direktschaltgetriebe DCT, Getränkehalter vorn, Gurtwarnsystem vorn und hinten, Heckscheibenheizung, Heckscheibenwischer, ISOFIX-Halterungen, Insassenalarm (Rear Seat Alert, RSA), Instrumentenanzeige mit 10,7 cm (4,2 Zoll) Bildschirmdiagonale, Klimaanlage, manuell, Kopfstützen (5), Kunstlederschaltknauf, LED Frontscheinwerfer, LED-Nebelscheinwerfer, LED-Rückleuchten, LED-Tagfahrlicht hinten, LED-Tagfahrlicht vorn, Lackierung: Uni, Lenkrad: Lederlenkrad beheizbar, Lenkrad: Multifunktionslenkrad, Mittelarmlehne hinten, Mittelarmlehne vorne verschiebbar, Müdigkeitswarner, Navigation: Kia Kartennavigation mit 26 cm (10,25 Zoll) Bildschirmdiagonale, Online-Dienste Kia Connect mit Kia Live, Ottopartikelfilter, Parkbremse, elektronisch (EPB), Parksensoren hinten (PDW), Polster: Sitzbezüge in Stoff-Leder-Kombination, Radiozubehör: 2 Frontlautsprecher, Radiozubehör: 2 Hecklautsprecher, Radiozubehör: 2 Hochtöner, Radiozubehör: Bluetooth-Freisprecheinrichtung, Radiozubehör: Digitaler Radioempfang DAB/DAB+, Radiozubehör: USB-Schnittstelle, Reifendruckkontrollsystem (TPMS), Räder: Leichtmetallfelgen 7,5J x 18 ET45, Räder: Reifenreparaturset, Rückfahrkamera, Servolenkung, Sicherheitsgurte vorn höhenverstellbar, Sitze: Fahrersitz höhenverstellbar, Sitze: Rücksitzbank im Verhältnis 60:40 geteilt, umklappbar, Sitze: Sitzheizung vorn, Smartphone-Schnittstelle Android Auto und Apple CarPlay mit Sprachsteuerung, Sonnenblenden mit Make-up Spiegeln, beleuchtet, Spurfolgeassistent (Lane Follow Assist, LFA), Steckdose (12 V), Verkehrszeichenerkennung für Geschwindigkeitsbegrenzungen, Wegfahrsperre, Wärmeschutzverglasung, Zentralverriegelung mit Funkfernbedienung

Allgemeinzustand und Wartung

Abgesehen von den beschriebenen Schäden/Mängeln weist das Fahrzeug/Objekt einen, bezogen auf Alter und Nutzung, üblichen Gesamtzustand auf.

Wartungsnachweis: digital

Akzeptierter Zustand / Gebrauchsspuren

Das Fahrzeug weist dem Alter, der Laufleistung und dem Einsatzzweck entsprechende Gebrauchsspuren auf.