

49. CO₂ emissions/fuel consumption/electric energy consumption:

1. All power trains except pure electric vehicles (if applicable):

NEDC values	CO ₂ emissions		Fuel consumption [l/100 km]			
	Petrol/Diesel g/km	LPG / CNG g/km	Others g/km	Petrol/Diesel [L]	LPG / CNG [L]	Others [L]
Urban conditions	127	----	----	5.5	----	----
Extra-urban conditions	102	----	----	4.4	----	----
Combined	111	----	----	4.9	----	----
Weighted, combined	----	----	----	----	----	----

Deviation factor (if applicable):

Verification factor (if applicable):

2. Pure electric vehicles and OVC hybrid electric vehicles (if applicable)

Electric energy consumption (weighted, combined): [Wh/km]

Electric range: [km]

3. Vehicle fitted with eco-innovation(s):

3.1. General code of the eco-innovation(s):

3.2. Total CO₂ emissions savings due to the eco-innovation(s):

3.2.1. NEDC savings (if applicable)

Diesel / Petrol

LPG / NG [g/km]

Others [g/km]

3.2.2. WLTP savings (if applicable)

Diesel / Petrol

LPG / NG [g/km]

Others [g/km]

4. All power trains, except pure electric vehicles (if applicable)

WLTP values	CO ₂ emissions		Fuel consumption: [l/100 km]			
	Petrol/Diesel g/km	LPG / CNG g/km	Others g/km	Petrol/Diesel [L]	LPG / CNG [L]	Others [L]
Low	167	----	----	7.4	----	----
Medium	134	----	----	5.9	----	----
High	120	----	----	5.3	----	----
Extra High	141	----	----	6.2	----	----
Combined	137	----	----	6.0	----	----
Weighted, combined	----	----	----	----	----	----

5.1. Pure electric vehicles (if applicable)

Electric energy consumption

[Wh/km]:

Electric range [km]:

Electric range city [km]:

For special purpose vehicles:

Designation in accordance with Annex II, Section 5:

52. Remarks:

NO 16.2.: with trailer axle 2: +0 kg##NO
35.: alt. to pos 35 with deviating val. in pos 49:##205/55 R17 91V#6.5JX17 ET48;
##205/60 R16 92H#6.0JX16 ET45;##215/45 R18 89V#7.0JX18 ET47;##195/60 R16 89H M+S
#6.0JX16 ET45;##

EC Certificate of Conformity

Complete vehicles

The undersigned hereby certify that the vehicle:

0.1. Make (Trade name of manufacturer):

0.2. Type:

Variant:

Version:

Commercial name:

Interpolation family's identifier:

0.2.3.1. ATCT family's identifier:

0.2.3.2. PEMS family's identifier:

0.2.3.3. Roadload family's identifier:

0.2.3.4. Roadload matrix family's identifier (if applicable):

0.2.3.5. Periodic regeneration family's identifier:

0.2.3.6. Evaporative test family's identifier:

0.2.3.7. Vehicle category:

0.4. Company name and address of manufacturer:

0.5.

0.6. Location and method of attachment of the statutory plates:

On the right B-pillar, glued or bonded

In the engine compartment, right

VSSZZZKJZNR104803

2022-04-25

0.10. Vehicle identification number:

0.11. Date of manufacture of the vehicle:

conforms in all respects to the type described in approval e9*2007/46*3134*36 issued on 2022-01-26 and can be permanently registered in Member States having right hand traffic and using metric units for the speedometer and metric units for the odometer.

Martorell, 2022-04-25

Martorell, 2022-04-25

Daniel Cortina Munuera

Director Quality Assurance

Robin Christoph Bräutigam

Head of Technical Conformity

Internal Manufacturer Data



VSSZZZKJZNR104803



1.	Number of axles / wheels:	2 / 4
3.	Powered axles (number, position):	1 Axle 1
	Interconnection of powered axles:	-----
3.1.	Specify if the vehicle is non-automated/automated/fully automated:	non-automated
4.	Wheelbase[mm]:	2552
4.1.	Axle spacing [mm]:	2552
5.	Length [mm]:	4153
6.	Width [mm]:	1780
7.	Height [mm]:	1532
13.	Mass in running order [kg]:	1244
13.2.	Actual mass of the vehicle [kg]:	1261
16.	Technically permissible maximum masses:	
16.1.	Technically permissible maximum laden mass [kg]:	1640
16.2.	Technically permissible mass on each axle (1./2.) [kg]:	890 / 800
16.4.	Technically permissible maximum mass of the combination [kg]:	2740
18.	Technically permissible maximum towable mass in case of:	
18.1.	Drawbar trailer [kg]:	-----
18.3.	Centre-axle trailer [kg]:	1100
18.4.	Unbraked trailer [kg]:	620
19.	Technically permissible maximum static vertical mass at the coupling point [kg]:	55
20.	Manufacturer of the engine:	Volkswagen AG
21.	Engine code as marked on the engine:	DLA
22.	Working principle:	Positive ignition / 4 stroke
23.	Pure electric:	no
23.1.	Class of Hybrid (electric) vehicle:	-----
24.	Number and arrangement of cylinders:	3, in line
25.	Engine capacity [cm³]:	999
26.	Fuel:	petrol
26.1.	Mono fuel/Bi fuel/Flex fuel/Dual fuel:	mono fuel vehicle
26.2.	Type of dual fuel engine:	-----
27.	Maximum power	
27.1.	Maximum net power [kW at min ⁻¹] (internal combustion engine):	81.00 / 5500
27.2.	Maximum hourly output [kW] (electric motor):	-----
27.3.	Maximum net power [kW] (electric motor):	-----
27.4.	Maximum 30 minutes power [kW] (electric motor):	-----

28.	Gearbox (type):	automatic
	Gear	-----
28.1.	Gearbox ratios:	-----
28.1.2.	Final drive ratio:	-----
	Total gear ratios:	-----
29.	Maximum speed [km/h]:	190
30.	Axle(s) track (1./2.) [mm]:	1505 / 1485

Fitted tyre/wheel combination/energy/efficiency class of RRC/type category used for CO₂ determination:

Axle 1: 205/55 R17 91V / 6,5JX17 ET48 / B / C1
 Axle 2: 205/55 R17 91V / 6,5JX17 ET48 / B / C1

Trailer brake connections:

Code for bodywork:

Colour of vehicle:

Number and configuration of doors:

Number of seating positions (including the driver):

Seat(s) designated for use only when the vehicle is stationary:

Number of wheelchair user accessible position:

Sound level

Stationary [dB(A) at min⁻¹]:

Drive-by [dB(A)]:

Exhaust emission level:

Parameters for emission testing of Vind:

Test mass [kg]:

Frontal area [m²]:

Road load coefficients

47.1.3.0. f0 [N]	47.1.3.1. f1 [N/(km/h)]	47.1.3.2. f2 [N/(km/h)²]
119.664157	0.132000	0.035051

47.2.	Driving cycle:	
47.2.1.	Driving cycle class:	3b
47.2.2.	Downscaling factor (f _{dec}):	-----
47.2.3.	Capped speed:	no
48.	Exhaust emissions:	715/2007-2018/1832AP

1.2. Test procedure: Type 1 (NEDC average values, WLTP highest values) [mg/km] or WHSC (EURO VI)

Petrol / Diesel	CO	THC	NMHC	NO _x	THC + NO _x	NH ₃	Particles	Particles #
LPG/CNG	153.0	22.8	20.4	43.1	-----	-----	0.3000	0.03E11
Other	-----	-----	-----	-----	-----	-----	-----	-----

2.2. Test procedure: WHTC (EURO VI) [mg/kWh]

Petrol / Diesel	CO	THC	NMHC	CH ₄	NO _x	NH ₃	Particles	Particles #
LPG/CNG	-----	-----	-----	-----	-----	-----	-----	-----
Other	-----	-----	-----	-----	-----	-----	-----	-----

48.1. Smoke corrected absorption coefficient [m⁻¹]:

48.2. Declared maximum RDE values (if

NO_x [mg/km] Particles (number) with exponent (#/km)

Complete RDE trip:

60.0 6.00 E11

Urban RDE trip:

60.0 6.00 E11




Bild 1 : Diagonal vorn links



Bild 2 : Diagonal vorn rechts




Bild 3 : Diagonal hinten rechts



Bild 4 : Diagonal hinten links



Bild 5 : Fahrzeugunterseite




Bild 6 : Kombiinstrument (betriebsbereit) mit Km-Stand




Bild 7 : Serviceintervallanzeige



Bild 8 : Durch geöffnete Fahrertüre: Fahrersitz, Armaturenbrett und Schalthebel



Bild 9 : Durch geöffnete hintere Tür: Rücksitzbank



Bild 10 : Mittelkonsole (Radio/Navi eingeschaltet)




Bild 11 : Serviceheft letzter Eintrag, alle Fahrzeugschlüssel, Bordmappe




Bild 12 : ZLB Teil 1 (ohne Halterdaten)




Bild 13 : Reifenfüllflasche abgelaufen

Zustandsbericht / Minderwertgutachten

Vorgang

Auftraggeber
Besichtigung

Mobility Concept GmbH, Grünwalder Weg 34, 82041 Oberhaching
10.07.2026

Bemerkungen

Diese Dienstleistung wurde entsprechend den Vorgaben des Auftraggebers (Kriterien der fairen Fahrzeugbewertung) erstellt. Im Einzelfall können Abweichungen zum DEKRA Standard vorliegen.
Bei der Lackschichtdickenmessung wurden bei mindestens drei Messungen pro Bauteil Lackschichtdicken von 98 µm bis 127 µm festgestellt.
Es wurde eine optische Überprüfung auf Vorschäden und eine Lackschichtdickenmessung vorgenommen. Die augenscheinliche Überprüfung sowie die Lackschichtdickenmessung ergaben keine Hinweise auf Nachlackierungen, Instandsetzungsarbeiten oder reparierte Vorschäden.
Die vorgefundenen Besichtigungsbedingungen waren ausreichend. Das Fahrzeug / Objekt wurde von oben und von unten besichtigt.
Für die Bearbeitung des Vorganges standen folgende Unterlagen zur Verfügung: - Fz-Schein/Zul.Beschein. Teil I
2 Hauptschlüssel, 0 Nebenschlüssel vorgelegt.

Fahrzeugdaten

Erstzulassung	11.07.2022	Letzte Zulassung	11.07.2022
Hersteller	SEAT	Typ / Verkaufsbez.	Arona 1.0 TSI OPF DSG Xperience
Aufbauart	Limousine	Türen	5
Sitzplätze	5	Fahrzeug-Ident.-Nr.	VSSZZKJZNR104803
HSN / TSN	7593 / ARJ	Schlüssel-Nr.	40852285
Km-Stand abgelesen	35533	Nächste HU §29 StVZO	07 / 2027
Energiequelle / Kraftstoff	Benzin	Zylinderanzahl	3 / Reihenmotor
Leistung (kW)	81	Hubraum (ccm)	999
Schadstoffklasse:	EURO6;WLTP;AP;PI/CI; M, N1 I	Antriebsart	Frontantrieb
Getriebe / Gänge	Automatik / 7	Felgen	Leichtmetall
Farbe	Weiß / Uni	Polster / Farbe	Stoff / Grau
Es wird unterstellt, dass die Gesamtleistung dem abgelesenen Km-Stand entspricht.			

Räder / Reifen

Achse	Reifenbezeichnung	Hersteller/Typ	Art	Profiltiefe
1 links	205 / 55 R 17 91 V	Hankook / Kinergy 4S H740	A / O	5 mm
rechts	205 / 55 R 17 91 V	Hankook / Kinergy 4S H740	A / O	5 mm
2 links	205 / 55 R 17 91 V	Hankook / Kinergy 4S H740	A / O	6 mm
rechts	205 / 55 R 17 91 V	Hankook / Kinergy 4S H740	A / O	6 mm
Pannenset	Füllflasche haltbar bis 01.02.2026			

A/ Ganzjahres; /O Original;

Serienausstattung

Serie: 12-V-Steckdose vorne, Ablagefach in den vorderen Türen, Ablagefach an der Rückseite der Vordersitze, Airbags, Ambientebeleuchtung (zweifarbige) in den vorderen Türen, Außenspiegel elektrisch einstellbar, Außenspiegelgehäuse in Dachfarbe, Außentemperaturanzeige, Beleuchtung im Ablagefach der Mittelkonsole und Fußraum vorne, Berganfahrassistent (HHC), Blinkleuchten in den Außenspiegeln, Bordcomputer, Chromleisten an den Seitenfenstern, Dachhimmel in Schwarz, Dachreling und Designelement in der C-Säule in Chromfarben, Differentialsperre, elektronisch (XDS), Drehzahlmesser, Dreipunkt-Automatik-Sicherheitsgurte, vorne ohne Höheneinstellung, Drittes Bremslicht im Heckspoiler integriert, Elektronische Stabilisierungskontrolle (ESC), Fensterheber elektrisch mit Einklemmschutz und One-Touch-Funktion, Gepäckraumabdeckung, Geschwindigkeitsbegrenzer, Geschwindigkeitsregelanlage, Getriebe: 7-Gang-DSG Automatik Getriebe, Getränkehalter, 2 vorne, Heckleuchten in LED-Technologie, Heckscheibe beheizbar mit Zeitabschaltung, Heckscheiben-Wisch-Waschanlage mit Intervallschaltung, ISOFIX-Kindersitz-Sicherungssystem, Kindersicherung an den hinteren Türen, Kofferraum beleuchtet, Kopfstützen in Höhe einstellbar, vorne und hinten, Kühlergrill im Chrom-Diamant-Design, LED-Technologie für Scheinwerfer und Tagfahrlicht, Lackierung: Fahrzeugdach lackiert in Midnight Schwarz Metallic, Magnetic Grau Metallic oder Weiß, Lackierung: Uni mit Fahrzeugdach in abweichende Farbe, Lenkrad: Lenksäule mit Höhen- und Längseinstellung, Lenkrad: Multifunktionslenkrad in Nappaleder, Leseleuchte vorne, Lichtsensor, Lüftungsdüsen in der Armaturentafel, Multikollisionsbremse, Müdigkeitserkennung, Notruf-Service, Ottopartikelfilter, Paket: Ablagen-Paket, Paket: Klima-Komfort-Paket, Pollenfilter, Polster: Stoff, Radio: 8,25"-Media-System, Reifenkontrollanzeige, Räder: 4 Leichtmetallräder "Dynamic 20/1", Räder: Tyre fit, Scheibenwischer vorne mit Intervallschaltung, Schlüsselloser Schließ- und Startsystem "Kessy", Servolenkung, elektromechanisch, Sitze: Beifahrersitz mit Höheneinstellung, Sitze: Fahrersitz mit Höheneinstellung, Sitze: Rücksitzlehne 1/3 zu 2/3 geteilt umlegbar, Sonnenblende auf Fahrerseite mit Einschub für Parkscheibe, Sonnenblende auf Fahrerseite mit Einschub für Parkscheibe und Make-up Spiegel, Spurhalteassistent, Start-Stopp-Technologie, Stoßfänger in Wagenfarbe, Türgriffe in Wagenfarbe, Ultraschall-Einparkhilfe hinten, Umfeldbeobachtungssystem "Front Assist" mit City-Notbremsfunktion und Fußgängererkennung, Variabler Gepäckraumboden, Wegfahrsperre, elektronisch, Wärmeschutzverglasung, Zentralverriegelung mit Funkfernbedienung und Komfortschlüsselung

Sonderausstattung

Code	Bezeichnung
P3C	Entfall der farbigen Lüftungsdüsen in der Armaturentafel
P3Z	Lackierung: Fahrzeugdach in Wagenfarbe Lackierung: Uni Weiß
PW1	Paket: Winter
PCQ	Parklenkassistent mit Ultraschall-Einparkhilfe vorne und hinten inkl. Rückfahrkamera
PML	Radiozubehör: Full Link

Allgemeinzustand und Wartung

Abgesehen von den beschriebenen Schäden/Mängeln weist das Fahrzeug/Objekt einen, bezogen auf Alter und Nutzung, üblichen Gesamtzustand auf.

Wartungsnachweis: vollständig
letzte Wartung: am 24.07.2025 bei Kilometerstand 28.473

Nicht akzeptierter Zustand / Ausstehende Reparaturen

Bezeichnung des Schadens / Rep.-Weg

1. Reifenfüllflasche abgelaufen, erneuern
(Bild 13)