TÜV SÜD Auto Partner GmbH
Wiesenring 2
04159 Leipzig

Besichtigungsort
TÜV SÜD Service-Center Chemnitz
Fürstenstraße 70
09130 Chemnitz

Besichtigungsdatum: 09.10.2026
Protokollnummer: 48158773
Erstellt durch: Markus Böttcher
Besichtigt durch: Heiko Kirsch

VSSZZZKM6PR088705

Angaben zum Fahrzeug

Halter		**Besichtigungszustand**	ausreichend
Kennzeichen		**Laufleistung (abgelesen)**	35.082 km
Hersteller	CUPRA	**Restlauf bis Service**	310 Tag(e)
Typ/Modell	FORMENTOR	**HU (Bericht lag vor)**	09/2028
Vehicle Identification number	VSSZZZKM6PR088705	**Leistung**	110 kW
Hubraum	1.498 ccm	**Zylinder**	4
Erstzulassung	21.09.2023	**Polster/Farbe**	Stoff/Leder Kombination / Anthrazit-Schwarz
Letzte Wartung		**Lackierung**	Schwarz
Kraftstoffart	Benzin	**Getriebe**	Automatik

Zustandsbericht

Gebrauchsspuren

Nr.	Bauteilgruppe	Beschreibung
1	Tür hinten rechts	Tür - Kratzer - kein Abzug

Fehlteile

Fehlteil

Festgestellte Nachlackierungen

Nr.	Ort
Keine feststellbar	

Hauptbereifung

Achse	Reifengröße	Hersteller	Reifentyp	Profiltiefe	Verktgl.	Zul.
1	245/45 R18 96Y	Michelin	Ganzjahresreifen	5mm - 5mm	i.O.	i.O.
2	245/45 R18 96Y	Michelin	Ganzjahresreifen	5mm - 5mm	i.O.	i.O.

Ersatz

Typ	Reifengröße	Hersteller	Reifentyp	Profiltiefe	Ablaufdatum
Tirefit					12/2026

Der Verschleißzustand sowie evtl. Schäden an der Bereifung sind wertmäßig berücksichtigt.

TÜV SÜD Auto Partner GmbH
Wiesenring 2
04159 Leipzig

Besichtigungsort
TÜV SÜD Service-Center
Chemnitz
Fürstenstraße 70
09130 Chemnitz

Besichtigungsdatum:	09.10.2026
Protokollnummer:	**48158773**
Erstellt durch:	Markus Böttcher
Besichtigt durch:	Heiko Kirsch

Angaben zum Fahrzeug

Hersteller	CUPRA	**Besichtigungszustand**	ausreichend
Typ/Modell	FORMENTOR	**Laufleistung (abgelesen)**	35.082 km
Vehicle Identification number	VSSZZZKM6PR088705	**Erstzulassung**	21.09.2023

Angaben zum Auftrag:
Auftragsgemäß erfolgte die Fahrzeugzustandsbewertung in demontagefreien Zustand.

Grundlage dieses Produktes stellt der Leitfaden für Fahrzeugrücknahmen und Bewertungen gemäß des Schadengrenzmusterkatalog des Auftraggebers dar. Die expliziten Feststellungen im Einzelfall trifft der Sachverständige objektiv im Rahmen der vorgegebenen Standards aufgrund eigener Sachkunde.

Fahrzeug-Identifizierung:
Die Fahrzeug-Identifizierungsnummer (FIN) wurde am Fahrzeug abgelesen und die Übereinstimmung im Verlauf der Besichtigung durch den Unterzeichner mit den vorgelegten Unterlagen festgestellt.

Besichtigungsbedingungen:
Die Besichtigungsbedingungen waren zur Beurteilung des Fahrzeuges ausreichend.

Allgemeinzustand:
Das Fahrzeug weist dem Alter und Einsatzzweck entsprechende Gebrauchsspuren auf.



Unterschrift Sachverständiger (Markus Böttcher)

Vorliegendes Druckexemplar wurde auf elektronischem Wege erzeugt. Der benannte Sachverständige versichert, dass der Inhalt die von ihm getroffenen Feststellungen korrekt wiedergibt. Es ist ohne Originalunterschrift gültig.

TÜV SÜD Auto Partner GmbH
Wiesenring 2
04159 Leipzig

Besichtigungsort
TÜV SÜD Service-Center
Chemnitz
Fürstenstraße 70
09130 Chemnitz

Besichtigungsdatum:	09.10.2026
Protokollnummer:	**48158773**
Erstellt durch:	Markus Böttcher
Besichtigt durch:	Heiko Kirsch

Übersichtsfotos



Abbildung 1: FIN



Abbildung 2: Schräg vorne



Abbildung 3: Schräg vorne



Abbildung 4: Schräg hinten



Abbildung 5: Schräg hinten



Abbildung 6: Montierte Bereifung




Abbildung 7: Innenraum vorne



Abbildung 8: Laderaum




Abbildung 9: Kombiinstrument



Abbildung 10: Kombiinstrument



Abbildung 11: Instrumententafel



Abbildung 12: Instrumententafel



Abbildung 13: Dokumente




Abbildung 14: Dokumente



Abbildung 15: Sonstiges

49. CO_2 emissions/fuel consumption/electric energy consumption:

1. All powertrains, except OVC hybrid electric vehicles (if applicable):

WLTP values	CO_2 emissions			Fuel consumption (/100 km)			Electric Consumption
	Petrol/ Diesel (g/km)	Gas CNG/LPG (g/km)	Other (g/km)	Petrol/ Diesel (L)	Gas CNG/LPG (L)/(m^3)	Other (L)	(Wh/km)
Low:	201	----	----	8.9	----	----	--------
Medium:	148	----	----	6.6	----	----	--------
High	129	----	----	5.7	----	----	--------
Extra High:	154	----	----	6.8	----	----	--------
Combined:	151	----	----	6.7	----	----	--------

2. Electric range of pure electric vehicles (if applicable):

Electric range [km]: ----- Electric range city [km]: -----

3. Vehicle fitted with eco-innovation(s): yes

3.1. General code of the eco-innovation(s): e9 29 37

3.2. Total CO_2 emissions savings due to the eco-innovation(s):

3.2.2. WLTP savings (if applicable) [g/km]: Petrol/Diesel: 1.96 Gas (CNG/LPG): ---- Others: ----

4. OVC hybrid electric vehicles (if applicable):

WLTP values (CO2 and fuel consumption sustaining, if not otherwise mentioned)	CO_2 emissions			Fuel consumption: (/100 km)			Electric Consumption
	Petrol/ Diesel (g/km)	Gas CNG/LPG (g/km)	Others (g/km)	Petrol/ Diesel (L)	Gas: CNG / LPG (m^3)/(L)	Other (L)	(Wh/km)
Low	----	----	----	----	----	----	--------
Medium	----	----	----	----	----	----	--------
High	----	----	----	----	----	----	--------
Extra High	----	----	----	----	----	----	--------
City	----	----	----	----	----	----	--------
Combined (sustaining)	----	----	----	----	----	----	--------
Combined (depleting)	----	----	----	----	----	----	
Weighted, combined	----	----	----	----	----	----	--------

5. Electric range of OVC hybrid electric vehicles (if applicable):

Equivalent All Electric Range (EAER): ---- (EAER city): ----

All Electric Range [km]: (AER): ---- (AER city): ----

51. For special purpose vehicles: designation in accordance with CR (CE) 2018/858 annex I part A point 5: --------

52. Remarks:

NO 16.2.: with trailer axle 2:+15 kg##NO
35.: alt. to pos 35 with deviating val. in pos 49:##245/40 R19 94W#8,0JX19 ET40 ;##245/45 R18 96W#8,0JX18 ET40;##215/55 R17 94V M+S#7,5JX17 ET40;##225/50 R18 95 W M+S#8,0JX18 ET40;##225/55 R17 97V M+S#7,5JX17 ET40;##245/45 R18 96W M+S#8,0JX1 8 ET40;##

Certificate of Conformity

046CC0161016

www.PS-Team.de

Complete vehicles

The undersigned hereby certify that the vehicle:

0.1.	Make (Trade name of manufacturer):		CUPRA
0.2.	Type:	Variant:	Version:
	KM	CXDPCAX0	FD7CFD7GC0054BI1AAC
0.2.1.	Commercial name:		FORMENTOR
0.2.2.1.	Allowed Parameter Values for multistage type approval to use the base vehicle emission values		
	Final Vehicle actual mass [kg]:		--------- - ---------
	Final Vehicle technically permissible maximum laden mass[kg]:		--------- - ---------
	Frontal area for final vehicle [cm2]:		--------- - ---------
	Rolling resistance [kg/t]:		--------- - ---------
	Cross sectional area of air entrance of the front grille [cm2]:		--------- - ----
0.2.3.1.	Interpolation family's identifier:		IP-MQB37WZ_A0_0577-VSS-1
0.2.3.2.	ATCT family's identifier:		AT-5Q0_0V_0255_000-VSS-1
0.2.3.3.	PEMS family's identifier:		09-VSS-715W_KM_DPCA_FD7_A-000
0.2.3.4.	Roadload family's identifier		RL-DQ381_7F_19_001-WVW-1
0.2.3.5.	Roadload matrix family's identifier (if applicable):		----------
0.2.3.6.	Periodic regeneration family's identifier:		PR-VW_00221_00_000-WVW-1
0.2.3.7.	Evaporative test family's identifier:		EV-AU_DGW_D_AVAAAB-WVW-1
0.4.	Vehicle category:		M1
0.5.	Company name and address of manufacturer.		SEAT, S.A.,
	Autovia A-2, Km. 585, ES-08760 Martorell		
0.6.	Location and method of attachment of the statutory plates:		
	On the right A-pillar,glued or bonded		
	Location of the vehicle identification number:		
	In the engine compartment,right		
0.9.	Name and address of the manufacturer's representative:		----------
	----------		
0.10.	Vehicle identification number:		VSSZZZKM6PR088705
0.11.	Date of manufacture of the vehicle:		2023-04-24

conforms in all respects to the type described in approval e9*2007/46*4008*17 granted on 2023-02-03 and can be permanently registered in Member States having right hand traffic and using metric units for the speedometer and metric units for the odometer.

Martorell, 2023-04-24

Daniel Cortina Munuera
Director Quality Assurance

Martorell, 2023-04-24

Robin Christoph Bräutigam
Head of Technical Conformity

Internal Manufacturer's data

VSSZZZKM6PR088705

Für dieses Dokument wurde eine Zulassungsbescheinigung Teil II (STM0066) ausgestellt durch Landratsamt München

1.	Number of axles / wheels:	2 / 4
3.	Powered axles (number, position):	1, Axle 1
	Interconnection of powered axles:	----------
3.1.	Specify if the vehicle is non-automated/automated/fully automated:	non-automated
4.	Wheelbase[mm]:	2679
4.1.	Axle spacing [mm]:	2679
5.	Length [mm]:	4450
6.	Width [mm]:	1839
7.	Height [mm]:	1528
13.	Mass in running order [kg]:	1458
13.2.	Actual mass of the vehicle [kg]:	1481
16.	Technically permissible maximum masses:	
16.1.	Technically permissible maximum laden mass [kg]:	1980
16.2.	Technically permissible mass on each axle (1./2.) [kg]:	1020 / 1010
16.4.	Technically permissible maximum mass of the combination [kg]:	3480
18.	Technically permissible maximum towable mass in case of:	
18.1.	Drawbar trailer [kg]:	-----
18.3.	Centre-axle trailer [kg]:	1500
18.4.	Unbraked trailer [kg]:	720
19	Technically permissible maximum static vertical mass at the coupling point [kg]:	80
20.	Manufacturer of the engine:	Volkswagen AG
21.	Engine code as marked on the engine:	DPC
22.	Working principle:	Positive ignition / 4 stroke
23.	Pure electric:	no
23.1.	Class of Hybrid (electric) vehicle:	----------
24.	Number and arrangement of cylinders:	4; in Line
25.	Engine capacity [cm³]:	1498
26.	Fuel:	petrol
26.1.	Mono fuel/Bi fuel/Flex fuel/Dual fuel:	mono fuel vehicle
26.2.	Type of dual fuel engine:	--------
27.	Maximum power	
27.1.	Maximum net power [kW at min^{-1}] (internal combustion engine):	110.00 / 5000
27.3.	Maximum net power [kW] (electric motor):	------
27.4.	Maximum 30 minutes power [kW] (electric motor):	------

28.	Gearbox (type):	automatic
	Gear	----- ----- ----- ----- ----- ----- ----- ----- -----
28.1.	Gearbox ratios:	-------- -------- -------- -------- -------- -------- -------- -------- --------
28.1.2.	Final drive ratio:	------- ------- ------- ------- ------- ------- ------- ------- -------
29.	Maximum speed [km/h]:	203
30.	Axle(s) track (1./2.) [mm]:	1585 / 1559
35.	Fitted tyre/wheel combination/energyefficiency class of RRC/type category used for CO_2 determination:	
	Axle 1:	245/45 R18 96W / 8,0JX18 ET40 / A / C1
	Axle 2:	245/45 R18 96W / 8,0JX18 ET40 / A / C1
36.	Trailer brake connections:	----------
38.	Code for bodywork:	AC
40.	Colour of vehicle:	BLACK
41.	Number and configuration of doors:	5 / le. 2, ri. 2, ba. 1
42.	Number of seating positions (including the driver):	5
42.1.	Seat(s) designated for use only when the vehicle is stationary:	---
42.3.	Number of wheelchair user accessible position:	---
46.	Sound level	
	Stationary [dB(A) at min^{-1}]:	75.10 / 3750
	Drive-by [dB(A)]:	65.00
47.	Exhaust emission level:	EURO 6 AP
47.1	Parameters for emission testing of V_{ind}:	
47.1.1.	Test mass [kg]:	1561
47.1.2.	Frontal area [m²]:	--------

47.1.3. Road load coefficients	47.1.3.0. f0 [N]	47.1.3.1. f1 [N/(km/h)]	47.1.3.2. f2: [N/(km/h)²]
	106.7	0.252	0.03881

47.2.	Driving cycle:	
47.2.1.	Driving cycle class:	3b
47.2.2.	Downscaling factor (f_{dsc}):	-----
47.2.3.	Capped speed:	no
48.	Exhaust emissions:	715/2007*2018/1832AP

1.2. Test procedure: Type 1 (WLTP highest values) [mg/km] or WHSC (EURO VI) [mg/kWh]

Petrol / Diesel	CO	THC	NMHC	NO_x	THC + NO_x	NH_3 [ppm]	Particulates	Particles #
	380.6	30.6	26.5	14.2	--------	--------	0.9800	0.32E11
LPG/CNG	--------	--------	--------	--------	--------	--------	--------	--
Other	--------	--------	--------	--------	--------	--------	--------	--

2.2. Test procedure: WHTC (EURO VI) [mg/kWh]

Petrol / Diesel	CO	THC	NMHC	CH_4	NO_x	NH_3	Particulates	Particles #
	--------	--------	--------	--------	--------	--------	--------	--
LPG/CNG	--------	--------	--------	--------	--------	--------	--------	--
Other	--------	--------	--------	--------	--------	--------	--------	--

48.1.	Smoke corrected absorption coefficient [m^{-1}]:		--------
48.2.	Declared maximum RDE values (if applicable):	NO_x [mg/km]	Particles (number) with exponent (#/km)
	Complete RDE trip:	60.0	6.00 E11
	Urban RDE trip:	60.0	6.00 E11