

4. OVC hybrid electric vehicles: WLTP values
CO₂ emissions:

	Low	charge-sustaining Medium	High	Extra High	Combined	charge-depleting Combined	
-	-	-	-	-	-	-	g/km

Fuel consumption:

	Low	charge-sustaining Medium	High	Extra High	Combined	charge-depleting Combined	
-	-	-	-	-	-	-	

Electric Consumption (EC):

	Low	Medium	High	Extra High	City	Combined	
-	-	-	-	-	-	-	Wh/km

Weighted combined values:

	CO ₂ emissions - g/km	Fuel consumption - -	Electric Consumption (EC _{AC}) - Wh/km
-	-	-	-

5. Electric range of OVC hybrid electric vehicles

Equivalent All Electric Range (EAER):	-	km
Equivalent All Electric Range city (EAER city):	-	km
All Electric Range (AER):	-	km
All Electric Range city (AER city):	-	km

Miscellaneous

51. For special purpose vehicles: designation in accordance with Annex II Section 5 of 2007/46/EC / point 5 of Part A of Annex I to Regulation (EU) 2018/858 of the European Parliament and of the Council:

52. Remarks:

Additional tyre/wheel combinations: technical parameters (no reference to RR)

Axle1: 185/65R15 88T 6Jx15-40 -	Axle2: 185/65R15 88T 6Jx15-40 -	
Axle1: 205/45R17 88V 6,5Jx17-41 -	Axle2: 205/45R17 88V 6,5Jx17-41 -	; or



EC CERTIFICATE OF CONFORMITY

3110/91708160 0122034



2023-VHS-000558524



The undersigned **ENRICO BECCHIO PRODUCTION MANAGER** hereby certifies that the vehicle:

- 0.1. Make: **FIAT**
- 0.2. Type: **FA1** Variant: **0AEA0000A0** Version: **1D2B0**
- 0.2.1. Commercial name: **500**
- 0.2.2.1. Allowed Parameter Values for multistage type approval to use the base vehicle emission values:
- | | | |
|---|---|-----------------|
| Final Vehicle actual mass: | - | kg |
| Final Vehicle technically permissible maximum laden mass: | - | kg |
| Frontal area for final vehicle: | - | cm ² |
| Rolling resistance: | - | kg/t |
| Cross-sectional area of air entrance of the front grille: | - | cm ² |
- 0.2.3. Identifiers:
- | | |
|---|-----------------------------|
| 0.2.3.1. Interpolation family's identifier: | IP-03_FA1_0234-ZFA-1 |
| 0.2.3.2. ATCT family's identifier: | - |
| 0.2.3.3. PEMS family's identifier: | - |
| 0.2.3.4. Roadload family's identifier: | RL-03_FA1_0093-ZFA-1 |
| 0.2.3.5. Roadload Matrix family's identifier: | - |
| 0.2.3.6. Periodic regeneration family's identifier: | - |
| 0.2.3.7. Evaporative test family's identifier: | - |
- 0.4. Vehicle category: **M1**
- 0.5. Company name and address of manufacturer:
FCA Italy S.p.A. C.so G. Agnelli 200 - 10135 - Turin - Italy
- 0.6. Location and method of attachment of the statutory plates:
ON B PILLAR, LEFT VEHICLE SIDE ADHESIVE
Location of the vehicle identification number: **ON THE RIGHT SIDE OF THE FLOOR. IN THE FRONT PART OF THE PASSENGER COMPARTMENT**
- 0.9. Name and address of the manufacturer's representative (if any):
--
- 0.10. Vehicle identification number: **ZFAEFAA47PX128725**
- 0.11. Date of manufacture of the vehicle: **03/01/2023**
- conforms in all respects to the type described in approval **e3*2018/858*00001*09** granted on: **21/11/2022**
and can be permanently registered in Member States having **RIGHT** hand traffic and using **METRIC** units for the speedometer and **METRIC** units for the odometer.

Place: **TURIN**

Date: **03/01/2023**

Signature



Protocol Number
F: M10FATVP300P720
00 201

D: AVN000354

8621b0b9ed24d4e23b1351c797601e77245214a

Für dieses Dokument wurde eine Zulassungsbescheinigung Teil II (GQ241560) ausgegeben. Landratsamt München

U-07316 27.03.2023 = 66

General construction characteristics			AUTOMATIC SINGLE SPEED		
1.	Number of axles:	2	28.1.	Gearbox ratios	
	and wheels:	4		1st gear	1
3.	Powered axles (number, position, interconnection):			2nd gear	-
	1 FRONT -			3rd gear	-
3.1.	Specify if the vehicle is:	non-automated		4th gear	-
	Main dimensions			5th gear	-
4.	Wheelbase:	2322 mm		6th gear	-
4.1	Axle spacing:			7th gear	-
	1-2:	2322 mm		8th gear	-
5.	Length:	3631 mm		9th gear	-
6.	Width:	1683 mm	28.1.1.	Final drive ratio:	1:9,559
7.	Height:	1529 mm	28.1.2.	Final drive ratios	
	Masses			1st gear	1:9,559
13.	Mass in running order:	1365 kg		2nd gear	-
13.2.	Actual mass of the vehicle:	1389 kg		3rd gear	-
16.	Technically permissible maximum masses:			4th gear	-
16.1.	Technically permissible maximum laden mass:	1690 kg		5th gear	-
16.2.	Technically permissible mass on each axle:			6th gear	-
	1. 920 kg			7th gear	-
	2. 840 kg			8th gear	-
16.4.	Technically permissible maximum mass of the combination:	1690 kg		9th gear	-
18.	Technically permissible maximum towable mass in case of:			Maximum speed	
18.1.	Drawbar trailer:	- kg	29.	Maximum speed:	150 km/h
18.3.	Centre-axle trailer:	- kg		Axles and suspension	
18.4.	Unbraked trailer:	- kg	30.	Axle(s) track:	
19.	Technically permissible maximum static vertical mass at the coupling point:	- kg		1. 1470 mm	
	Power plant			2. 1460 mm	
20.	Manufacturer of the engine:		35.	Fitted tyre/wheel combination/ energy efficiency class of rolling resistance coefficients (RRC) and tyre category used for CO ₂ determination:	
	GKN			Axle1: 195/55R16 91V 6Jx16-41 - A C1	
21.	Engine code as marked on the engine:			Axle2: 195/55R16 91V 6Jx16-41 - A C1	
	46348460			Brakes	
22.	Working principle:		36.	Trailer brake connections:	-
	--			Bodywork	
23.	Pure electric:	YES	38.	Code for bodywork:	AB - Hatchback
23.1.	Class of Hybrid [electric] vehicle:	-	40.	Colour of vehicle:	GREY
24.	Number and arrangement of cylinders:		41.	Number and configuration of doors:	3
	--			2 FRONT SIDE AND 1 REAR TAILGATE	
25.	Engine capacity:	- cm ³	42.	Number of seating positions (including the driver):	4
26.	Fuel:	-	42.1.	Seat(s) designated for use only when the vehicle is stationary:	-
26.1.	-		42.3.	Number of wheelchair user accessible position:	-
26.2.	(Dual-fuel only) Type	-		Environmental performances	
27.	Maximum power		46.	Sound level	
27.1.	Maximum net power: (internal combustion engine)			Stationary:	at engine speed: Drive-by:
	- kW at - min ⁻¹			- dB(A)	- min ⁻¹ 69 dB(A)
27.3.	Maximum net power: (electric motor)	87 kW	47.	Exhaust emission level:	EURO 6 AX
27.4.	Maximum 30 minutes power: (electric motor)	43 kW	47.1.	Parameters for emission testing of V _{ind}	
28.	Gearbox (type):		47.1.1.	Test mass, kg:	1452
			47.1.2.	Frontal area, m ² :	-
			47.1.2.1.	Projected frontal area of air entrance of the front grille, cm ² :	-
			47.1.3.	Road load coefficients	
			47.1.3.0. f ₀ , N:	84.8	
			47.1.3.1. f ₁ , N/(km/h):	0.227	
			47.1.3.2. f ₂ , N/(km/h) ² :	0.03220	
			47.2.	Driving cycle:	
			47.2.1.	Driving Cycle class:	3B
			47.2.2.	Downscaling factor (f _{down}):	-
			47.2.3.	Capped speed:	-
			48.	Exhaust emissions:	
				Number of the base regulatory act and latest amending regulatory act applicable:	
				715/2007*2018/1832AX	
			1.2.	Test procedure:	ELE WLTP
				CO	-
				THC	-
				NMHC	-
				NO _x	-
				THC+NO _x	-
				NH ₃	-
				Particulates (mass)	-
				Particles (number)	- n./km
			48.1.	Smoke corrected absorption coefficient:	- - m ⁻¹
			48.2.	Declared maximum RDE values:	
				Complete RDE trip: NO _x :	- mg/km
				Particles (number) :	- n./km
				Urban RDE trip: NO _x :	- mg/km
				Particles (number) :	- n./km
			49.	CO ₂ emissions/fuel consumption/electric energy consumption:	
				1. All powertrains, except OVC hybrid electric	
				CO ₂ emissions:	
				Low	- g/km
				Medium	- g/km
				High	- g/km
				Extra High	- g/km
				Combined	- g/km
				Fuel consumption:	
				Low	-
				Medium	-
				High	-
				Extra High	-
				Combined	-
				Electric Consumption (EC _{AC}):	
				Low	89 Wh/km
				Medium	90 Wh/km
				High	108 Wh/km
				Extra High	166 Wh/km
				Combined	138 Wh/km
				2. Electric range of pure electric vehicles	
				Electric range:	325 km
				Electric range city:	457 km
			3.	Vehicle fitted with eco-innovation(s):	NO
			3.1.	General code of the eco-innovation(s):	-
			3.2.	Total CO ₂ emissions savings due to the eco-innovation(s):	
			3.2.2.	WLTP saving:	- g/km



Bild 1 : Diagonal vorn links



Bild 2 : Diagonal vorn rechts



Bild 3 : Diagonal hinten rechts



Bild 4 : Diagonal hinten links



Bild 5 : Fahrzeugunterseite




Bild 6 : Kombiinstrument (betriebsbereit) mit Km-Stand




Bild 7 : Serviceintervallanzeige



Bild 8 : Durch geöffnete Fahrtüre: Fahrersitz, Armaturenbrett und Schalthebel




Bild 9 : Durch geöffnete hintere Tür: Rücksitzbank



Bild 10 : Mittelkonsole (Radio/Navi eingeschaltet)




Bild 11 : Serviceheft letzter Eintrag, alle Fahrzeugschlüssel, Bordmappe



Bild 12 : 2. Radsatz



Bild 13 : Ladekabel E-Fahrzeug




Bild 14 : Service fällig




Bild 15 : Sitz 1.Reihe links Sitzbezug, fleckig, reinigen




Bild 16 : Sitz 1.Reihe links Sitzbezug, fleckig, reinigen



Bild 17 : Mittelkonsole unten, fleckig, reinigen

Zustandsbericht / Minderwertgutachten

Vorgang

Auftraggeber
Besichtigung

Mobility Concept GmbH, Grünwalder Weg 34, 82041 Oberhaching
26.01.2026

Bemerkungen

Diese Dienstleistung wurde entsprechend den Vorgaben des Auftraggebers (Kriterien der fairen Fahrzeugbewertung) erstellt. Im Einzelfall können Abweichungen zum DEKRA Standard vorliegen. Bei der Lackschichtdickenmessung wurden bei mindestens drei Messungen pro Bauteil Lackschichtdicken von 93 µm bis 127 µm festgestellt.
Es wurde eine optische Überprüfung auf Vorschäden und eine Lackschichtdickenmessung vorgenommen. Die augenscheinliche Überprüfung sowie die Lackschichtdickenmessung ergaben keine Hinweise auf Nachlackierungen, Instandsetzungsarbeiten oder reparierte Vorschäden.

- **Fahrbereifung ist Winterradsatz**
- **Sommerradsatz im Fahrzeug**

- **ZB1 lag zum Zeitpunkt der Besichtigung nicht vor.**

Das Fahrzeug / Objekt wurde zum Zeitpunkt der Besichtigung in einem nicht gereinigten Zustand vorgefunden. Das Fahrzeug / Objekt wurde von oben und auf einer Hebebühne von unten besichtigt. Bei der Besichtigung konnte keine Fahrprobe durchgeführt werden. Folglich sind Mängel bzw. Schäden, die nur bei einer Fahrprobe feststellbar sind, nicht berücksichtigt.
Für die Bearbeitung des Vorganges standen folgende Unterlagen zur Verfügung: - Kopie Fz-Brief/Zul.Beschein. Teil II
2 Hauptschlüssel, 1 Nebenschlüssel vorgelegt.

Fahrzeugdaten

Erstzulassung	27.03.2023	Letzte Zulassung	27.03.2023
Fahrzeugart	Personenkraftwagen	Hersteller	Fiat
Typ / Verkaufsbez.	500 e (332) Lim. (2020->) / 500e Base 42 kWh	Aufbauart	Limousine
Türen	2	Sitzplätze	4
Fahrzeug-Ident.-Nr.	ZFAEF4AA47PX128725	HSN / TSN	1727 / AVN
DAT Europa-Code®	012801220020001	DAT Marktindex	DE001 6370
Km-Stand abgelesen	16208	Nächste HU §29 StVZO	03 / 2026
Energiequelle / Kraftstoff	Elektro	Leistung (kW)	43
Schadstoffklasse:	2017/1151;WLTP;reine Elektro	Antriebsart	Frontantrieb
Getriebe / Gänge	Automatik / 1	Felgen	Leichtmetall
Farbe	Grau / COLEST205	Polster / Farbe	Stoff / Schwarz
Es wird unterstellt, dass die Gesamtlauflistung dem abgelesenen Km-Stand entspricht.			

Räder / Reifen

Achse	Reifenbezeichnung	Hersteller/Typ	Art	Profiltiefe
1 links	195 / 55 R 16 91 V	Continental / EcoContact 6 EVc	S /O	5 mm
rechts	195 / 55 R 16 91 V	Continental / EcoContact 6 EVc	S /O	5 mm
2 links	195 / 55 R 16 91 V	Goodyear / EfficientGrip Performance	S /O	7 mm
rechts	195 / 55 R 16 91 V	Goodyear / EfficientGrip Performance	S /O	7 mm

Ersatzrad/Pannenset kein Ausstattungsgegenstand

S/ Sommer; /O Original;

zusätzlicher Reifensatz

Reifenbezeichnung	Hersteller/Typ	Art	Profiltiefe
185 / 65 R 15 88 T	Michelin / Alpin 6	W /O	6 mm
185 / 65 R 15 88 T	Michelin / Alpin 6	W /O	6 mm
185 / 65 R 15 88 T	Michelin / Alpin 6	W /O	7 mm
185 / 65 R 15 88 T	Michelin / Alpin 6	W /O	7 mm

W/ Winter; /O Original; /F Runflat;

Felgen: Leichtmetall

Serienausstattung

Serie: 6 Lautsprecher, Airbag Fahrer-/Beifahrerseite, Ambiente-Beleuchtung, Antriebs-Schlupfregelung (ASR), Antriebsart: Frontantrieb, Armaturenbrett farbig (Wagenfarbe), Autom. Begleitfunktion der Beleuchtung (Follow me home), Außenspiegel Wagenfarbe, Beifahrerairbag abschaltbar, Einschaltautomatik für Fahrlicht / Lichtsensor, Elektromotor 87 kW (cont. 43 kW), Elektron. Stabilitäts-Programm (ESP / ESC), Fahrassistenten-System: Aufmerksamkeits-Assistent, Fahrassistenten-System: Autonomer Notbrems-Assistent (AEB), Fahrassistenten-System: Bremsassistent, Fahrassistenten-System: Spurhalteassistent, Fahrassistenten-System: Verkehrszeichenerkennung, Fahrmodusschalter, Fensterheber elektrisch vorn, Geschwindigkeits-Regelanlage (Tempomat), Getriebe für Elektrofahrzeug, HV-Batterie 42 kWh (Lithium-Ionen), Halterung Smartphone, Heckleuchten LED, Heckscheibe heizbar, Infotainment-System: UConnect 5 mit Navigationssystem, DAB+ und Bluetooth-Freisprecheinrichtung (Touchscreen 10,25"), Instrumentenanzeige Farbdisplay, 7 Zoll, Karosserie: 3-türig, Klimaautomatik, Kopf-Airbag-System vorn, Kopf-Airbag-System vorn und hinten, Kopfstützen hinten, Lenkrad mit Multifunktion, Lenksäule (Lenkrad) höhenverstellbar, Mobile Online Dienste UConnect Live, Nebelschlussleuchte, Notrufsystem (eCall), One Pedal Drive (elektronisches Gaspedal), Parkbremse elektrisch, Radioempfang digital (DAB+), Regen-/Lichtsensor, Reifen 185/65 R15 ..H, Schnellladefunktion 85 kW (DC), Seitenairbag vorn, Seitenschutzleisten schwarz glänzend, Sitzbezug / Polsterung: Stoff, Sitzverstellung vorn links (4-fach), Sitzverstellung vorn rechts (4-fach), Smartphone Schnittstelle (Apple CarPlay & Android Auto), Sonnenblenden mit Spiegel (beleuchtet), Stahlfelgen 6x15, Steckdose (12V-Anschluß) vorn, Tagfahrlicht LED, USB-Schnittstelle, Uni-Lackierung, Wärmeschutzverglasung

Sonderausstattung


Code	Bezeichnung
1809	Komfort-Paket
73204	Ladekabel mit Schukostecker (Mode 2)
47405	LM-Felgen 6x16

Allgemeinzustand und Wartung

Abgesehen von den beschriebenen Schäden/Mängeln weist das Fahrzeug/Objekt einen, bezogen auf Alter und Nutzung, üblichen Gesamtzustand auf.

Wartungsnachweis: lückenhaft
bis Wartung verbleiben: 0 Tage (zum Besichtigungszeitpunkt)

Nicht akzeptierter Zustand / Ausstehende Reparaturen



Bezeichnung des Schadens / Rep.-Weg

1. Service fällig, erneuern (Bild 14)
2. Sitz 1.Reihe links Sitzbezug, fleckig, reinigen (Bild 15, 16)
3. Mittelkonsole unten, fleckig, reinigen (Bild 17)