4. OVC hybrid electric vehicles: WLTP values

CO_2 emissions:

charge-sustaining					charge-depleting	
Low	Medium	High	Extra High	Combined	Combined	
-	-	-	-	-	-	g/km

Fuel consumption:

charge-sustaining					charge-depleting	
Low	Medium	High	Extra High	Combined	Combined	
-	-	-	-	-	-	-

Electric Consumption (EC):

Low	Medium	High	Extra High	City	Combined	
-	-	-	-	-	-	Wh/km

Weighted combined values:

CO_2 emissions	Fuel consumption	Electric Consumption (EC_{AC})
- g/km	- -	- Wh/km

5. Electric range of OVC hybrid electric vehicles

Equivalent All Electric Range (EAER):	-	km
Equivalent All Electric Range city (EAER city):	-	km
All Electric Range (AER):	-	km
All Electric Range city (AER city):	-	km

Miscellaneous

51. For special purpose vehicles: designation in accordance with Annex II Section 5 of 2007/46/EC / point 5 of Part A of Annex I to Regulation (EU) 2018/858 of the European Parliament and of the Council:
-

52. Remarks:
-

Additional tyre/wheel combinations: technical parameters (no reference to RR)

Axle1: 185/65R15 88T 6Jx15-40 - Axle2: 185/65R15 88T 6Jx15-40 - ; or
Axle1: 205/45R17 88V 6,5Jx17-41 - Axle2: 205/45R17 88V 6,5Jx17-41 -

6d5f91028542586071 1efa0c6d50decb95377f4d

Protocol Number
F: M10FATVP300P720
00 413

D: AVN000354

Für dieses Dokument wurde eine Zulassungsbescheinigung Teil II (GQ245272) ausgegeben. Landratsamt München

2

FCA
FIAT CHRYSLER AUTOMOBILES

046CC0147205
www.PS-Team.de

EC CERTIFICATE OF CONFORMITY

3110/91708075 0122034

2023-VHS-000573590

The undersigned **ENRICO BECCHIO PRODUCTION MANAGER** hereby certifies that the vehicle:

0.1.	Make: **FIAT**		
0.2.	Type: **FA1**	Variant: **0AEA0000A0**	Version: **1D2B0**
0.2.1.	Commercial name: **500**		
0.2.2.1.	Allowed Parameter Values for multistage type approval to use the base vehicle emission values:		
	Final Vehicle actual mass:	-	kg
	Final Vehicle technically permissible maximum laden mass:	-	kg
	Frontal area for final vehicle:	-	cm^2
	Rolling resistance:	-	kg/t
	Cross-sectional area of air entrance of the front grille:	-	cm^2
0.2.3.	Identifiers:	-	
0.2.3.1.	Interpolation family's identifier:	**IP-03_FA1_0234-ZFA-1**	
0.2.3.2.	ATCT family's identifier:	-	
0.2.3.3.	PEMS family's identifier:	-	
0.2.3.4.	Roadload family's identifier:	**RL-03_FA1_0093-ZFA-1**	
0.2.3.5.	Roadload Matrix family's identifier:	-	
0.2.3.6.	Periodic regeneration family's identifier:	-	
0.2.3.7.	Evaporative test family's identifier:	-	
0.4.	Vehicle category: **M1**		
0.5.	Company name and address of manufacturer: **FCA Italy S.p.A. C.so G. Agnelli 200 - 10135 - Turin - Italy**		
0.6.	Location and method of attachment of the statutory plates: **ON B PILLAR, LEFT VEHICLE SIDE ADHESIVE** Location of the vehicle identification number: **ON THE RIGHT SIDE OF THE FLOOR. IN THE FRONT PART OF THE PASSENGER COMPARTMENT**		
0.9.	Name and address of the manufacturer's representative (if any): - -		
0.10.	Vehicle identification number: **ZFAEFAA42PX129426**		
0.11.	Date of manufacture of the vehicle: **05/01/2023**		

conforms in all respects to the type described in approval **e3*2018/858*00001*09** granted on: **21/11/2022**
and can be permanently registered in Member States having **RIGHT** hand traffic and using **METRIC** units for the speedometer and **METRIC** units for the odometer.

Place: **TURIN** Date: **05/01/2023**

Signature

General construction characteristics

1. Number of axles: **2**
   and wheels: **4**
3. Powered axles (number, position, interconnection):
   1 FRONT -
3.1. Specify if the vehicle is: **non-automated**

Main dimensions

4. Wheelbase: **2322** mm
4.1 Axle spacing:
   1-2: **2322** mm
5. Length: **3631** mm
6. Width: **1683** mm
7. Height: **1529** mm

Masses

13. Mass in running order: **1365** kg
13.2. Actual mass of the vehicle: **1389** kg
16. Technically permissible maximum masses:
16.1. Technically permissible maximum laden mass: **1690** kg
16.2. Technically permissible mass on each axle:
   1. **920** kg
   2. **840** kg
16.4. Technically permissible maximum mass of the combination: **1690** kg
18. Technically permissible maximum towable mass in case of:
18.1. Drawbar trailer: - kg
18.3. Centre-axle trailer: - kg
18.4. Unbraked trailer: - kg
19. Technically permissible maximum static vertical mass at the coupling point: - kg

Power plant

20. Manufacturer of the engine:
   GKN
21. Engine code as marked on the engine:
   46348460
22. Working principle:
   - -
23. Pure electric: **YES**
23.1. Class of Hybrid [electric] vehicle: -
24. Number and arrangement of cylinders:
   - -
25. Engine capacity: - cm^3
26. Fuel: -
26.1. -
26.2. (Dual-fuel only) Type -
27. Maximum power
27.1. Maximum net power: (internal combustion engine)
   - - kW at - min^{-1}
27.3. Maximum net power: (electric motor) **87** kW
27.4. Maximum 30 minutes power: (electric motor) **43** kW
28. Gearbox (type):

AUTOMATIC SINGLE SPEED

28.1. Gearbox ratios
   1st gear **1**
   2nd gear -
   3rd gear -
   4th gear -
   5th gear -
   6th gear -
   7th gear -
   8th gear -
   9th gear -
28.1.1. Final drive ratio: **1:9,559**
28.1.2. Final drive ratios
   1st gear **1:9,559**
   2nd gear -
   3rd gear -
   4th gear -
   5th gear -
   6th gear -
   7th gear -
   8th gear -
   9th gear -

Maximum speed

29. Maximum speed: **150** km/h

Axles and suspension

30. Axle(s) track:
   1. **1470** mm
   2. **1460** mm
35. Fitted tyre/wheel combination/ energy efficiency class of rolling resistance coefficients (RRC) and tyre category used for CO_2 determination:
   Axle1: 195/55R16 91V 6Jx16-41 - A C1
   Axle2: 195/55R16 91V 6Jx16-41 - A C1

Brakes

36. Trailer brake connections: -

Bodywork

38. Code for bodywork: **AB - Hatchback**
40. Colour of vehicle: **WHITE**
41. Number and configuration of doors: **3**
   2 FRONT SIDE AND 1 REAR TAILGATE
42. Number of seating positions (including the driver): **4**
42.1. Seat(s) designated for use only when the vehicle is stationary: -
42.3. Number of wheelchair user accessible position: -

Environmental performances

46. Sound level

Stationary:	at engine speed:	Drive-by:
- dB(A)	- min^{-1}	**69** dB(A)

47. Exhaust emission level: **EURO 6 AX**
47.1. Parameters for emission testing of V_{ind}
47.1.1. Test mass, kg: **1452**
47.1.2. Frontal area, m^2: -
47.1.2.1. Projected frontal area of air entrance of the front grille, cm^2: -
47.1.3. Road load coefficients
47.1.3.0. f0, N: **84.8**
47.1.3.1. f1, N/(km/h): **0.227**
47.1.3.2. f2, N/(km/h)²: **0.03220**
47.2. Driving cycle:
47.2.1. Driving Cycle class: **3B**
47.2.2. Downscaling factor (f_{dsc}): -
47.2.3. Capped speed: -
48. Exhaust emissions:
   Number of the base regulatory act and latest amending regulatory act applicable:
   715/2007*2018/1832AX
   1.2. Test procedure: **ELE WLTP**

	-	
CO	-	-
THC	-	-
NMHC	-	-
NO_x	-	-
$THC+NO_x$	-	-
NH_3	-	-
Particulates (mass)	-	-
Particles (number)	-	n./km

48.1. Smoke corrected absorption coefficient: - - m^{-1}
48.2. Declared maximum RDE values:

	-	
Complete RDE trip: NO_x :	-	mg/km
Particles (number) :	-	n./km
Urban RDE trip: NO_x :	-	mg/km
Particles (number) :	-	n./km

49. CO_2 emissions/fuel consumption/electric energy consumption:
   1. All powertrains, except OVC hybrid electric
   CO_2 emissions:

	-	
Low	-	g/km
Medium	-	g/km
High	-	g/km
Extra High	-	g/km
Combined	-	g/km

Fuel consumption:

	-
Low	-
Medium	-
High	-
Extra High	-
Combined	-

Electric Consumption (EC_{AC}):

Low	**89**	Wh/km
Medium	**90**	Wh/km
High	**108**	Wh/km
Extra High	**166**	Wh/km
Combined	**138**	Wh/km

2. Electric range of pure electric vehicles
Electric range: **325** km
Electric range city: **457** km
3. Vehicle fitted with eco-innovation(s): **NO**
3.1. General code of the eco-innovation(s): -
3.2. Total CO_2 emissions savings due to the eco-innovation(s):
3.2.2. WLTP saving: - - g/km



Bild 1 : Diagonal vorn links



Bild 2 : Diagonal vorn rechts



Bild 3 : Diagonal hinten rechts



Bild 4 : Diagonal hinten links



Bild 5 : Fahrzeugunterseite



Bild 6 : Kombiinstrument (betriebsbereit) mit Km-Stand




Bild 7 : Durch geöffnete Fahrertüre: Fahrersitz, Armaturenbrett und Schalthebel



Bild 8 : Durch geöffnete hintere Tür: Rücksitzbank



Bild 9 : Mittelkonsole (Radio/Navi eingeschaltet)




Bild 10 : Serviceheft letzter Eintrag, alle Fahrzeugschlüssel, Bordmappe




Bild 11 : ZLB Teil 1 (ohne Halterdaten)



Bild 12 : Ladekabel E-Fahrzeug




Bild 13 : LM-Felge vorne rechts verschrammt



Bild 14 : Achse 1, Reifen Links 1
Reifen vorne aussen abgefahren



Bild 15 : Achse 1, Reifen Rechts 1
Reifen vorne aussen abgefahren

DEKRA-Nr: 0530 / 046487 / 2026 / B079231002008 vom 27.10.2026

Zustandsbericht / Minderwertgutachten

Vorgang

Auftraggeber	Mobility Concept GmbH, Grünwalder Weg 34, 82041 Oberhaching
Besichtigung	27.10.2026

Bemerkungen

Diese Dienstleistung wurde entsprechend den Vorgaben des Auftraggebers (Kriterien der fairen Fahrzeugbewertung) erstellt. Im Einzelfall können Abweichungen zum DEKRA Standard vorliegen.
Bei der Lackschichtdickenmessung wurden bei mindestens drei Messungen pro Bauteil Lackschichtdicken von 90 µm bis 130 µm festgestellt.
Es wurde eine optische Überprüfung auf Vorschäden und eine Lackschichtdickenmessung vorgenommen. Die augenscheinliche Überprüfung sowie die Lackschichtdickenmessung ergaben keine Hinweise auf Nachlackierungen, Instandsetzungsarbeiten oder reparierte Vorschäden.

Das Fahrzeug / Objekt wurde zum Zeitpunkt der Besichtigung in einem nicht gereinigten Zustand vorgefunden.
Das Fahrzeug / Objekt wurde auf einer Grube von unten besichtigt.
Für die Bearbeitung des Vorganges standen folgende Unterlagen zur Verfügung: - Fz-Schein/Zul.Beschein. Teil I 2 Hauptschlüssel vorgelegt.

Fahrzeugdaten

Erstzulassung	25.04.2023	Letzte Zulassung	23.07.2026
Fahrzeugart	PKW	Hersteller	FIAT
Marke	FIAT	Typ / Verkaufsbez.	500e 42kWh
Aufbauart	Limousine	Türen	3
Sitzplätze	4	Fahrzeug-Ident.-Nr.	ZFAEFAA42PX129426
HSN / TSN	1727 / AVN	Schlüssel-Nr.	10172264
Km-Stand abgelesen	21488	Nächste HU §29 StVZO	09 / 2027
Energiequelle / Kraftstoff	Elektro	Zylinderanzahl	/ Elektromotor
Leistung (kW)	43	Schadstoffklasse:	2017/1151;WLTP;reine Elektrofz
Antriebsart	Frontantrieb	Getriebe	Automatik /
Felgen	Leichtmetall	Farbe	Weiß
Polster / Farbe	Stoff / Anthrazit		

Es wird unterstellt, dass die Gesamtlaufleistung dem abgelesenen Km-Stand entspricht.

Räder / Reifen

Achse	Reifenbezeichnung	Hersteller/Typ	Art	Profiltiefe
1 links	195 / 55 R 16 91 V	Continental / EcoContact 6 EVc	S /S	2 mm
rechts	195 / 55 R 16 91 V	Continental / EcoContact 6 EVc	S /S	2 mm
2 links	195 / 55 R 16 91 V	Continental / EcoContact 6 EVc	S /O	5 mm
rechts	195 / 55 R 16 91 V	Continental / EcoContact 6 EVc	S /O	5 mm
Pannenset				

S/ Sommer; /S Schaden; /O Original;

Serienausstattung

Serie: ABS mit EBD, Acoustic Vehicle Alerting System (AVAS), Airbag - Beifahrerseite (deaktivierbar), Airbag Kopfairbags vorne und hinten, Airbag Seitenairbags vorn, Airbag-Fahrerseite, Armaturenbretteinlage in Wagenfarbe, Aufmerksamkeitsassistent, Autonomous Emergency Braking (AEB), Bremsleuchte, dritte, Electronic Stability Control (ESC) mit Antriebsschlupfregelung (ASR) und Bremsassistent (BAS), Fahrmodus-Schalter, Fensterheber elektrisch vorne, Geschwindigkeitsregelanlage, Getriebe: 1-Gang-Direktantrieb, Heckscheibenheizung, Heckscheibenwischer, Instrumentenanzeige als 7" TFT-Farbdisplay, Keyless Go, Klimaautomatik, Kopfstützen im Fond (2), Kopfstützen vorn, LED-Heckleuchten, LED-Tagfahrlicht, Lackierung: Uni, Ladekabel-zubehör: Tasche für EV/PHEV Mode-3-Ladekabel, Ladekabel: Mode-3 EV/PHEV, Lenkrad höhenverstellbar, Lenkrad: Softtouch-Lenkrad, Licht- und Regensensor, Nebelschlußleuchte, Parkbremse elektronisch, Polster. Stoff, Radio: Audiosystem mit 6 Lautsprechern, Radio: Infotainmentsystem 10,25" mit digitalem Radioempfang DAB+, Radiozubehör: Smartphone Mirroring via Apple CarPlay / Android Auto, Räder: 15" Stahlfelgen mit Radzierblenden, Schnellladefunktion: EV/PHEV - 85 kW, Schwarze Seitenzierleisten, Servolenkung, Sitze: Vordersitze, 4-fach manuell verstellbar, Spurhalteassistent, Temperaturregelung elektrisch EV/PHEV, Uconnect Services, Verkehrszeicheninformation, Wegfahrsperre, Wärmeschutzverglasung, Zentralverriegelung

Sonderausstattung

Code	Bezeichnung
	Lackierung: Sonder-Uni-Lackierung
07C	Ladekabel: Mode-2 EV/PHEV
4x2	Paket: Komfort

Allgemeinzustand und Wartung

Abgesehen von den beschriebenen Schäden/Mängeln weist das Fahrzeug/Objekt einen, bezogen auf Alter und Nutzung, üblichen Gesamtzustand auf.

Wartungsnachweis: vollständig
letzte Wartung: am 02.10.2026 bei Kilometerstand 21.183

Nicht akzeptierter Zustand / Ausstehende Reparaturen

Bezeichnung des Schadens / Rep.-Weg

1. LM-Felge vorne rechts verschrammt,
   erneuern (Bild 13)

Reifenbewertung

	Profiltiefe	Art
vorne links	2 mm	SS
vorne rechts	2 mm	SS

Legende S/ Sommer /S Schaden /O Original