



**COMPLETE VEHICLES
CERTIFICATE OF CONFORMITY**

Part 1

The undersigned M. KNOPIK GENERAL MANAGER hereby certifies that the vehicle:

- | | |
|---|--|
| 0.1. Make (Trade name of manufacturer): | Hyundai |
| 0.2. Type: | OSE |
| - Variant: | F5E11 |
| - Version: | E11B11 |
| 0.2.1. Commercial name(s): | Kona, Kauai |
| 0.2.3. Identifiers: | |
| 0.2.3.1. Interpolation family's identifier: | IP-041230-TMA-1 |
| 0.2.3.2. ATCT family's identifier: | - |
| 0.2.3.3. PEMS family's identifier: | - |
| 0.2.3.4. Roadload family's identifier: | RL-041230-TMA-1 |
| 0.2.3.5. Roadload Matrix family's identifier: | - |
| 0.2.3.6. Periodic regeneration family's identifier: | - |
| 0.2.3.7. Evaporative test family's identifier: | - |
| 0.4. Vehicle category: | M1 |
| 0.5. Company name and address of manufacturer: | Hyundai Motor Manufacturing Czech s.r.o., Prumyslova zona Nosovice, Hyundai 700/1, 73951 Nizni Lhoty, CZ |
| 0.6. Location and method of attachment of the statutory plates: | |
| On the left hand B-post, bonded | |
| Location of the vehicle identification number: | |
| Under the right front seat | |
| 0.9. Name and address of the manufacturer's representative: | Hyundai Motor Europe Technical Center GmbH; Hyundai Platz, 65428 Rüsselsheim, Germany |
| 0.10. Vehicle identification number: | TMAK381GFNJ051345 |
| 0.11. Date of manufacture of the vehicle: | 07.01.2022 |

conforms in all respects to the type described in approval e4*2007/46*1522*03 granted on 29.10.2021
and can be permanently registered in Member States having right hand traffic and using metric
units for the speedometer and metric units for the odometer

Place, Date and Signature

HMC

20.01.2022

Übereinstimmungsbescheinigung
Πιστοποιητικό Συμμόρφωσης
Certificat de Conformité
Certificate of Conformity
Certificato di Conformità
Conformiteitscertificaat
Świadectwo Zgodności
Certifikat o skladnosti
Certificado de Conformidad



Part 2

General construction characteristics

- | | |
|--|----------------|
| 1. Number of axles: | 2 and wheels 4 |
| 3. Powered axles (number, position, interconnection): | 1, Front |
| 3.1. Specify if the vehicle is non-automated/automated/fully automated | non-automated |

Main dimensions

- | | |
|--------------------|------------------------------|
| 4. Wheelbase: | 2600 mm |
| 4.1. Axle spacing: | 1-2: 2600 mm 2-3: mm 3-4: mm |
| 5. Length: | 4205 mm |
| 6. Width: | 1800 mm |
| 7. Height: | 1570 mm |

Masses

- | | |
|--|-----------------------|
| 13. Mass in running order: | 1760 kg |
| 13.2. Actual mass of the vehicle: | 1798 kg |
| 16. Technically permissible maximum masses | |
| 16.1. Technically permissible maximum laden mass: | 2170 kg |
| 16.2. Technically permissible mass on each axle: | 1. 1100 kg 2. 1120 kg |
| 16.4. Technically permissible maximum mass of the combination: | 2470 kg |
| 18. Technically permissible maximum towable mass in case of: | |
| 18.1. Drawbar trailer: | - kg |
| 18.3. Centre-axle trailer: | 300 kg |
| 18.4. Unbraked trailer: | 300 kg |
| 19. Technically permissible maximum static vertical mass
at the coupling point: | 100 kg |

3674664

GN025353

Power plant

20. Manufacturer of the engine: HYUNDAI MOBIS
21. Engine code as marked on the engine: EM16
22. Working principle: -
23. Pure electric: yes
23.1. Class of Hybrid [electric] vehicle: no
24. Number and arrangement of cylinders: - -
25. Engine capacity: - cm3
26. Fuel: Electricity
26.1. Mono fuel/Bi fuel/Flex fuel/Dual-fuel: -
26.2. (Dual-fuel only)
27. Maximum power
27.1. Maximum net power: - kW at -min-1
(internal combustion engine) :
27.3. Maximum net power: 150.00 kW (electric motor)
27.4. Maximum 30 minutes power: 28.00 kW (electric motor)
28. Gearbox (type): N/A
28.1. Gearbox ratios

1st gear	2nd gear	3rd gear	4th gear	5th gear	6th gear	7th gear	8th gear
-	-	-	-	-	-	-	-

28.1.1. Final drive ratio: -

28.1.2. Final drive ratios

1st gear	2nd gear	3rd gear	4th gear	5th gear	6th gear	7th gear	8th gear
-	-	-	-	-	-	-	-

Maximum speed

29. Maximum speed: 167 km/h

Axles and suspension

30. Axle(s) track: 1. 1564 mm 2. 1575 mm
35. Fitted tyre/wheel combination/energy efficiency class of rolling resistance coefficients (RRC) and tyre category used for CO2 determination:
Axle1 : 215/55R17 94V 7.0JX17/ET50 / A/C1
Axle2 : 215/55R17 94V 7.0JX17/ET50 / A/C1

Brakes

36. Trailer brake connections -

Bodywork

38. Code for bodywork: AF(multi-purpose vehicle)
40. Colour of vehicle: brown
41. Number and configuration of doors: 5; 2 left, 2 right, 1 rear
42. Number of seating positions 5
(including the driver):
42.1. Seat(s) designated for use only when the vehicle is stationary: -
42.3. Number of wheelchair user accessible position: -

Environmental performances

46. Sound level
- Stationary: - dB(A) at engine speed : - min-1
- Drive-by: 68,00 dB(A)
47. Exhaust emission level: Euro AX
47.1. Parameters for emission testing of Vind
47.1.1. Test mass, kg: 1893
47.1.2. Frontal area, m2: 2.43
47.1.2.1. Projected frontal area of air entrance of the - the front grille, cm2:
47.1.3. Road load coefficients
47.1.3.0. f0, N: 103.3
47.1.3.1. f1, N/(km/h): 0.013
47.1.3.2. f2, N/(km/h) 2: 0.03558
47.2. Driving cycle
47.2.1. Driving Cycle class: 3b
47.2.2. Downscaling factor (fdsc): -
47.2.3. Capped speed: no
48. Exhaust emissions: EC715/2007*2018/1832AX

1.2. Test procedure: Type 1 (NEDC average values, WLTP highest values) or WHSC (EURO VI)

- CO: - mg/km
THC: - mg/km
NMHC : - mg/km
NOx: - mg/km
THC+NOx: - mg/km
NH3 :
Particulates (mass) : - mg/km
Particles (number) : -

2.2. test procedure: WHTC (EURO VI)

- 48.1. Smoke corrected absorption coefficient: -(m-1)

48.2. Declared maximum RDE values

- Complete RDE trip: Urban RDE trip:
NOx: -mg/km -mg/km
Particles (number) : - -

49. CO2 emissions/fuel consumption/electric energy consumption:

1. All power trains, except pure electric vehicles

NEDC Values	CO2 emissions	Fuel consumption
Urban conditions:	consedelegalei g/km	consedelegalei l/100 km
Extra-urban conditions :	consedelegalei g/km	consedelegalei l/100 km
Combined:	consedelegalei g/km	consedelegalei l/100 km
Weighted, combined :	- g/km	- l/100 km
Deviation factor		-
Verification factor		-

2. Pure electric vehicles and OVC hybrid electric vehicles

Electric energy consumption (weighted, combined)	Wh/km
Electric range	km

3. Vehicle fitted with eco-innovation(s): -
3.1. General code of the eco-innovation(s): -
3.2. Total CO2 emissions savings due to the eco-innovation(s)

- 3.2.1. NEDC savings: - g/km
3.2.2. WLTP savings: - g/km

4. All power trains, except pure electric vehicle, under Commission Regulation(EU) 2017/1151

WLTP values	CO2 emissions	Fuel consumption
Low:	- g/km	- l/100 km
Medium:	- g/km	- l/100 km
High:	- g/km	- l/100 km
Extra High	- g/km	- l/100 km
Combined:	- g/km	- l/100 km
Weighted, combined	- g/km	- l/100 km

5. Pure electric vehicles and OVC hybrid electric vehicles, under Commission Regulation (EU) 2017/1151

5.1. Pure electric vehicles

Electric energy consumption	147 Wh/km
Electric range	484 km
Electric range city	660 km

5.2. OVC hybrid electric vehicles

Electric energy consumption (ECAC,weighted) :	- Wh/km
Electric range (EAER)	- km
Electric range city (EAER city)	- km

Miscellaneous

51. For special purpose vehicles: designation in accordance with point 5 of Part A of Annex I to Regulation (EU) 2018/858 of the European Parliament and of the Council:

52. Remarks:

13:1760*35:215/55R17 94V,LM-Rad 7.0Jx17/ET50*Vehicle equippe d with a 24 GHz short-range radar equipment(Narrow band only)*



Bild 1 : Diagonal vorn links




Bild 2 : Diagonal vorn rechts




Bild 3 : Diagonal hinten rechts




Bild 4 : Diagonal hinten links




Bild 5 : Fahrzeugunterseite




Bild 6 : Kombiinstrument (betriebsbereit) mit Km-Stand



Bild 7 : Durch geöffnete Fahrertüre: Fahrersitz, Armaturenbrett und Schalthebel




Bild 8 : Durch geöffnete hintere Tür: Rücksitzbank



Bild 9 : Mittelkonsole (Radio/Navi eingeschaltet)




Bild 10 : Serviceheft letzter Eintrag, alle Fahrzeugschlüssel, Bordmappe




Bild 11 : ZLB Teil 1 (ohne Halterdaten)



Bild 12 : Ladekabel E-Fahrzeug

MOBILITY CONCEPT

LVV Nr	469340
Hersteller	Hyundai
Model	Kona
Variante	Trend EV 64 kWh
Listenpreis	19.710,08
VIN	TMAK381GFNJ051345
Erstzulassungsdatum	1.2.2022
Kennzeichen	MZ A6409E

Schadensfälle der int. Belegnummer: 370432

17.07.2026

Schadennummer	Unfalldatum	Beschädigung	Schadenhöhe in EUR
2024101502	25.01.2024	Stoßfänger hinten links	

- Seite 1 von 1 -

Zustandsbericht / Minderwertgutachten

Vorgang

Auftraggeber
Besichtigung

Mobility Concept GmbH, Grünwalder Weg 34, 82041 Oberhaching
06.07.2026

Bemerkungen

Diese Dienstleistung wurde entsprechend den Vorgaben des Auftraggebers (Kriterien der fairen Fahrzeugbewertung) erstellt. Im Einzelfall können Abweichungen zum DEKRA Standard vorliegen.

Bei der Lackschichtdickenmessung wurden bei mindestens drei Messungen pro Bauteil Lackschichtdicken von 70 µm bis 120 µm festgestellt.

Es wurde eine optische Überprüfung auf Vorschäden und eine Lackschichtdickenmessung vorgenommen. Die augenscheinliche Überprüfung sowie die Lackschichtdickenmessung ergaben keine Hinweise auf Nachlackierungen, Instandsetzungsarbeiten oder reparierte Vorschäden.

Die vorgefundenen Besichtigungsbedingungen waren ausreichend. Das Fahrzeug / Objekt wurde von oben und von unten besichtigt. Bei der Besichtigung konnte keine Fahrprobe durchgeführt werden. Folglich sind Mängel bzw. Schäden, die nur bei einer Fahrprobe feststellbar sind, nicht berücksichtigt. Im Rahmen der Fahrzeug / Objektbesichtigung wurde ein Probelauf des Motors durchgeführt. Der Fehlerspeicher war zum Besichtigungszeitpunkt nicht ausgelesen. Abgasrelevante Baugruppen wurden messtechnisch nicht überprüft. Folglich wurden Mängel, die nur bei einer Abgasuntersuchung feststellbar sind, nicht berücksichtigt. Im Rahmen der Besichtigung (Sichtprüfung) konnte keine Überprüfung der Batterien bzw. Akkumulatoren zum Elektro-/Hybridantrieb durchgeführt werden. Somit kann auch keine Aussage zur Resthaltbarkeitsdauer dieser Bauteile getroffen werden. Eine Aussage zu evtl. in Kürze anfallenden Instandsetzungskosten ist daher nicht möglich!

Für die Bearbeitung des Vorganges standen folgende Unterlagen zur Verfügung: - Fz-Schein/Zul.Beschein. Teil I
2 Hauptschlüssel vorgelegt.

Fahrzeugdaten

Erstzulassung	22.02.2022	Letzte Zulassung	22.02.2022
Hersteller	HYUNDAI	Typ / Verkaufsbez.	KONA EV
Aufbauart	Kombi	Türen	5
Sitzplätze	5	Fahrzeug-Ident.-Nr.	TMAK381GFNJ051345
HSN / TSN	1349 / AFH	Schlüssel-Nr.	40345205
Km-Stand abgelesen	54807	Nächste HU §29 StVZO	02 / 2028
Energiequelle / Kraftstoff	Elektro	Zylinderanzahl	/
Leistung (kW)	28	Schadstoffklasse:	2017/1151;WLTP;reine Elektrofz
		Felgen	Leichtmetall
Farbe (Hersteller)	SILKY BRONZE		

Es wird unterstellt, dass die Gesamtlauflistung dem abgelesenen Km-Stand entspricht.

Räder / Reifen

Achse	Reifenbezeichnung	Hersteller/Typ	Art	Profiltiefe
1 links	215 / 55 R 17 98 W	Vredestein / Quatrac PRO FSL	A / O	5 mm
rechts	215 / 55 R 17 98 W	Vredestein / Quatrac PRO FSL	A / O	5 mm
2 links	215 / 55 R 17 98 W	Vredestein / Quatrac PRO FSL	A / O	6 mm
rechts	215 / 55 R 17 98 W	Vredestein / Quatrac PRO FSL	A / O	6 mm
Pannenset	Füllflasche haltbar bis 01.01.2027			

A/ Ganzjahres; /O Original;

Serienausstattung

Serie: Ablagen:, Adaptives Bremslicht (ESS), Airbag: Frontairbags für Fahrer und Beifahrer, Airbag: Seitenairbags für Fahrer und Beifahrer, Airbag: Vorhangairbags bis in den Fond reichend, Aktiver Spurhalteassistent (LKA), Alarmanlage, Anfahrhinweis Vorderfahrzeug (LVDA), Antiblockiersystem (ABS), mit elektronischer Bremskraftverteilung (EBV), Aufmerksamkeitsassistent (DAW), Autonomer Notbremsassistent (FCA), Außenspiegel elektrisch einstellbar, beheizbar, Berganfahrassistent (HAC), Bremsassistent (BAS), Dachreling, Dachspoiler mit 3. Bremsleuchte, Digitales Cockpit mit 10,25-Zoll Farb-Display, Drive Modes, Elektronische Stabilitätskontrolle (ESC), Fahrdynamisches Stabilitätsprogramm (VSM), Fensterheber elektrisch vorne und hinten, Gepäcknetz, Gepäckraumabdeckung, Gepäckraumbeleuchtung, Geschwindigkeitsregelanlage mit Limiter, Getriebe: 1-stufiges Reduktionsgetriebe, Halogen-Projektionsscheinwerfer, Heckscheibe, beheizbar, Heckscheiben-Wisch-/Waschanlage, ISOFIX-Kindersitzbefestigung hinten, Kindersicherung an den hinteren Türen, Klimaautomatik, Kopfstützen (5) vorn und hinten höhenverstellbar, LED-Tagfahrlicht, Lackierung: Uni, Ladekabel ICCB, Lenkrad: Multifunktionslederlenkrad, Lenksäule manuell längs- und neigungsverstellbar, Leseleuchten vorne und hinten, Leuchtweitenregulierung, manuell, Lichtsensor, Mittelarmlehne vorn mit Ablagefach, Parkbremse elektrisch, Polster: Stoff, Radio: Audiosystem, Radiozubehör: DAB+ Radio, Reifendruckkontrollsystem (TPMS), Räder: Leichtmetallfelgen 7 J x 17 mit Bereifung 215/55 R 17, Räder: Reifen-Reparatur-Kit, Rückfahrkamera, Servolenkung, Sicherheitsgurte, Sicherheitslenksäule neigungs- und längsverstellbar, Sitze: Fahrersitz höhenverstellbar, Sitze: Fahrersitz mit elektrisch verstellbarer Lendenwirbelstütze, Sitze: Rücksitzlehne asymmetrisch geteilt, umklappbar, Smart-Key-System mit Start-Stop-Knopf, Sonnenblende mit Spiegel für Fahrer und Beifahrer, beleuchtet, Spurfolgeassistent (LFA), Steckdose 12 Volt, Türgriffe in Wagenfarbe lackiert, Türgriffe innen, in Silbergrau, Verglasung rundum getönt, Verglasung: Frontscheibe mit Sonnenschutzkeil, Wegfahrsperre, elektronisch, Wärmeschutzverglasung, Zentralverriegelung mit schlüsselintegrierter Funkfernbedienung, eCall Notrufsystem

Allgemeinzustand und Wartung

Wartungsnachweis: vollständig
 letzte Wartung: am 20.02.2026 bei Kilometerstand 53.701
 nächste Wartung: am 20.02.2027 bei Kilometerstand 68.701

Akzeptierter Zustand / Gebrauchsspuren

Das Fahrzeug weist dem Alter, der Laufleistung und dem Einsatzzweck entsprechende Gebrauchsspuren auf.