

**VSSZZZKJZNR100199**

## Angaben zum Fahrzeug

|                          |                   |                                 |                 |
|--------------------------|-------------------|---------------------------------|-----------------|
| <b>Halter</b>            |                   | <b>Besichtigungszustand</b>     | ausreichend     |
| <b>Kennzeichen</b>       |                   | <b>Laufleistung (abgelesen)</b> | 28.997 km       |
| <b>Hersteller</b>        | Seat              | <b>Restlauf bis Service</b>     | 0 km            |
| <b>Typ/Modell</b>        | ARONA             | <b>HU (Bericht lag vor)</b>     | 08/2027         |
| <b>Fahrgestellnummer</b> | VSSZZZKJZNR100199 | <b>Leistung</b>                 | 81 kW           |
| <b>Hubraum</b>           | 999 ccm           | <b>Zylinder</b>                 | 3               |
| <b>Erstzulassung</b>     | 29.06.2022        | <b>Polster/Farbe</b>            | Stoff / Schwarz |
| <b>Letzte Wartung</b>    |                   | <b>Lackierung</b>               | Schwarz         |
| <b>Kraftstoffart</b>     | Benzin            | <b>Getriebe</b>                 | Automatik       |

## Zustandsbericht

### Wertmindernde Faktoren

| Nr. | Bauteilgruppe | Beschreibung                                                             |
|-----|---------------|--------------------------------------------------------------------------|
| 1   | Ausrüstung    | Tirefit Füllmittel - fällig - erneuern                                   |
| 2   | Sonstiges     | Inspektion/Wartung (06/2024 fehlt -> 2 Jahre / 30.000km) - kein Nachweis |
| 3   | Sonstiges     | Inspektion/Wartung (06/2026 fehlt -> 2 Jahre / 30.000km) - kein Nachweis |

### Gebrauchsspuren

| Nr.                                                                              | Bauteilgruppe | Beschreibung |
|----------------------------------------------------------------------------------|---------------|--------------|
| Das Fahrzeug weist dem Alter und Einsatzzweck entsprechende Gebrauchsspuren auf. |               |              |

### Fehlteile

| Fehlteil                              |
|---------------------------------------|
| Verkleidungen/Abdeckungen - Fußmatten |

### Festgestellte Nachlackierungen

| Nr.                | Ort |
|--------------------|-----|
| Keine feststellbar |     |

### Hauptbereifung

| Achse | Reifengröße    | Hersteller | Reifentyp        | Profiltiefe | Verktgl. | Zul. |
|-------|----------------|------------|------------------|-------------|----------|------|
| 1     | 205/55 R17 91V | Hankook    | Ganzjahresreifen | 5mm - 5mm   | i.O.     | i.O. |
| 2     | 205/55 R17 91V | Hankook    | Ganzjahresreifen | 5mm - 5mm   | i.O.     | i.O. |

### Ersatz

| Typ     | Reifengröße | Hersteller | Reifentyp | Profiltiefe | Ablaufdatum |
|---------|-------------|------------|-----------|-------------|-------------|
| Tirefit |             |            |           |             | 02/2026     |

**TÜV SÜD Auto Partner GmbH**  
Gutenbergstraße 13  
70771 Leinfelden-Echterdingen

**Besichtigungsort**  
TÜV SÜD Auto Partner GmbH  
Hamburg  
Rahlau 60  
22045 Hamburg

Besichtigungsdatum: 24.07.2026  
**Protokollnummer: 46782411**  
Erstellt durch: Paula Busch  
Besichtigt durch: Christian Schaper



---

Der Verschleißzustand sowie evtl. Schäden an der Bereifung sind wertmäßig berücksichtigt.

**TÜV SÜD Auto Partner GmbH**  
Gutenbergstraße 13  
70771 Leinfelden-Echterdingen

**Besichtigungsort**  
TÜV SÜD Auto Partner GmbH  
Hamburg  
Rahlau 60  
22045 Hamburg

Besichtigungsdatum: 24.07.2026  
**Protokollnummer: 46782411**  
Erstellt durch: Paula Busch  
Besichtigt durch: Christian Schaper



## Angaben zum Fahrzeug

|                          |                  |                                 |             |
|--------------------------|------------------|---------------------------------|-------------|
| <b>Hersteller</b>        | Seat             | <b>Besichtigungszustand</b>     | ausreichend |
| <b>Typ/Modell</b>        | ARONA            | <b>Laufleistung (abgelesen)</b> | 28.997 km   |
| <b>Fahrgestellnummer</b> | VSSZZKJZNR100199 | <b>Erstzulassung</b>            | 29.06.2022  |

### Angaben zum Auftrag:

Auftragsgemäß erfolgte die Fahrzeugzustandsbewertung in demontagefreien Zustand.

Grundlage dieses Produktes stellt der Leitfaden für Fahrzeugrücknahmen und Bewertungen gemäß des Schadengrenzmusterkatalog des Auftraggebers dar. Die expliziten Feststellungen im Einzelfall trifft der Sachverständige objektiv im Rahmen der vorgegebenen Standards aufgrund eigener Sachkunde.

### Fahrzeug-Identifizierung:

Die Fahrzeug-Identifizierungsnummer (FIN) wurde am Fahrzeug abgelesen und die Übereinstimmung im Verlauf der Besichtigung durch den Unterzeichner mit den vorgelegten Unterlagen festgestellt.

### Besichtigungsbedingungen:

Die Besichtigungsbedingungen waren zur Beurteilung des Fahrzeuges ausreichend.

### Allgemeinzustand:

Das Fahrzeug weist dem Alter und Einsatzzweck entsprechende Gebrauchsspuren auf.

Unterschrift Sachverständiger (Paula Busch)

Vorliegendes Druckexemplar wurde auf elektronischem Wege erzeugt. Der benannte Sachverständige versichert, dass der Inhalt die von ihm getroffenen Feststellungen korrekt wiedergibt. Es ist ohne Originalunterschrift gültig.

## Übersichtsfotos



**Abbildung 1:** FIN



**Abbildung 2:** Schräg vorne



**Abbildung 3:** Schräg vorne




**Abbildung 4:** Schräg hinten



**Abbildung 5:** Schräg hinten




**Abbildung 6:** Montierte Bereifung



**Abbildung 7:** Innenraum vorne




**Abbildung 8:** Laderaum




**Abbildung 9:** Laderaum



**Abbildung 10:** Kombiinstrument



**Abbildung 11:** Kombiinstrument



**Abbildung 12:** Instrumententafel


**TÜV SÜD Auto Partner GmbH**  
Gutenbergstraße 13  
70771 Leinfelden-Echterdingen

**Besichtigungsort**  
TÜV SÜD Auto Partner GmbH  
Hamburg  
Rahlau 60  
22045 Hamburg

Besichtigungsdatum: 24.07.2026  
**Protokollnummer: 46782411**  
Erstellt durch: Paula Busch  
Besichtigt durch: Christian Schaper



**Abbildung 13: Dokumente**



**Abbildung 14: Dokumente**


**TÜV SÜD Auto Partner GmbH**  
Gutenbergstraße 13  
70771 Leinfelden-Echterdingen

**Besichtigungsort**  
TÜV SÜD Auto Partner GmbH  
Hamburg  
Rahlau 60  
22045 Hamburg

Besichtigungsdatum: 24.07.2026  
**Protokollnummer: 46782411**  
Erstellt durch: Paula Busch  
Besichtigt durch: Christian Schaper



## Beschädigungsfotos



**Beschädigung #1:** Ausrüstung: Tirefit Füllmittel - fällig - erneuern

The undersigned hereby certify that the vehicle:

- 0.1. Make (Trade name of manufacturer): SEAT
- 0.2. Type: KJ
- Variant: XDLAA
- Version: FD7SFD7CW0094B12A1AFA8H
- Commercial name: ARONA
- 0.2.1. Interpolation family's identifier: IP-MQB27SZ\_A1\_0549-VSS-1
- 0.2.3.1. ATCT family's identifier: AT-2Q0\_0V\_0210\_000-VSS-1
- 0.2.3.2. PEMS family's identifier: 09-VSS-715W\_KJ\_DLAA\_FD7\_A\_X-000
- 0.2.3.3. Roadload family's identifier: RL-DQ200\_7F\_17\_012-WVV-1
- 0.2.3.4. Roadload matrix family's identifier (if applicable):
- 0.2.3.5. Periodic regeneration family's identifier: PR-VW\_00219\_00\_000-WVV-1
- 0.2.3.6. Evaporative test family's identifier: EV-AW\_DGW\_D\_ALACAA-WVV-1
- 0.2.3.7. Vehicle category: M1
- 0.4. Company name and address of manufacturer: SEAT, S.A.  
Autovia A-2, Km. 585  
ES-08760 Martorell
- 0.5.

- 0.6. Location and method of attachment of the statutory plates: On the right B-pillar, glued or bonded
- Location of the vehicle identification number: In the engine compartment, right
- 0.10. Vehicle identification number: VSSZZKJZNR100199
- 0.11. Date of manufacture of the vehicle: 2022-04-13

conforms in all respects to the type described in approval e9\*2007/46\*3134\*36 issued on 2022-01-26 and can be permanently registered in Member States having right hand traffic and using metric units for the speedometer and metric units for the odometer.

Martorell, 2022-04-13

Martorell, 2022-04-13

Daniel Cortina Munuera  
Director Quality Assurance

Robin Christoph Bräutigam  
Head of Technical Conformity

Internal Manufacturer Data



VSSZZKJZNR100199

49. CO<sub>2</sub> emissions/fuel consumption/electric energy consumption:

1. All power trains except pure electric vehicles (if applicable):

| NEDC values            | CO <sub>2</sub> emissions |                | Fuel consumption [l/100 km] |                   |                                 |            |
|------------------------|---------------------------|----------------|-----------------------------|-------------------|---------------------------------|------------|
|                        | Petrol/Diesel g/km        | LPG / CNG g/km | Others g/km                 | Petrol/Diesel [L] | LPG / CNG [L]/[m <sup>3</sup> ] | Others [L] |
| Urban conditions       | 124                       | ----           | ----                        | 5.4               | ----                            | ----       |
| Extra-urban conditions | 100                       | ----           | ----                        | 4.4               | ----                            | ----       |
| Combined               | 109                       | ----           | ----                        | 4.8               | ----                            | ----       |
| Weighted, combined     | ----                      | ----           | ----                        | ----              | ----                            | ----       |

Deviation factor (if applicable):

Verification factor (if applicable):

2. Pure electric vehicles and OVC hybrid electric vehicles (if applicable)

Electric energy consumption (weighted, combined): [Wh/km]

Electric range: [km]

3. Vehicle fitted with eco-innovation(s):

3.1. General code of the eco-innovation(s):

3.2. Total CO<sub>2</sub> emissions savings due to the eco-innovation(s):

3.2.1. NEDC savings (if applicable)

Diesel / Petrol

LPG / NG [g/km]

Others [g/km]

4. All power trains, except pure electric vehicles (if applicable)

| WLTP values        | CO <sub>2</sub> emissions |                | Fuel consumption: [l/100 km] |                   |                                 |            |
|--------------------|---------------------------|----------------|------------------------------|-------------------|---------------------------------|------------|
|                    | Petrol/Diesel g/km        | LPG / CNG g/km | Others g/km                  | Petrol/Diesel [L] | LPG / CNG [L]/[m <sup>3</sup> ] | Others [L] |
| Low                | 165                       | ----           | ----                         | 7.3               | ----                            | ----       |
| Medium             | 132                       | ----           | ----                         | 5.8               | ----                            | ----       |
| High               | 118                       | ----           | ----                         | 5.2               | ----                            | ----       |
| Extra High         | 140                       | ----           | ----                         | 6.1               | ----                            | ----       |
| Combined           | 135                       | ----           | ----                         | 5.9               | ----                            | ----       |
| Weighted, combined | ----                      | ----           | ----                         | ----              | ----                            | ----       |

5.1. Pure electric vehicles (if applicable)

Electric energy consumption [Wh/km]:

Electric range [km]:

Electric range city [km]:

For special purpose vehicles:

Designation in accordance with Annex II, Section 5:

52. Remarks:

NO 16.2.: with trailer axle 2: +0 kg##NO

35.: alt. to pos 35 with deviating val. in pos 49:##205/55 R17 91V#6,5JX17 ET48;

##205/60 R16 92H#6,0JX16 ET45,##215/45 R18 89V#7,0JX18 ET47,##195/60 R16 89H M+S

#6,0JX16 ET45,##

|       |                                                                                  |                              |
|-------|----------------------------------------------------------------------------------|------------------------------|
| 1.    | Number of axles / wheels:                                                        | 2 / 4                        |
| 3.    | Powered axles (number, position):                                                | 1 Axle 1                     |
|       | Interconnection of powered axles:                                                | -----                        |
| 3.1.  | Specify if the vehicle is non-automated/automated/fully automated:               | non-automated                |
| 4.    | Wheelbase[mm]:                                                                   | 2552                         |
| 4.1.  | Axle spacing [mm]:                                                               | 2552                         |
| 5.    | Length [mm]:                                                                     | 4153                         |
| 6.    | Width [mm]:                                                                      | 1780                         |
| 7.    | Height [mm]:                                                                     | 1532                         |
| 13.   | Mass in running order [kg]:                                                      | 1239                         |
| 13.2. | Actual mass of the vehicle [kg]:                                                 | 1257                         |
| 16.   | Technically permissible maximum masses:                                          |                              |
| 16.1. | Technically permissible maximum laden mass [kg]:                                 | 1640                         |
| 16.2. | Technically permissible mass on each axle (1./2.) [kg]:                          | 890 / 800                    |
| 16.4. | Technically permissible maximum mass of the combination [kg]:                    | 2740                         |
| 18.   | Technically permissible maximum towable mass in case of:                         |                              |
| 18.1. | Drawbar trailer [kg]:                                                            | -----                        |
| 18.3. | Centre-axle trailer [kg]:                                                        | 1100                         |
| 18.4. | Unbraked trailer [kg]:                                                           | 610                          |
| 19.   | Technically permissible maximum static vertical mass at the coupling point [kg]: | 55                           |
| 20.   | Manufacturer of the engine:                                                      | Volkswagen AG                |
| 21.   | Engine code as marked on the engine:                                             | DLA                          |
| 22.   | Working principle:                                                               | Positive ignition / 4 stroke |
| 23.   | Pure electric:                                                                   | no                           |
| 23.1. | Class of Hybrid (electric) vehicle:                                              | -----                        |
| 24.   | Number and arrangement of cylinders:                                             | 3; in line                   |
| 25.   | Engine capacity [cm³]:                                                           | 999                          |
| 26.   | Fuel:                                                                            | petrol                       |
| 26.1. | Mono fuel/Bi fuel/Flex fuel/Dual fuel:                                           | mono fuel vehicle            |
| 26.2. | Type of dual fuel engine:                                                        | -----                        |
| 27.   | Maximum power                                                                    |                              |
| 27.1. | Maximum net power [kW at min <sup>-1</sup> ] (internal combustion engine):       | 81.00 / 5500                 |
| 27.2. | Maximum hourly output [kW] (electric motor):                                     | -----                        |
| 27.3. | Maximum net power [kW] (electric motor):                                         | -----                        |
| 27.4. | Maximum 30 minutes power [kW] (electric motor):                                  | -----                        |

|         |                                                                                                                    |                                                                                           |
|---------|--------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| 28.     | Gearbox (type):                                                                                                    | automatic                                                                                 |
| 28.1.   | Gear                                                                                                               | -----                                                                                     |
| 28.1.1. | Gearbox ratios:                                                                                                    | -----                                                                                     |
| 28.1.2. | Final drive ratio:                                                                                                 | -----                                                                                     |
|         | Total gear ratios:                                                                                                 | -----                                                                                     |
| 29.     | Maximum speed [km/h]:                                                                                              | 190                                                                                       |
| 30.     | Axle(s) track (1./2.) [mm]:                                                                                        | 1505 / 1485                                                                               |
| 35.     | Fitted tyre/wheel combination/energy/efficiency class of RRC/type category used for CO <sub>2</sub> determination: |                                                                                           |
|         | Axle 1:                                                                                                            | 205/55 R17 91V / 6.5JX17 ET48 / A / C1                                                    |
|         | Axle 2:                                                                                                            | 205/55 R17 91V / 6.5JX17 ET48 / A / C1                                                    |
| 36.     | Trailer brake connections:                                                                                         | -----                                                                                     |
| 38.     | Code for bodywork:                                                                                                 | AB                                                                                        |
| 40.     | Colour of vehicle:                                                                                                 | BLACK                                                                                     |
| 41.     | Number and configuration of doors:                                                                                 | 5 / ie. 2, n. 2, ba. 1                                                                    |
| 42.     | Number of seating positions (including the driver):                                                                | 5                                                                                         |
| 42.1.   | Seat(s) designated for use only when the vehicle is stationary:                                                    | ---                                                                                       |
| 42.3.   | Number of wheelchair user accessible position:                                                                     | ---                                                                                       |
| 46.     | Sound level                                                                                                        |                                                                                           |
|         | Stationary [dB(A) at min <sup>-1</sup> ]:                                                                          | 75.10 / 3750                                                                              |
|         | Drive-by [dB(A)]:                                                                                                  | 66.00                                                                                     |
| 47.     | Exhaust emission level:                                                                                            | EURO 6 AP                                                                                 |
| 47.1.   | Parameters for emission testing of VinD:                                                                           |                                                                                           |
| 47.1.1. | Test mass [kg]:                                                                                                    | 1332                                                                                      |
| 47.1.2. | Frontal area [m²]:                                                                                                 | -----                                                                                     |
| 47.1.3. | Road load coefficients                                                                                             |                                                                                           |
|         |                                                                                                                    | 47.1.3.0.10 [N] 47.1.3.1.11 [N/(km/h)] 47.1.3.2.12 [N/(km/h)²]                            |
|         |                                                                                                                    | 106.490990 0.132000 0.035467                                                              |
| 47.2.   | Driving cycle:                                                                                                     |                                                                                           |
| 47.2.1. | Driving cycle class:                                                                                               | 3b                                                                                        |
| 47.2.2. | Downscaling factor (f <sub>disc</sub> ):                                                                           | -----                                                                                     |
| 47.2.3. | Capped speed:                                                                                                      | no                                                                                        |
| 48.     | Exhaust emissions:                                                                                                 | 715/2007/2018/1832AP                                                                      |
|         | 1.2. Test procedure: Type 1 (NEDC average values, WLTP highest values) [mg/km] or WHSC (EURO VI)                   |                                                                                           |
|         | Petrol /                                                                                                           | CO THC NMHC NO <sub>x</sub> THC + NO <sub>x</sub> NH <sub>3</sub> Particles # Particles # |
|         | Diesel                                                                                                             | 153.0 22.8 20.4 43.1 0.3000 0.03E11                                                       |
|         | LPG/CNG                                                                                                            | -----                                                                                     |
|         | Other                                                                                                              | -----                                                                                     |
|         | 2.2. Test procedure: WHTC (EURO VI) [mg/kWh]                                                                       |                                                                                           |
|         | Petrol /                                                                                                           | CO THC NMHC CH <sub>4</sub> NO <sub>x</sub> NH <sub>3</sub> Particles Particles #         |
|         | Diesel                                                                                                             | -----                                                                                     |
|         | LPG/CNG                                                                                                            | -----                                                                                     |
|         | Other                                                                                                              | -----                                                                                     |
| 48.1.   | Smoke corrected absorption coefficient [m <sup>-1</sup> ]:                                                         | NO <sub>x</sub> [mg/km] Particles (number) with exponent (#/km)                           |
| 48.2.   | Declared maximum RDE values (if                                                                                    | 60.0 6.00 E11                                                                             |
|         | Complete RDE trip:                                                                                                 | 60.0 6.00 E11                                                                             |
|         | Urban RDE trip:                                                                                                    | 60.0 6.00 E11                                                                             |