Power plant

20. Manufacturer of the engine: Hyundai Mobis
21. Engine code as marked on the engine: EM17
22. Working principle:
23. Pure electric: yes
23.1. Class of Hybrid (electric) vehicle:
24. Number and arrangement of cylinders:
25. Engine capacity: cm^3
26. Fuel: Electricity
26.1. Mono fuel/Bi fuel/flex fuel/Dual-fuel:
26.2. (Dual fuel only)
27. Maximum power
27.1. Maximum net power: kW at min-1
27.3. Maximum net power (electric motor): 168.10 kW
27.4. Maximum 30 minutes power (electric motor): 56.00 kW
28. Gearbox(type): N/A
28.1 Gearbox ratios(to complete for vehicles with manual shift transmissions)

1.Gear	2.Gear	3.Gear	4.Gear	5.Gear	6.Gear	7.Gear	8.Gear

28.1.1. Final drive ratios(if applicable):
28.1.2. Final drive ratios(to complete if and where applicable)

1.Gear	2.Gear	3.Gear	4.Gear	5.Gear	6.Gear	7.Gear	8.Gear

Maximum Speed

29. Maximum Speed: 185 km/h

Axles and Suspension

30. Axle(s) track 1. 1623 mm
2. 1632 mm

35. Fitted tyre/wheel combination/energy efficiency class of rolling resistance coefficients (RRC) and tyre category used for CO2 determination
Axle 1: 255/45R20 105H 8.0J X 20/ET57.0 / B/C1
Axle 2: 255/45R20 105H 8.0J X 20/ET57.0 / B/C1

Brakes

36. Trailer brake connections:

Bodywork

38. Code for bodywork: AF(multi-purpose vehicle)
40. Colour of the vehicle: RED
41. Number and configuration of doors: 5 ; 2 le,2 ri, 1 re
42. Number of seating positions (including driver): 5
42.1. Seat(s) designated for use only when the vehicle is stationary:
42.3. Number of wheelchair user accessible position:

Environmental performance

46. Sound level
-Stationary: dB(A) at engine speed: min-1
-Drive -by: 68.00 dB(A)
47. Exhaust emission level: 2017/1151;WLTP;reine Elektrofz
47.1. Parameters for emission testing V_{ind}
47.1.1. Test mass, kg: 2149
47.1.2. Frontal area, m^2: 2.49
47.1.2.1. Projected frontal area of air entrance of the front grille, cm^2:
47.1.3. Road load coefficients:
47.1.3.0. F0, N: 124.7
47.1.3.1. F1, N/ (KM/h): 1.112
47.1.3.2. F2, N/ (KM/h): 0.03226
47.2. Driving cycle
47.2.1. Driving Cycle class: 3b
47.2.2. Downscaling factor (f_{dsc}):
47.2.3. Capped speed: N
48. Exhaust emissions: EC 2018/1832AX
Number of the base regulatory act and latest amending regulatory act applicable: 715/2007
48.1. Smoke corrected absorption coefficient: (m-1)
48.1.2 Test procedure: type I (WLTP highest values) or WHSC (EURO VI)

CO:	mg/km	THC:	mg/km
NMHC:	mg/km	NOx:	mg/km
THC + NOx:	mg/km	NH3:	mg/km
Particulates: (mass)	mg/km	Particles: (number)	E+11

48.2. Declared maximum RDE values (if applicable)
Complete RDE trip: NOx Particle Number:
Urban RDE trip: NOx Particle Number:
48.2.2 Test procedure: WHTC (EURO VI)

CO:	mg/km	NOx::	mg/km
NMHC:	mg/km	THC:	mg/km
CH4:	mg/km	NH3:	mg/km
Particulates: (mass)	mg/km	Particles: (number)	E+11

49. CO2-Emissions / fuel consumption / electric energy consumption
49.1. All powertrains except OVC electric (if applicable)

WLTP values	CO2 emissions	Fuel consumptions	Electric consumption (ECAC)
Low	g/km	l/100km	115 Wh/km
Medium	g/km	l/100km	124 Wh/km
High	g/km	l/100km	149 Wh/km
Extra High	g/km	l/100km	220 Wh/km
Combined	g/km	l/100km	172 Wh/km

49.2. Electric range of pure electric vehicles (if applicable)

Electric range	504 km
Electric range city	687 km

049CC0641697
046CC0157226
www.PS-Team.de

49.3. Vehicle fitted with eco-innovation(s): no
49.3.1. General code of eco innovation(s):
49.3.2. Total CO2 emissions savings due to the eco-innovation(s):
49.3.2.1. WLTP savings: g/Km
49.4. OVC hybrid electric vehicles (if applicable)

WLTP values	Charge Sustaining		Electric consumption
	CO2 emission	Fuel consumption	
Low	g/km	l/100km	Wh/km
Medium	g/km	l/100km	Wh/km
High	g/km	l/100km	Wh/km
Extra High	g/km	l/100km	Wh/km
City			Wh/km
Combined	g/km	l/100km	Wh/km

WLTP values	Charge depleting	
	CO2 Emissions	Fuel Consumption
Combined	g/km	l/100km

Weighted combined values	CO2 Emission	Fuel Consumption	Electric Consumption (ECAC)
	g/km	l/100km	Wh/km

49.5 Electric range of OVC hybrid electric vehicles (if applicable)

Equivalent All Electric Range (EAER)	km
Equivalent All Electric Range city (EAER city)	km
All Electric Range (AER)	km
All Electric Range city (AER city)	km

51. For special purpose vehicles: designation in accordance with point 5 of Part A of annex I to Regulation (EU)2018/858 of the European Parliament and of the Council:
52. Remarks:
5:4695*6:1890*7:1550*13:1985*35:255/45R20 105H,8.0Jx20/ET57.0*35:LM-Rad*

For this vehicle the registration document no. GY 706 858 has already been issued for Germany.

COMPLETE VEHICLES
CERTIFICATE OF CONFORMITY

Übereinstimmungsbescheinigung
Πιστοποιητικό Συμμόρφωσης
Certificat de Conformité
Certificate of Conformity
Certificato di Conformità
Conformiteitscertificaat
Świadectwo Zgodności
Certifikat o skladnosti
Certificado de Conformidad

RP-MJ 263
GY 706 858

25. AUG. 2023

The Undersigned S.W.KIM, GENERAL MANAGER herewith certifies that the vehicle

0.1.	Make (Trade name of manufacture)	Kia
0.2.	Type	CV
	Variant	F5E22
	Version	E11B11
0.2.1.	Commercial Name	EV6
0.2.2.1.	Allowed Parameter Values for multistage type approval to use the base vehicle emission values	
	Final Vehicle actual mass:	
	Final Vehicle technically permissible maximum laden mass (in kg):	
	Frontal area for final vehicle (in cm2):	
	Rolling resistance (kg/t):	
	Cross-sectional area of air entrance of the front grille (in cm2):	
0.2.3.	Identifiers:	
0.2.3.1.	Interpolation family's identifier:	IP-0931063-KNA-1
0.2.3.2.	ATCT family's identifier:	
0.2.3.3.	PEMS family's identifier:	
0.2.3.4.	Roadload family's identifier:	RL-0931063-KNA-1
0.2.3.5.	Roadload Matrix family's identifier:	
0.2.3.6.	Periodic regeneration family's identifier:	
0.2.3.7.	Evaporative test family's identifier:	
0.4.	Vehicle Category:	M1
0.5.	Company name and address of Manufacturer: Kia Corporation,12,Heolleung-ro,Seocho-gu,Seoul,Korea	
0.6.	Location and method of attachment of the statutory plates : On the left hand B-post, bonded	
	Location of the vehicle identification number: Under the right front seat	

0.9.	Name and address of the manufacturer's representative (if any) Hyundai Motor Europe Technical Center GmbH, Hyundai-Platz, 65428 Russelsheim, Germany	
0.10.	Vehicle identification number:	KNAC481AFP5609753
0.11.	Date of manufacture of the vehicle:	17.05.2023
General construction characteristics:		
1.	Number of axles and wheels:	2 ; 4
3.	Powered axles:	1, Rear
3.1	Specify if the vehicle is non-automated/automated/fully automated:	non-automated
Main Dimensions:		
4.	Wheelbase:	2900 mm
4.1.	Axle spacing:	2900 mm
5.	Length:	4680 mm
6.	Width:	1880 mm
7.	Height:	1545 mm
Masses		
13.	Mass in running order:	1985 kg
13.2.	Actual mass of the vehicle:	2032 kg
16.	Technically permissible maximum masses	
16.1.	Technically permissible maximum laden mass:	2425 kg
16.2.	Technically permissible maximum mass on each axle:	1. 1280 kg 2. 1390 kg
16.4.	Technically permissible maximum mass of the combination:	4025 kg
18.	Technically permissible maximum towable mass in case of:	
18.1.	Drawbar trailer:	kg
18.3.	Centre-axle trailer:	1600 kg
18.4.	Unbraked trailer:	750 kg
19.	Technically permissible maximum static vertical mass at the coupling point:	100 kg

conforms in all respects to the type described in approval e9*2018/858*11073*03 granted on 28.06.2022 and can be permanently registered in Member states having right hand traffic and using metric units for the speedometer and metric units for the odometers.

Frankfurt, 17.07.2023 **(signature)**

S.W. Kim

2243821



Bild 1 : Diagonal vorn links




Bild 2 : Diagonal vorn rechts



Bild 3 : Diagonal hinten rechts



Bild 4 : Diagonal hinten links



Bild 5 : Fahrzeugunterseite



Bild 6 : Kombiinstrument (betriebsbereit) mit Km-Stand




Bild 7 : Serviceintervallanzeige



Bild 8 : Durch geöffnete Fahrertüre: Fahrersitz, Armaturenbrett und Schalthebel



Bild 9 : Durch geöffnete hintere Tür: Rücksitzbank




Bild 10 : Mittelkonsole (Radio/Navi eingeschaltet)



Bild 11 : Serviceheft letzter Eintrag, alle Fahrzeugschlüssel, Bordmappe




Bild 12 : ZLB Teil 1 (ohne Halterdaten)



Bild 13 : Ladekabel E-Fahrzeug




Bild 14 : Türeinstieg hinten links kratzer




Bild 15 : Kratzer Seitenwand

MOBILITY CONCEPT

LVV Nr	502897
Hersteller	Kia
Model	EV6
Variante	GT Line 77.4 kWh
Listenpreis	24.755,57
VIN	KNAC481AFP5609753
Erstzulassungsdatum	1.8.2023
Kennzeichen	WAR JO21E

Schadensfälle der int. Belegnummer: **4927089** 30.10.2026

Schadennummer	Unfalldatum	Beschädigung	Schadenhöhe in EUR
2024101704	18.01.2024	| Heckklappe| Stoßfänger hinten	4.861,40

Mobility Concept GmbH
Grünwalder Weg 34
D-82041 Oberhaching
Telefon +49 89 63266-0
Telefax +49 89 63266-266

E-Mail:leasing@mobility-concept.de
Internet: www.mobility-concept.de
Geschäftsführer:
Rudolf Rizzolli, CEO (Vorsitzender)
Marc-Oliver Bucksch, CFO

Sitz der Gesellschaft: Oberhaching
Amtsgericht München HR B 130788
Bankverbindung: UniCredit Bank AG
IBAN: DE29 7002 0270 0002 4960 11
Swift (BIC): HYVEDEMMXXX

Steuer-Nr.: 143/163/41358
USt-IdNr.: DE 813336066
Aufsichtsbehörde: Bundesanstalt für
Finanzdienstleistungsaufsicht
Graurheindorfer Str. 108, 53117 Bonn

DEKRA-Nr: 0119 / 0100047785 / 2026 / B082011000637 vom 15.10.2026

Zustandsbericht / Minderwertgutachten

Vorgang

Auftraggeber	Mobility Concept GmbH, Grünwalder Weg 34, 82041 Oberhaching
Besichtigung	12.10.2026

Bemerkungen

Diese Dienstleistung wurde entsprechend den Vorgaben des Auftraggebers (Kriterien der fairen Fahrzeugbewertung) erstellt. Im Einzelfall können Abweichungen zum DEKRA Standard vorliegen.
Bei der Lackschichtdickenmessung wurden bei mindestens drei Messungen pro Bauteil Lackschichtdicken von 80 µm bis 350 µm festgestellt.
Es wurde eine optische Überprüfung auf Vorschäden und eine Lackschichtdickenmessung vorgenommen. Dabei wurden Nachlackierungen an folgenden Karosserieteilen festgestellt:
Motorhaube
Ohne weitergehende Untersuchungen wurde nach dem Umfang der festgestellten Nachlackierungen und der Ausführungsqualität nach sachverständigem Ermessen *(k)ein* merkantiler Minderwert angesetzt.
Die vorgefundenen Besichtigungsbedingungen waren ausreichend. Abgasrelevante Baugruppen wurden messtechnisch nicht überprüft. Folglich wurden Mängel, die nur bei einer Abgasuntersuchung feststellbar sind, nicht berücksichtigt.
Für die Bearbeitung des Vorganges standen folgende Unterlagen zur Verfügung: - Fz-Schein/Zul.Beschein. Teil I 2 Hauptschlüssel, 0 Nebenschlüssel vorgelegt.

Fahrzeugdaten

Erstzulassung	25.08.2023	Letzte Zulassung	06.10.2025
Hersteller	KIA	Typ / Verkaufsbez.	GRUNDMODELL
Aufbauart	Limousine	Türen	5
Sitzplätze	5	Fahrzeug-Ident.-Nr.	KNAC481AFP5609753
HSN / TSN	2233 / ABA	DAT Marktindex	
Km-Stand abgelesen	30183	Nächste HU §29 StVZO	11 / 2026
Energiequelle / Kraftstoff	Elektro	Zylinderanzahl	/ Elektromotor
Leistung (kW)	56	Schadstoffklasse:	2017/1151;WLTP;reine Elektrofz
Antriebsart	Allrad	Getriebe / Gänge	Stufenlos / 1
Felgen	Leichtmetall	Farbe	(CR5) RUNWAY ROT MET / Metallic / CR5
Polster / Farbe	Leder / Schwarz		

Es wird unterstellt, dass die Gesamtlaufleistung dem abgelesenen Km-Stand entspricht.

Räder / Reifen

Achse	Reifenbezeichnung	Hersteller/Typ	Art	Profiltiefe
1 links	255 / 45 R 20 105 H	Continental / PremiumContact6	S /O	5 mm
rechts	255 / 45 R 20 105 H	Continental / PremiumContact6	S /O	5 mm
2 links	255 / 45 R 20 105 H	Continental / PremiumContact6	S /O	5 mm
rechts	255 / 45 R 20 105 H	Continental / PremiumContact6	S /O	5 mm
Pannenset				

S/ Sommer; /O Original;

Serienausstattung

Serie: Anti-Blockier-System (ABS), Antriebsart: Heckantrieb, Audio-Navigationssystem KIA (12,3"-Display), Außenspiegel elektr. anklappbar, Einparkhilfe hinten, Einschaltautomatik für Fahrlicht, Elektromotor 168 kW (cont. 56 kW), Fahrassistenz-System: Autobahnassistent (Highway Driving Assist, HDA), Fahrassistenz-System: Berganfahr-Assistent, Fahrassistenz-System: Fernlichtassistent, Fahrassistenz-System: Müdigkeitserkennungs-Sensor (Driver Attention Warning, DAW), Fahrassistenz-System: Spurfolgeassistent (Lane Following Assist, LFA), Fahrassistenz-System: Verkehrszeichenerkennung, erweitert (Geschwindigkeits-Regel-/Begrenzeranlage), Fahrassistenz-System: aktiver Spurhalteassistent (LKAS, Lane Keep Assist System), Freisprecheinrichtung (Bluetooth) mit Sprachsteuerung, Geschwindigkeits-Begrenzeranlage, Getriebe für Elektrofahrzeug, HV-Batterie 77,4 kWh, Heckleuchten LED, Innenspiegel mit Abblendautomatik, Intelligenter Geschwindigkeits-Begrenzer, Karosserie: 5-türig, Keyless-Start, Kindersicherung, Klimaautomatik 2-Zonen, LM-Felgen 7,5x19, Ladevorrichtung On-Board-Lader 11 kW (3-Phasen), Lendenwirbelstütze Sitz vorn links, elektr. verstellbar, Lenkrad heizbar, Lenkrad mit Multifunktion, Mittelarmlehne vorn verschiebbar, Mobile Online Dienste UVO Connect / Kia Connect, Navigationsbasierte Adaptive Geschwindigkeitsregelanlage (Tempomat) mit Abstandsregelung (NSCC), Parkbremse elektrisch, Radstand 2900 mm, Reifen 235/55 R19 ...H, Rückfahrkamera, Scheibenwischer mit Regensensor, Scheinwerfer LED, Schließ-/Startsystem Smart-Key, Schnellladevorrichtung, Sitzbezug / Polsterung: Stoff/Kunstleder, Sitzheizung vorn, Smartphone Schnittstelle (Apple CarPlay & Android Auto), Sonderlackierung Runway Rot Metallic, Türgriffe außen ausfahrbar / versenkbar, Zentralverriegelung mit Fernbedienung

Allgemeinzustand und Wartung

Abgesehen von den beschriebenen Schäden/Mängeln weist das Fahrzeug/Objekt einen, bezogen auf Alter und Nutzung, üblichen Gesamtzustand auf.

Wartungsnachweis: digital

Nicht akzeptierter Zustand / Ausstehende Reparaturen

Bezeichnung des Schadens / Rep.-Weg

1. Türeinstieg hinten links kratzer, smart repair (Bild 14)
2. Kratzer Seitenwand links, lackieren