



VSSZZZKM8PR080928

Angaben zum Fahrzeug

Halter		Besichtigungszustand	ausreichend
Kennzeichen		Laufleistung (abgelesen)	27.252 km
Hersteller	Seat	Restlauf bis Service	20.800 km
Typ/Modell	FORMENTOR	HU (Bericht lag vor)	06/2028
Fahrgestellnummer	VSSZZZKM8PR080928	Leistung / Hubraum	110 kW / 1.498 ccm
Erstzulassung	23.05.2023	Polster/Farbe	Stoff/Leder Kombination / Schwarz-Anthrazit
Letzte Wartung		Lackierung	Schwarz
Kraftstoffart	Benzin	Getriebe	Automatik

Zustandsbericht

Wertmindernde Faktoren

Nr.	Bauteilgruppe	Beschreibung
1	Sonstiges	Inspektion/Wartung (05/2025 fehlt -> 2 Jahre/30.000km) - kein Nachweis
2	Stoßfänger vorn	Spoiler (Druckstelle) - verkratzt / verschürft - erneuern
3	Fahrzeugdach	Dachreling links - verkratzt / verschürft - lackieren

Gebrauchsspuren

Nr.	Bauteilgruppe	Beschreibung
1	Motorhaube	Motorhaube - Steinschlag - kein Abzug
2	Verglasung	Frontscheibe (Oberflächensteinschläge) - Steinschlag - kein Abzug
3	Rad/Reifen	Leichtmetallfelge vorn links (Optischer Mangel) - verkratzt / verschürft
4	Stoßfänger hinten	Spoiler - verkratzt / verschürft

Fehlteile

Fehlteil

Festgestellte Nachlackierungen

Nr.	Ort
Keine feststellbar	

Hauptbereifung

Achse	Reifengröße	Hersteller	Reifentyp	Profiltiefe	Verktgl.	Zul.
1	245/45 R18 96W	Goodyear	Sommerreifen	6mm - 6mm	i.O.	i.O.
2	245/45 R18 96W	Goodyear	Sommerreifen	6mm - 6mm	i.O.	i.O.

TÜV SÜD Auto Partner GmbH
Gutenbergstraße 13
70771 Leinfelden-Echterdingen

Besichtigungsort
TÜV SÜD Auto Partner: MVI
Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum: 15.07.2026
Protokollnummer: **46539263**
Erstellt durch: Paula Kube
Besichtigt durch: Milorad Kojic



Ersatz

Typ	Reifengröße	Hersteller	Reifentyp	Profiltiefe	Ablaufdatum
Tirefit					02/2027

Der Verschleißzustand sowie evtl. Schäden an der Bereifung sind wertmäßig berücksichtigt.

TÜV SÜD Auto Partner GmbH
Gutenbergstraße 13
70771 Leinfelden-Echterdingen

Besichtigungsort
TÜV SÜD Auto Partner: MVI
Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum: 15.07.2026
Protokollnummer: 46539263
Erstellt durch: Paula Kube
Besichtigt durch: Milorad Kojic



Angaben zum Fahrzeug

Hersteller	Seat	Besichtigungszustand	ausreichend
Typ/Modell	FORMENTOR	Laufleistung (abgelesen)	27.252 km
Fahrgestellnummer	VSSZZZKM8PR080928	Erstzulassung	23.05.2023

Angaben zum Auftrag:

Auftragsgemäß erfolgte die Fahrzeugzustandsbewertung in demontagefreien Zustand.

Grundlage dieses Produktes stellt der Leitfaden für Fahrzeugrücknahmen und Bewertungen gemäß des Schadengrenzmusterkatalog des Auftraggebers dar. Die expliziten Feststellungen im Einzelfall trifft der Sachverständige objektiv im Rahmen der vorgegebenen Standards aufgrund eigener Sachkunde.

Fahrzeug-Identifizierung:

Die Fahrzeug-Identifizierungsnummer (FIN) wurde am Fahrzeug abgelesen und die Übereinstimmung im Verlauf der Besichtigung durch den Unterzeichner mit den vorgelegten Unterlagen festgestellt.

Besichtigungsbedingungen:

Die Besichtigungsbedingungen waren zur Beurteilung des Fahrzeuges ausreichend.

Allgemeinzustand:

Das Fahrzeug weist dem Alter und Einsatzzweck entsprechende Gebrauchsspuren auf.

Unterschrift Sachverständiger (Paula Kube)

Vorliegendes Druckexemplar wurde auf elektronischem Wege erzeugt. Der benannte Sachverständige versichert, dass der Inhalt die von ihm getroffenen Feststellungen korrekt wiedergibt. Es ist ohne Originalunterschrift gültig.

Übersichtsfotos



Abbildung 1: FIN



Abbildung 2: Schräg vorne



Abbildung 3: Schräg vorne



Abbildung 4: Schräg hinten



Abbildung 5: Schräg hinten



Abbildung 6: Montierte Bereifung

TÜV SÜD Auto Partner GmbH
Gutenbergstraße 13
70771 Leinfelden-Echterdingen

Besichtigungsort
TÜV SÜD Auto Partner: MVI
Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum: 15.07.2026
Protokollnummer: 46539263
Erstellt durch: Paula Kube
Besichtigt durch: Milorad Kojic




Abbildung 7: Innenraum vorne




Abbildung 8: Laderaum



Abbildung 9: Laderaum



Abbildung 10: Kombiinstrument



Abbildung 11: Kombiinstrument



Abbildung 12: Instrumententafel

TÜV SÜD Auto Partner GmbH
Gutenbergstraße 13
70771 Leinfelden-Echterdingen

Besichtigungsort
TÜV SÜD Auto Partner: MVI
Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum: 15.07.2026
Protokollnummer: 46539263
Erstellt durch: Paula Kube
Besichtigt durch: Milorad Kojic




Abbildung 13: Instrumententafel




Abbildung 14: Dokumente




Abbildung 15: Dokumente

Beschädigungsfotos



Beschädigung #2: Stossfänger vorn: Spoiler (Druckstelle) - verkratzt / verschürft - erneuern




Beschädigung #2: Stossfänger vorn: Spoiler (Druckstelle) - verkratzt / verschürft - erneuern



Beschädigung #3: Fahrzeugdach: Dachreling links - verkratzt / verschürft - lackieren



Beschädigung #3: Fahrzeugdach: Dachreling links - verkratzt / verschürft - lackieren



Beschädigung #3: Fahrzeugdach: Dachreling links - verkratzt / verschürft - lackieren

49. CO₂ emissions/fuel consumption/electric energy consumption:

1. All powertrains, except OVC hybrid electric vehicles (if applicable):

WLTP values	CO ₂ emissions			Fuel consumption (/100 km)			Electric Consumption (Wh/km)
	Petrol/ Diesel (g/km)	Gas CNG/LPG (g/km)	Other (g/km)	Petrol/ Diesel (L)	Gas CNG/LPG (L)/(m ³)	Other (L)	
Low:	201	---	---	8.9	---	---	-----
Medium:	149	---	---	6.6	---	---	-----
High:	130	---	---	5.8	---	---	-----
Extra High:	155	---	---	6.9	---	---	-----
Combined:	152	---	---	6.7	---	---	-----

2. Electric range of pure electric vehicles (if applicable):

Electric range [km]: ----

Electric range city [km]: ----

yes

3. Vehicle fitted with eco-innovation(s):

3.1. General code of the eco-innovation(s):

e9 29 37

3.2. Total CO₂ emissions savings due to the eco-innovation(s):

3.2.2. WLTP savings (if applicable) [g/km]:

Petrol/Diesel: 1.93

Gas (CNG/LPG): ---

Others: ---

4. OVC hybrid electric vehicles (if applicable):

WLTP values (CO ₂ and fuel consumption sustaining, if not otherwise mentioned)	CO ₂ emissions			Fuel consumption: (/100 km)			Electric Consumption (Wh/km)
	Petrol/ Diesel (g/km)	Gas CNG/LPG (g/km)	Others (g/km)	Petrol/ Diesel (L)	Gas: CNG / LPG (m ³)/(L)	Other (L)	
Low	---	---	---	---	---	---	-----
Medium	---	---	---	---	---	---	-----
High	---	---	---	---	---	---	-----
Extra High	---	---	---	---	---	---	-----
City	---	---	---	---	---	---	-----
Combined (sustaining)	---	---	---	---	---	---	-----
Combined (depleting)	---	---	---	---	---	---	-----
Weighted, combined	---	---	---	---	---	---	-----

5. Electric range of OVC hybrid electric vehicles (if applicable):

Equivalent All Electric Range

(EAER): ----

(EAER city): ----

All Electric Range [km]:

(AER): ----

(AER city): ----

51. For special purpose vehicles: designation in accordance with CR (CE) 2018/858 annex I part A point 5: -----

52. Remarks:

NO 16.2.: with trailer axle 2: +15 kg##NO

35.: alt. to pos 35 with deviating val. in pos 49: ##245/40 R19 94V#8,0JX19 ET40

;##245/45 R18 96V#8,0JX18 ET40;##215/55 R17 94V M+S#7,5JX17 ET40;##225/50 R18 95

W M+S#8,0JX18 ET40;##225/55 R17 97V M+S#7,5JX17 ET40;##245/45 R18 96V M+S#8,0JX1

8 ET40;##

Certificate of Conformity

Complete vehicles

046CC0150096



www.PS-Team.de



The undersigned hereby certify that the vehicle:

0.1.	Make (Trade name of manufacturer):	CUPRA
0.2.	Type:	Variant:
	KM	CXDPCAX0
		FD7CFD7GC0054BI1AAH
0.2.1.	Commercial name:	FORMENTOR
0.2.2.1.	Allowed Parameter Values for multistage type approval to use the base vehicle emission values	
	Final Vehicle actual mass [kg]:	-----
	Final Vehicle technically permissible maximum laden mass[kg]:	-----
	Frontal area for final vehicle [cm ²]:	-----
	Rolling resistance [kg/t]:	-----
	Cross sectional area of air entrance of the front grille [cm ²]:	-----
0.2.3.1.	Interpolation family's identifier:	IP-MQB37WZ_A0_0577-VSS-1
0.2.3.2.	ATCT family's identifier:	AT-5Q0_0V_0255_000-VSS-1
0.2.3.3.	PEMS family's identifier:	09-VSS-715W_KM_DPCA_FD7_A-000
0.2.3.4.	Roadload family's identifier:	RL-DQ381_7F_19_001-VWW-1
0.2.3.5.	Roadload matrix family's identifier (if applicable):	-----
0.2.3.6.	Periodic regeneration family's identifier:	PR-VW_00221_00_000-VWW-1
0.2.3.7.	Evaporative test family's identifier:	EV-AU_DGW_D_AVAAB-VWW-1
0.4.	Vehicle category:	M1
0.5.	Company name and address of manufacturer:	SEAT, S.A., Autovia A-2, Km. 585, ES-08760 Martorell
0.6.	Location and method of attachment of the statutory plates:	On the right A-pillar, glued or bonded
	Location of the vehicle identification number:	In the engine compartment, right
0.9.	Name and address of the manufacturer's representative:	-----
0.10.	Vehicle identification number:	VSSZZZKM8PR080928
0.11.	Date of manufacture of the vehicle:	2023-03-31

conforms in all respects to the type described in approval e9*2007/46*4008*16 granted on 2022-10-28 and can be permanently registered in Member States having right hand traffic and using metric units for the speedometer and metric units for the odometer.

Martorell, 2023-03-31

Martorell, 2023-03-31

Daniel Cortina Munuera
Director Quality Assurance

Robin Christoph Bräutigam
Head of Technical Conformity

Internal Manufacturer's data



VSSZZZKM8PR080928

1. Number of axles / wheels: 2 / 4

3. Powered axles (number, position): 1, Axle 1

Interconnection of powered axles: -----

3.1. Specify if the vehicle is non-automated/automated/fully automated: non-automated

4. Wheelbase[mm]: 2679

4.1. Axle spacing [mm]: 2679

5. Length [mm]: 4450

6. Width [mm]: 1839

7. Height [mm]: 1528

13. Mass in running order [kg]: 1458

13.2. Actual mass of the vehicle [kg]: 1481

16. Technically permissible maximum masses:

16.1. Technically permissible maximum laden mass [kg]: 1980

16.2. Technically permissible mass on each axle (1./2.) [kg]: 1020 / 1010

16.4. Technically permissible maximum mass of the combination [kg] 3480

18. *Technically permissible maximum towable mass in case of:

18.1. Drawbar trailer [kg]: ----

18.3. Centre-axle trailer [kg]: 1500

18.4. Unbraked trailer [kg]: 720

19. Technically permissible maximum static vertical mass at the coupling point [kg]: 80

20. Manufacturer of the engine: Volkswagen AG

21. Engine code as marked on the engine: DPC

22. Working principle: Positive ignition / 4 stroke

23. Pure electric: no

23.1. Class of Hybrid (electric) vehicle: -----

24. Number and arrangement of cylinders: 4, in Line

25. Engine capacity [cm³]: 1498

26. Fuel: petrol

26.1. Mono fuel/Bi fuel/Flex fuel/Dual fuel: mono fuel vehicle

26.2. Type of dual fuel engine: -----

27. Maximum power

27.1. Maximum net power [kW at min⁻¹] (internal combustion engine): 110.00 / 5000

27.3. Maximum net power [kW] (electric motor): -----

27.4. Maximum 30 minutes power [kW] (electric motor): -----

28. Gearbox (type): automatic

Gear

28.1. Gearbox ratios:

28.1.2. Final drive ratio:

-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

29. Maximum speed [km/h]:

203

30. Axle(s) track (1./2.) [mm]

1585 / 1559

35. Fitted tyre/wheel combination/energyefficiency class of RRC/type category used for CO₂ determination:

Axle 1: 245/45 R18 96W / 8.0JX18 ET40 / A / C1

Axle 2: 245/45 R18 96W / 8.0JX18 ET40 / A / C1

36. Trailer brake connections: -----

38. Code for bodywork:

AC

40. Colour of vehicle:

BLACK

41. Number and configuration of doors:

5 /le. 2, ri. 2, ba. 1

42. Number of seating positions (including the driver):

5

42.1. Seat(s) designated for use only when the vehicle is stationary: ---

42.3. Number of wheelchair user accessible position: ---

46. Sound level

Stationary [dB(A) at min⁻¹]:

75.10 / 3750

Drive-by [dB(A)]:

65.00

47. Exhaust emission level:

EURO 6 AP

47.1. Parameters for emission testing of V_{ind}:

47.1.1. Test mass [kg]:

1561

47.1.2. Frontal area [m²]: -----

47.1.3. Road load coefficients

47.1.3.0. f0 [N]	47.1.3.1. f1 [N/(km/h)]	47.1.3.2. f2: [N/(km/h)²]
106.7	0.252	0.03937

47.2. Driving cycle:

47.2.1. Driving cycle class:

3b

47.2.2. Downscaling factor (f_{dis}):

47.2.3. Capped speed:

no

48. Exhaust emissions:

715/2007*2018/1832AP

1.2. Test procedure: Type 1 (WLTP highest values) [mg/km] or WHSC (EURO VI) [mg/kWh]

Petrol / Diesel	CO	THC	NMHC	NO _x	THC + NO _x	NH ₃ [ppm]	Particulates	Particles #
	380.6	30.6	26.5	14.2	-----	-----	0.9800	0.32E11
LPG/CNG	-----	-----	-----	-----	-----	-----	-----	---
Other	-----	-----	-----	-----	-----	-----	-----	---

2.2. Test procedure: WHTC (EURO VI) [mg/kWh]

Petrol / Diesel	CO	THC	NMHC	CH ₄	NO _x	NH ₃	Particulates	Particles #
	-----	-----	-----	-----	-----	-----	-----	---
LPG/CNG	-----	-----	-----	-----	-----	-----	-----	---
Other	-----	-----	-----	-----	-----	-----	-----	---

48.1. Smoke corrected absorption coefficient [m⁻¹]: -----

48.2. Declared maximum RDE values (if applicable): NO_x [mg/km] Particles (number) with exponent (#/km)

Complete RDE trip:

60.0 6.00 E11

Urban RDE trip:

60.0 6.00 E11