



**COMPLETE VEHICLES
CERTIFICATE OF CONFORMITY**

Übereinstimmungsbescheinigung
Πιστοποιητικό Συμμόρφωσης
Certificat de Conformité
Certificate of Conformity
Certificato di Conformità
Conformiteitscertificaat
Świadectwo Zgodności
Certifikat o składowości
Certificado de Conformidad

046CC0160333



www.PS-Team.de

16.2. Technically permissible max 16.4. Technically permissible max 18. Technically permissible maximum laden mass in gear 01 kg kg
18.1. Drawbar trailer: - kg
18.3. Centre-axle trailer: 1110 kg
18.4. Unbraked trailer: 450 kg
19. Technically permissible maximum static vertical mass at the coupling point: 75 kg

Power plant

20. Manufacturer of the engine: Hyundai or Kia
21. Engine code as marked on the engine: G3LF
22. Working principle: Positive ignition / 4-stroke
23. Pure electric: no
23.1. Class of Hybrid [electric] vehicle: NOVC-HEV
24. Number and arrangement of cylinders: 3; Inline
25. Engine capacity: 998 cm³
26. Fuel: Hybrid Petrol/Electric
26.1. Mono fuel/Bi fuel/Flex fuel/Dual-fuel: Mono fuel
26.2. (Dual-fuel only)
27. Maximum power
27.1. Maximum net power: 88,30 kW at 6000min-1 (internal combustion engine)
27.3. Maximum net power: 12,20 kW (electric motor)
27.4. Maximum 30 minutes power: 7,94 kW (electric motor)

28. Gearbox (type): Automatic

28.1. Gearbox ratios

1st gear	2nd gear	3rd gear	4th gear	5th gear	6th gear	7th gear	8th gear
-	-	-	-	-	-	-	-

28.1.1. Final drive ratio: -

28.1.2. Final drive ratios

1st gear	2nd gear	3rd gear	4th gear	5th gear	6th gear	7th gear	8th gear
-	-	-	-	-	-	-	-

Maximum speed

29. Maximum speed: 190 km/h

Axles and suspension

30. Axle(s) track: 1. 1531 mm 2. 1536 mm

35. Fitted tyre/wheel combination/energy efficiency class of rolling resistance coefficients (RRC) and tyre category used for CO₂ determination:

Axle1 : 215/45R17 91V 7.0Jx17/ET54 / B/C1
Axle2 : 215/45R17 91V 7.0Jx17/ET54 / B/C1

Part 1

The undersigned I. K. OH
GENERAL MANAGER

hereby certifies that the vehicle:

0.1. Make (Trade name of manufacturer): Hyundai
0.2. Type: BC3
- Variant: B5P81
- Version: D71CW3
0.2.1. Commercial name(s): i20

0.2.2.1. Allowed Parameter Values for multistage type approval to use the base vehicle emission values

Final Vehicle actual mass : -

Final Vehicle technically permissible maximum

laden mass (in kg) : -

Frontal area for final vehicle (in cm²) : -

Rolling resistance (kg/t) : -

Cross-sectional area of air entrance of the front grille (in cm²) : -

0.2.3. Identifiers

0.2.3.1. Interpolation family's identifier: IP-050667-NLH-1
0.2.3.2. ATCT family's identifier: AT-050664-NLH-1
0.2.3.3. PEMS family's identifier: 05-HAO-4-0
0.2.3.4. Roadload family's identifier: RL-050010-NLH-1
0.2.3.5. Roadload Matrix family's identifier: -
0.2.3.6. Periodic regeneration family's identifier: N/A
0.2.3.7. Evaporative test family's identifier: EV-270001-NLH-1

0.4. Vehicle category: M1

0.5. Company name and address of manufacturer:
HYUNDAI ASSAN OTOMOTIV SANAYI VE TICARET A.S.,34742
Kozyatagi,Istanbul/Turkey

0.6. Location and method of attachment of the statutory plates:

On the left hand B-post, bonded

Location of the vehicle identification number:

Under the right front seat

0.9. Name and address of the manufacturer's representative:

Hyundai Motor Europe Technical Center GmbH; Hyundai Platz, 65428
Rüsselsheim, Germany

0.10. Vehicle identification number: NLHBR51GGPZ324916

0.11. Date of manufacture of the vehicle: 03.05.2023
conforms in all respects to the type described in approval
approval e5*2007/46*0121*03
issued on 04.02.2022
and can be permanently registered in Member States having right hand traffic and using metric units for the speedometer and metric units for the odometer

Place , Date and HMC Issue Date 04.07.2023
Signature

Part 2

General construction characteristics

1. Number of axles: 2 and wheels 4
3. Powered axles (number, position, interconnection): 1, Front
3.1. Specify if the vehicle is non-automated/automated/fully automated
non-automated

Main dimensions

4. Wheelbase: 2580 mm
4.1. Axle spacing: 1-2: 2580 mm 2-3: mm 3-4: mm
5. Length: 4075 mm
6. Width: 1775 mm
7. Height: 1455 mm

Masses

13. Mass in running order: 1190 kg
13.2. Actual mass of the vehicle: 1190 kg
16. Technically permissible maximum masses
16.1. Technically permissible maximum laden mass: 1660 kg

4628494

GY602746

Brakes

36. Trailer brake connections

-

Bodywork

38. Code for bodywork: AB(hatchback)
40. Colour of vehicle: green
41. Number and configuration of doors: 5; 2 left, 2 right, 1 rear
42. Number of seating positions: 5

(including the driver):

42.1. Seat(s) designated for use only when the vehicle is stationary: -

42.3. Number of wheelchair user accessible position: -

Environmental performances**46. Sound level**

- Stationary: 76,00 dB(A) at engine speed: 3750 min-1
- Drive-by: 67,00 dB(A)

47. Exhaust emission level: EURO 6 AP

47.1. Parameters for emission testing of Vind

47.1.1. Test mass, kg: 1305

47.1.2. Frontal area, m2: 2.18

47.1.2.1. Projected frontal area of air entrance of the front grille, cm2: -

47.1.3. Road load coefficients

47.1.3.0. f0, N: 128.1

47.1.3.1. f1, N/(km/h): -0.273

47.1.3.2. f2, N/(km/h) 2: 0.03538

47.2. Driving cycle

47.2.1. Driving Cycle class: 3b

47.2.2. Downscaling factor (fdsc): -

47.2.3. Capped speed: no

48. Exhaust emissions:

EC715/2007*2018/1832AP

1.2. Test procedure: Type I (WLTP highest values) or WHSC (EURO VI)

CO: 173,9 mg/km
THC: 24,3 mg/km
NMHC : 20.9 mg/km
NOx: 23,1 mg/km
THC+NOx: - mg/km
NH3 : -
Particulates (mass) : 0,090 mg/km
Particulates (number) : 0.27E + 11

2.2. test procedure: WHTC (EURO VI)

CO: - mg/km
NOx: - mg/km
NMHC : - mg/km
THC : - mg/km
CH4 : - mg/km
CH3 : - mg/km
Particulates (mass) : - mg/km
Particulates (number) : -

48.1. Smoke corrected absorption coefficient: -(m-1)

48.2. Declared maximum RDE values

Complete RDE trip: Urban RDE trip:
NOx: 60mg/km 60 mg/km
Particulates (number) : 6E+11 6E+11

49. CO2 emissions/fuel consumption/electric energy consumption:

1. All power trains, except OVC electric vehicles

WLTP values	CO2 emissions	Fuel consumption	Electric consumption (ECAC)
Low:	157 g/km	6.9 l/100 km	- Wh/km
Medium:	115 g/km	5.1 l/100 km	- Wh/km
High:	101 g/km	4.4 l/100 km	- Wh/km
Extra High	127 g/km	5.6 l/100 km	- Wh/km
Combined:	120 g/km	5.3 l/100 km	- Wh/km

2. Electric range of pure electric vehicles

Electric range	- km
Electric range city	- km

3. Vehicle fitted with eco-innovation(s): Yes

3.1. General code of the eco-innovation(s): e5 32 + e5 37

3.2. Total CO2 emissions savings due to the eco-innovation(s)

3.2.2. WLTP savings: 1.8 g/km

4. OVC hybrid electric vehicles

WLTP values	Charge Sustaining		Electric consumption (EC)
	CO2 emissions	Fuel consumption	
Low :	- g/km	- l/100 km	- Wh/km
Medium :	- g/km	- l/100 km	- Wh/km
High :	- g/km	- l/100 km	- Wh/km
Extra High :	- g/km	- l/100 km	- Wh/km
City :			- Wh/km
Combined :	- g/km	- l/100 km	- Wh/km

WLTP values	Charge depleting	
	CO2 emissions	Fuel consumption
Combined :	- g/km	- l/100 km

Weighted	CO2 emissions	Fuel consumption	Electric consumption (ECAC)
	- g/km	- l/100 km	- Wh/km

5. Electric range of OVC hybrid electric vehicles (if applicable)

Equivalent All Electric Range (EAER)	- km
Equivalent All Electric Range city (EAER city)	- km
All Electric Range (AER) :	- km
All Electric Range city (AER city) :	- km

Miscellaneous

51. For special purpose vehicles: designation in accordance with point 5 of Part A of Annex I to Regulation (EU) 2018/858 of the European Parliament and of the Council:

52. Remarks:

13:1190*35:215/45R17 91V,LM-Rad 7.0Jx17/ET54;215/45ZR17 91Y, LM-Rad 7.0Jx17/ET54*



Bild 1 : Diagonal vorn links



Bild 2 : Diagonal vorn rechts




Bild 3 : Diagonal hinten rechts



Bild 4 : Diagonal hinten links



Bild 5 : Fahrzeugunterseite



Bild 6 : Kombiinstrument (betriebsbereit) mit Km-Stand




Bild 7 : Durch geöffnete Fahrertüre: Fahrersitz, Armaturenbrett und Schalthebel



Bild 8 : Durch geöffnete hintere Tür: Rücksitzbank



Bild 9 : Mittelkonsole (Radio/Navi eingeschaltet)



Heidelberg [redacted]

Englerstraße 30 | D-69126 Heidelberg

RECHNUNG

Kunden-Nr	[redacted]	Auftrags-Nr	[redacted]
Hersteller	HYUNDAI	NLHBR51GGPZ324916	
Modell	i20 Typ BC3 1.0 Turbo Benziner 48V-Hybrid Doppelkupplungsgetriebe		
Farbe			
Kennzeichen	HD-RH 4224	Erstzulassung	20.09.2023
HU	09.2026	Kilometerstand	259637
Anlieferung	16.09.2025	Fertig	17.09.2025
Lieferdatum	17.09.2025		
Datum	17.09.2025	Leitzahl	Seite 1
Es bediente Sie	[redacted]		

Bezeichnung/Leistung	Anzahl	Me	%	* Einzelpreis	Gesamt
24_ Wartung 24 Monate /30 .000 km	21	AW	A	122,60	257,46
Quarz Ineo X.EC5 0W20	3,6		A	22,60	81,36
ÖlfilterSSY-ENGINE OIL	1		A	8,49	8,49
Dichtring	1		A	1,39	1,39
AKTIVKOHLE KOMBIFILTER I30 GDH	1		A	23,78	23,78

Bild 10 : Serviceheft letzter Eintrag, alle Fahrzeugschlüssel, Bordmappe
Service-Rechnung




Bild 11 : ZLB Teil 1 (ohne Halterdaten)



Bild 12 : Schlüssel u. Bordmappe

MOBILITY CONCEPT

LVV Nr	5005636
Hersteller	Hyundai
Model	i20
Variante	N Line 1.0 T-GDI 48V MHEV
Listenpreis	22.508,40
VIN	NLHBR51GGPZ324916
Erstzulassungsdatum	1.9.2023
Kennzeichen	HD RH4224

Schadensfälle der int. Belegnummer: 5005636

23.07.2026

Schadennummer	Unfalldatum	Beschädigung	Schadenhöhe in EUR
2025116312	11.05.2025	Stoßfänger vorne links	

- Seite 1 von 1 -

Zustandsbericht / Minderwertgutachten

Vorgang

Auftraggeber
Besichtigung

Mobility Concept GmbH, Grünwalder Weg 34, 82041 Oberhaching
10.07.2026

Bemerkungen

Diese Dienstleistung wurde entsprechend den Vorgaben des Auftraggebers (Kriterien der fairen Fahrzeugbewertung) erstellt. Im Einzelfall können Abweichungen zum DEKRA Standard vorliegen.
Es wurde eine optische Überprüfung auf Vorschäden und eine Lackschichtdickenmessung vorgenommen. Dabei wurden Nachlackierungen an folgenden Karosserieteilen festgestellt:

- Frontverkleidung und Kotflügel v.l. nachlackiert

Die vorgefundenen Besichtigungsbedingungen waren ausreichend. Das Fahrzeug / Objekt wurde von unten besichtigt. Abgasrelevante Baugruppen wurden messtechnisch nicht überprüft. Folglich wurden Mängel, die nur bei einer Abgasuntersuchung feststellbar sind, nicht berücksichtigt.
Für die Bearbeitung des Vorganges standen folgende Unterlagen zur Verfügung: - Fz-Schein/Zul.Beschein. Teil I
2 Hauptschlüssel vorgelegt.

Fahrzeugdaten

Erstzulassung	20.09.2023	Fahrzeugart	PKW
Hersteller	HYUNDAI	Typ / Verkaufsbez.	i20 1.0 T-GDI 48V-Hybrid DCT N Line
Türen	5	Sitzplätze	5
Fahrzeug-Ident.-Nr.	NLHBR51GGPZ324916	HSN / TSN	5984 / ABP
Schlüssel-Nr.	10341538	Km-Stand abgelesen	34899
Nächste HU §29 StVZO	09 / 2026	Energiequelle / Kraftstoff	Hybr.Benzin/E
Leistung (kW)	88	Hubraum (ccm)	998
Schadstoffklasse:	EURO6;WLTP;AP;PI/CI; M, Felgen		Leichtmetall
Farbe	N1 I Grün		
	Es wird unterstellt, dass die Gesamtleistung dem abgelesenen Km-Stand entspricht.		

Räder / Reifen

Achse	Reifenbezeichnung	Hersteller/Typ	Art	Profiltiefe
1 links	215 / 45 R 17 91 V	Hankook / Ventus Prime3 K125 HMC FSL	S / O	6 mm
rechts	215 / 45 R 17 91 V	Hankook / Ventus Prime3 K125 HMC FSL	S / O	6 mm
2 links	215 / 45 R 17 91 V	Hankook / Ventus Prime3 K125 HMC FSL	S / O	5 mm
rechts	215 / 45 R 17 91 V	Hankook / Ventus Prime3 K125 HMC FSL	S / O	5 mm

Pannenset

S/ Sommer; /O Original; /F Runflat;

Serienausstattung

Serie: Ablagefach in der Mittelkonsole des Armaturenbretts, Ablagefächer in den Türen, Airbag: Fahrer- und Beifahrerseite, Airbag: Seitenairbags vorn, Airbag: Vorhangairbags vorn und hinten, Aktiver Aufmerksamkeitsassistent (DAW), Alarmanlage, Ambientebeleuchtung in Blau, Anfahrhinweis Vorderfahrzeug (LVDA), Assistent: ABS mit elektronischer Bremskraftverteilung, Assistent: Autonomer Notbremsassistent (FCA-JT) inkl. Frontkollisionsswarner, Automatische Innenbeschlagsregelung, Automatisches Notrufsystem (eCall), Außenspiegel elektrisch einstellbar, beheizbar, anklappbar, Berganfahrassistent (HAC), Bremsassistent (BAS), Dachhimmel in Schwarz, Dachspoiler mit 3. Bremsleuchte, Digitales Cockpit mit 10,25-Zoll-Farb-Display, Drive Modes, Elektrisches Stabilitätsprogramm (ESC) und Fahrdynamisches Stabilitätsmanagement (VSM), Fensterheber elektrisch hinten, Fensterheber elektrisch vorn, Fensterrahmeneinfassung in Schwarz, Fernlichtassistent (HBA), Gepäckraumabdeckung, herausnehmbar, Gepäckraumbeleuchtung, Geschwindigkeitsregelanlage mit Limiter, Getriebe: DCT 7-Gang-Doppelkupplungsgetriebe, Getränkehalter vorne, Heckscheibe, beheizbar, mit Abschaltautomatik, Heckscheibenwischer mit Intervallschaltung, Innenspiegel, automatisch abblendend, Insassenalarm (ROA), Intelligente Verkehrszeichenerkennung, Interieur: Schwarz, Isofix-Kindersitzbefestigung hinten, Kindersicherung hinten, Klimaautomatik, Kopfstützen (3) hinten höhenverstellbar, Kopfstützen vorn höhenverstellbar, LED-Tagfahrlicht, Lackierung: Mineraleffekt-Lackierung Mangrove Green, Lederschaltknopf, Lenkrad beheizbar, Lenkrad: Lederlenkrad mit Multifunktion, Lenkrad: N-Line Sportlenkrad, Leseleuchte vorn und hinten, Leuchtweitenregulierung, Lichtsensor, Mittelarmlehne vorn mit Ablagefach, Multikollisionsbremse (MCB), N Line Exterieur, N Line Interieur, Paket: Funktions-Paket, Paket: Licht-Paket, Paket: Navigations-Paket, Partikelfilter: Ottopartikelfilter, Polster: Stoff, Radio: RDS mit Display 8"-Farb-Touchscreen, Radiozubehör: USB-Ladeanschluss hinten, Radiozubehör: USB-Ladeanschluss vorne, Regensensor, Reifen-Reparatur-Kit, Räder: 7,0 J x 17-Zoll Leichtmetallfelgen, Räder: Reifendruckkontrollsystem (TPMS), Rückfahrkamera, Servolenkung, Sicherheitsgurte, Sicherheitsgurte vorn höhenverstellbar, Sicherheitslenksäule längs- und neigungsverstellbar, Sitze: Fahrersitz/Beifahrersitz höhenverstellbar, Sitze: Rücksitzlehne, asymmetrisch geteilt umklappbar, Sonnenblende, Fahrer und Beifahrer, mit Spiegel, beleuchtet, Spurfolgeassistent (LFA), Spurhalteassistent (LKA), Start/Stopp-Automatik, Steckdose, 12-Volt vorne, Stoßfänger in Wagenfarbe, Türgriffe in Wagenfarbe lackiert, Türgriffe innen lackiert, Verglasung dunkel getönt ab B-Säule, Wegfahrsperre, Wärmeschutzverglasung, Zentralverriegelung mit Funkfernbedienung

Allgemeinzustand und Wartung

Wartungsnachweis: digital

Akzeptierter Zustand / Gebrauchsspuren

Das Fahrzeug weist dem Alter, der Laufleistung und dem Einsatzzweck entsprechende Gebrauchsspuren auf.