



**COMPLETE VEHICLES
CERTIFICATE OF CONFORMITY**

Übereinstimmungsbescheinigung
Πιστοποιητικό Συμμόρφωσης
Certificat de Conformité
Certificate of Conformity
Certificato di Conformità
Conformiteitscertificaat
Świadectwo Zgodności
Certifikat o zgodności
Certificado de Conformidad

046CC0171147



www.PS-Team.de

The Undersigned S.W.KIM, GENERAL MANAGER herewith certifies that the vehicle

0.1. Make (Trade name of manufacture) Kia
0.2. Type CV
Variant F5E22
Version E11A11
0.2.1. Commercial Name EV6
0.2.2.1. Allowed Parameter Values for multistage type approval to use
the base vehicle emission values
Final Vehicle actual mass:
Final Vehicle technically permissible maximum laden mass (in kg):
Frontal area for final vehicle (in cm2):
Rolling resistance (kg/t):
Cross-sectional area of air entrance of the front grille (in cm2):
0.2.3. Identifiers:
0.2.3.1. Interpolation family's identifier: IP-0931062-KNA-1
0.2.3.2. ATCT family's identifier:
0.2.3.3. PEMS family's identifier:
0.2.3.4. Roadload family's identifier: RL-0931062-KNA-1
0.2.3.5. Roadload Matrix family's identifier:
0.2.3.6. Periodic regeneration family's identifier:
0.2.3.7. Evaporative test family's identifier:
0.4. Vehicle Category: M1
0.5. Company name and address of Manufacturer:
Kia Corporation, 12, Heolleung-ro, Seocho-gu, Seoul, Korea
0.6. Location and method of attachment of the statutory plates :
On the left hand B-post, bonded
Location of the vehicle identification number:
Under the right front seat

0.9. Name and address of the manufacturer's representative (if any)
Hyundai Motor Europe Technical Center GmbH, Hyundai-Platz, 65428 Russelsheim, Germany
0.10. Vehicle identification number: KNAC381AFR5194162
0.11. Date of manufacture of the vehicle: 28.12.2023
General construction characteristics:
1. Number of axles and wheels: 2 ; 4
3. Powered axles: 1, Rear
3.1 Specify if the vehicle is non-automated/automated/fully automated: non-automated
Main Dimensions:
4. Wheelbase: 2900 mm
4.1. Axle spacing: 2900 mm
5. Length: 4680 mm
6. Width: 1880 mm
7. Height: 1545 mm
Masses
13. Mass in running order: 1985 kg
13.2. Actual mass of the vehicle: 2028 kg
16. Technically permissible maximum masses
16.1. Technically permissible maximum laden mass: 2425 kg
16.2. Technically permissible maximum mass on each axle:
1. 1280 kg
2. 1390 kg
16.4. Technically permissible maximum mass of the combination: 4025 kg
18. Technically permissible maximum towable mass in case of:
18.1. Drawbar trailer: kg
18.3. Centre-axle trailer: 1600 kg
18.4. Unbraked trailer: 750 kg
19. Technically permissible maximum static vertical mass at the coupling point: 100 kg

conforms in all respects to the type described in approval e9*2018/858*11073*04 granted on 03.07.2023 and can be permanently registered in Member states having right hand traffic and using metric units for the speedometer and metric units for the odometers.

Frankfurt, 03.04.2024

(signature)

S.W. Kim

Für dieses Dokument wurde eine Zulassungsbescheinigung Teil II (HD971958) ausgegeben. Landratsamt München

2439706

Power plant								47.1.1.	Test mass, kg:	2149		
20.	Manufacturer of the engine:		Hyundai Mobis					47.1.2.	Frontal area, m ² :			
21.	Engine code as marked on the engine:		EM17					47.1.2.1.	Projected frontal area of air entrance of the front grille, cm ² :			
22.	Working principle:											
23.	Pure electric:		no					47.1.3.	Road load coefficients:			
23.1.	Class of Hybrid (electric) vehicle:							47.1.3.0.	F0, N:	112		
24.	Number and arrangement of cylinders:							47.1.3.1.	F1, N/ (KM/h):	1.295		
25.	Engine capacity:		cm ³					47.1.3.2.	F2, N/ (KM/h):	0.03089	49.3.	
26.	Fuel:		Electricity					47.2.	Driving cycle		49.3.1.	
26.1.	Mono fuel/Bi fuel/flex fuel/Dual-fuel:							47.2.1.	Driving Cycle class:	3b	49.3.2.	
26.2.	(Dual fuel only)							47.2.2.	Downscaling factor (f _{dsc}):		49.3.2.1.	
27.	Maximum power							47.2.3.	Capped speed:	N	49.4.	
27.1.	Maximum net power:		kW at min-1					48.	Exhaust emissions:	EC 2018/1832AX		
27.3.	Maximum net power (electric motor):		168.10 kW						Number of the base regulatory act and latest amending			
27.4.	Maximum 30 minutes power (electric motor):		56.00 kW						regulatory act applicable:	715/2007		
28.	Gearbox(type):		N/A					48.1.	Smoke corrected absorption coefficient: (m-1)			
28.1	Gearbox ratios(to complete for vehicles with manual shift transmissions)							48.1.2	Test procedure: type I (WLTP highest values) or WHSC (EURO VI)			
1.Gear	2.Gear	3.Gear	4.Gear	5.Gear	6.Gear	7.Gear	8.Gear		CO:	mg/km	THC:	mg/km
									NMHC:	mg/km	NOx:	mg/km
									THC + NOx:	mg/km	NH3:	mg/km
									Particulates:	mg/km	Particles:	E+11
									(mass)		(number)	
28.1.1.	Final drive ratios(if applicable):							48.2.	Declared maximum RDE values (if applicable)			
28.1.2.	Final drive ratios(to complete if and where applicable)								Complete RDE trip: NOx		Particle Number:	
1.Gear	2.Gear	3.Gear	4.Gear	5.Gear	6.Gear	7.Gear	8.Gear		Urban RDE trip: NOx		Particle Number:	
									Test procedure: WHTC (EURO VI)			
									CO:	mg/km	NOx::	mg/km
									NMHC:	mg/km	THC:	mg/km
									CH4:	mg/km	NH3:	mg/km
									Particulates:	mg/km	Particles:	E+11
									(mass)		(number)	
Maximum Speed												
29.	Maximum Speed:		185 km/h					48.2.2				
Axles and Suspension												
30.	Axle(s) track		1. 1628 mm									
			2. 1637 mm									
35.	Fitted tyre/wheel combination/energy efficiency class of rolling resistance coefficients (RRC) and tyre category used for CO2 determination											
	Axle 1: 235/55R19 105V 7.5J X 19/ET54.5 / A/C1							49.	CO2-Emissions / fuel consumption / electric energy consumption			
	Axle 2: 235/55R19 105V 7.5J X 19/ET54.5 / A/C1							49.1.	All powertrains except OVC electric (if applicable)			
Brakes												
36.	Trailer brake connections:											
Bodywork												
38.	Code for bodywork:		AF(multi-purpose vehicle)									
40.	Colour of the vehicle:		GREY									
41.	Number and configuration of doors:		5 ; 2 le,2 ri, 1 re									
42.	Number of seating positions (including driver):		5									
42.1.	Seat(s) designated for use only when the vehicle is stationary:											
42.3.	Number of wheelchair user accessible position:											
Environmental performance								49.2.	Electric range of pure electric vehicles (if applicable)			
46.	Sound level											
	-Stationary: dB(A) at engine speed: min-1											
	-Drive -by: 68.00 dB(A)											
47.	Exhaust emission level: 2017/1151;WLTP:reine Elektrofz											
47.1.	Parameters for emission testing V _{ind}											

WLTP values	CO2 emissions	Fuel consumptions	Electric consumption (ECAC)
Low	g/km	l/100km	106 Wh/km
Medium	g/km	l/100km	121 Wh/km
High	g/km	l/100km	146 Wh/km
Extra High	g/km	l/100km	220 Wh/km
Combined	g/km	l/100km	165 Wh/km

Electric range of pure electric vehicles (if applicable)	
Electric range	528 km
Electric range city	740 km

WLTP	Charge Sustaining		Electric
values	CO2 emission	Fuel consumption	consumption
Low	g/km	l/100km	Wh/km
Medium	g/km	l/100km	Wh/km
High	g/km	l/100km	Wh/km
Extra High	g/km	l/100km	Wh/km
City			Wh/km
Combined	g/km	l/100km	Wh/km

WLTP values	Charge depleting	
	CO2 Emissions	Fuel Consumption
Combined	g/km	l/100km

Weighted combined values	CO2 Emission	Fuel Consumption	Electric Consumption (ECAC)
	g/km	l/100km	Wh/km

Electric range of OVC hybrid electric vehicles (if applicable)	
Equivalent All Electric Range (EAER)	km
Equivalent All Electric Range city (EAER city)	km
All Electric Range (AER)	km
All Electric Range city (AER city)	km

For special purpose vehicles: designation in accordance with point 5 of Part A of annex I to Regulation (EU)2018/858 of the European Parliament and of the Council:

Remarks:
5:4695*6:1890*7:1550*13:1985*35:235/55R19 105V,7.5Jx19/ET54.5*35:LM-Rad*

54.	Vehicle fitted with :	
55.	Vehicle certified in accordance with UN Regulation No 155 :	NO
56.	Vehicle certified in accordance with UN Regulation No 156 :	NO

For this vehicle the registration document no. HD 971 958 has already been issued for Germany.



Bild 1 : Diagonal vorn links



Bild 2 : Diagonal vorn rechts



Bild 3 : Diagonal hinten rechts



Bild 4 : Diagonal hinten links




Bild 5 : Fahrzeugunterseite



Bild 6 : Kombiinstrument (betriebsbereit) mit Km-Stand



Bild 7 : Durch geöffnete Fahrertüre: Fahrersitz, Armaturenbrett und Schalthebel



Bild 8 : Durch geöffnete hintere Tür: Rücksitzbank




Bild 9 : Mittelkonsole (Radio/Navi eingeschaltet)




Bild 10 : Serviceheft letzter Eintrag, alle Fahrzeugschlüssel, Bordmappe




Bild 11 : ZLB Teil 1 (ohne Halterdaten)




Bild 12 : 2. Radsatz



Bild 13 : Ladekabel E-Fahrzeug




Bild 14 : Kundendienst fällig



Bild 15 : Tür hinten links Parkdelle

MOBILITY CONCEPT

LVV Nr 412813
Hersteller Kia
Model EV6
Variante DE - SUV5 Elektro 77,4 kWh, 2WD, 2021 - 2024 77.4 kWh
Listenpreis 52.134,40
VIN KNAC381AFR5194162
Erstzulassungsdatum 1.5.2024
Kennzeichen M Y1738E

Schadensfälle der int. Belegnummer: 412813

28.07.2026

Schadennummer	Unfalldatum	Beschädigung	Schadenhöhe in EUR
2024111354	24.07.2024	Fahrerseite Kotflügel vorne Kühler Scheinwerfer rechts Stoßfänger vorne Assistenzsysteme	11.991,33
2026107833	17.04.2026	Fahrerseite Tür hinten	

- Seite 1 von 1 -

Zustandsbericht / Minderwertgutachten

Vorgang

Auftraggeber
Besichtigung

Mobility Concept GmbH, Grünwalder Weg 34, 82041 Oberhaching
08.07.2026

Bemerkungen

Diese Dienstleistung wurde entsprechend den Vorgaben des Auftraggebers (Kriterien der fairen Fahrzeugbewertung) erstellt. Im Einzelfall können Abweichungen zum DEKRA Standard vorliegen.
Es wurde eine optische Überprüfung auf Vorschäden und eine Lackschichtdickenmessung vorgenommen. Die augenscheinliche Überprüfung sowie die Lackschichtdickenmessung ergaben keine Hinweise auf Nachlackierungen, Instandsetzungsarbeiten oder reparierte Vorschäden.
Das Fahrzeug / Objekt wurde zum Zeitpunkt der Besichtigung in einem nicht gereinigten Zustand vorgefunden. Das Fahrzeug / Objekt wurde von oben und von unten besichtigt. Im Rahmen der Fahrzeug / Objektbesichtigung wurde ein Probelauf des Motors durchgeführt.
Für die Bearbeitung des Vorganges standen folgende Unterlagen zur Verfügung: - Fz-Schein/Zul.Beschein. Teil I
2 Hauptschlüssel vorgelegt.

Fahrzeugdaten

Erstzulassung	29.05.2024	Letzte Zulassung	29.05.2024
Fahrzeugart	Personenkraftwagen	Hersteller	Kia
Typ / Verkaufsbez.	EV6 (CV)(2021->) / EV6	Aufbauart	Kombi
	Elektro 77,4 kWh 2WD		
Türen	5	Sitzplätze	5
Fahrzeug-Ident.-Nr.	KNAC381AFR5194162	HSN / TSN	2233 / ABA
DAT Europa-Code®	014251000050004	DAT Marktindex	DE004 6489
Km-Stand abgelesen	62817	Nächste HU §29 StVZO	05 / 2027
Energiequelle / Kraftstoff	Elektro	Zylinderanzahl	/ Elektromotor
Leistung (kW)	56	Schadstoffklasse:	2017/1151;WLTP;reine
			Elektrofz
Antriebsart	Frontantrieb	Getriebe / Gänge	Automatik / 1
Felgen	Leichtmetall	Farbe	Interstellar Grey / AGT
	Es wird unterstellt, dass die Gesamtleistung dem abgelesenen Km-Stand entspricht.		

Räder / Reifen

Achse	Reifenbezeichnung	Hersteller/Typ	Art	Profiltiefe
1 links	235 / 55 R 19 105 V	Kumho / Ecsta PS71 EV	S /O	4 mm
rechts	235 / 55 R 19 105 V	Kumho / Ecsta PS71 EV	S /O	4 mm
2 links	235 / 55 R 19 105 V	Kumho / Ecsta PS71 EV	S /O	3 mm
rechts	235 / 55 R 19 105 V	Kumho / Ecsta PS71 EV	S /O	3 mm
Pannenset	Füllflasche haltbar bis 01.12.2028			

S/ Sommer; /O Original; /F Runflat;

zusätzlicher Reifensatz

Reifenbezeichnung	Hersteller/Typ	Art	Profiltiefe
235 / 55 R 19 105 V	Continental / WinterContact TS 870 P FR	W /O	6 mm
235 / 55 R 19 105 V	Continental / WinterContact TS 870 P FR	W /O	6 mm
235 / 55 R 19 105 V	Continental / WinterContact TS 870 P FR	W /O	6 mm
235 / 55 R 19 105 V	Continental / WinterContact TS 870 P FR	W /O	6 mm

W/ Winter; /O Original;

Felgen: Leichtmetall

Serienausstattung

Serie: Anti-Blockier-System (ABS), Antriebsart: Heckantrieb, Audio-Navigationssystem KIA (12,3"-Display), Außenspiegel elektr. anklappbar, Einschaltautomatik für Fahrlicht, Elektromotor 168 kW (cont. 56 kW), Fahrassistenz-System: Autobahnassistent (Highway Driving Assist, HDA), Fahrassistenz-System: Berganfahr-Assistent, Fahrassistenz-System: Fernlichtassistent, Fahrassistenz-System: Müdigkeitserkennungs-Sensor (Driver Attention Warning, DAW), Fahrassistenz-System: Spurfolgeassistent (Lane Following Assist, LFA), Fahrassistenz-System: Verkehrszeichenerkennung, erweitert (Geschwindigkeits-Regel-/Begrenzeranlage), Fahrassistenz-System: aktiver Spurhalteassistent (LKAS, Lane Keep Assist System), Freisprecheinrichtung (Bluetooth) mit Sprachsteuerung, Geschwindigkeits-Begrenzeranlage, Getriebe für Elektrofahrzeug, HV-Batterie 77,4 kWh, Heckleuchten LED, Innenspiegel mit Abblendautomatik, Intelligenter Geschwindigkeits-Begrenzer, Karosserie: 5-türig, Keyless-Start, Klimaautomatik 2-Zonen, LM-Felgen 7,5x19, Ladevorrichtung On-Board-Lader 11 kW (3-Phasen), Lendenwirbelstütze Sitz vorn links, elektr. verstellbar, Lenkrad heizbar, Lenkrad mit Multifunktion, Mittelarmlehne vorn verschiebbar, Mobile Online Dienste UVO Connect / Kia Connect, Navigationsbasierte Adaptive Geschwindigkeitsregelanlage (Tempomat) mit Abstandsregelung (NSCC), Parkbremse elektrisch, Radstand 2900 mm, Reifen 235/55 R19 ...H, Rückfahrkamera, Scheibenwischer mit Regensensor, Scheinwerfer LED, Schließ-/Startsystem Smart-Key, Schnellladevorrichtung, Sitzheizung vorn, Smartphone Schnittstelle (Apple CarPlay & Android Auto), Sonderlackierung Runway Rot Metallic, Zentralverriegelung mit Fernbedienung

Sonderausstattung

Code	Bezeichnung
1003	Air-Paket
4312	Assistenz-Paket
4207	Drive-Paket
1505	Komfort-Paket
11000	Metallic-Lackierung
2104	Sound-Paket
29299	Wärmepumpe für Heizungs-/Klimaanlage

Allgemeinzustand und Wartung

Abgesehen von den beschriebenen Schäden/Mängeln weist das Fahrzeug/Objekt einen, bezogen auf Alter und Nutzung, üblichen Gesamtzustand auf.

Wartungsnachweis:	lückenhaft
letzte Wartung:	am 30.06.2025 bei Kilometerstand 29.592
nächste Wartung:	am 30.06.2027 bei Kilometerstand 59.592

Nicht akzeptierter Zustand / Ausstehende Reparaturen

Bezeichnung des Schadens / Rep.-Weg

1. Kundendienst lt Serviceheft fällig, (Bild 14)
2. Tür hinten links Parkdelle, smart repair (Bild 15)