TÜV SÜD Auto Partner GmbH
Wiesenring 2
04159 Leipzig

Besichtigungsort
TÜV SÜD Auto Partner: MVI Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum: 13.10.2026
Protokollnummer: 48136989
Erstellt durch: Markus Böttcher
Besichtigt durch: Canziba

VSSZZZKJ1RR082142

Angaben zum Fahrzeug

Halter		**Besichtigungszustand**	ausreichend
Kennzeichen		**Laufleistung (abgelesen)**	37.687 km
Hersteller	Seat	**Restlauf bis Service**	624 Tag(e)
Typ/Modell	IBIZA	**HU (abgelesen aus ZBI)**	06/2027
Vehicle Identification number	VSSZZZKJ1RR082142	**Leistung**	81 kW
Hubraum	999 ccm	**Zylinder**	3
Erstzulassung	25.06.2024	**Polster/Farbe**	Stoff / Dunkelgrau
Letzte Wartung	06/2026, 29.157 km	**Lackierung**	Grau
Kraftstoffart	Benzin	**Getriebe**	Automatik

Zustandsbericht

Wertmindernde Faktoren

Nr.	Bauteilgruppe	Beschreibung
1	Tür vorn rechts	Tür - Kratzer - lackieren

Gebrauchsspuren

Nr.	Bauteilgruppe	Beschreibung
1	Motorhaube	Motorhaube (Oberflächen Steinschläge) - Steinschlag - kein Abzug
2	Verglasung	Frontscheibe (Oberflächen Steinschläge) - Steinschlag - kein Abzug

Fehlteile

Fehlteil

Festgestellte Nachlackierungen

Nr.	Ort
Keine feststellbar	

Hauptbereifung

Achse	Reifengröße	Hersteller	Reifentyp	Profiltiefe	Verktgl.	Zul.
1	215/45 R17 91W	Nexen	Sommerreifen	6mm - 6mm	i.O.	i.O.
2	215/45 R17 91W	Nexen	Sommerreifen	6mm - 6mm	i.O.	i.O.

Ersatz

Typ	Reifengröße	Hersteller	Reifentyp	Profiltiefe	Ablaufdatum
Tirefit					10/2027

Der Verschleißzustand sowie evtl. Schäden an der Bereifung sind wertmäßig berücksichtigt.

TÜV SÜD Auto Partner GmbH
Wiesenring 2
04159 Leipzig

Besichtigungsort
TÜV SÜD Auto Partner: MVI Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum:	13.10.2026
Protokollnummer:	**48136989**
Erstellt durch:	Markus Böttcher
Besichtigt durch:	Canziba

Angaben zum Fahrzeug

Hersteller	Seat	**Besichtigungszustand**	ausreichend
Typ/Modell	IBIZA	**Laufleistung (abgelesen)**	37.687 km
Vehicle Identification number	VSSZZZKJ1RR082142	**Erstzulassung**	25.06.2024

Angaben zum Auftrag:
Auftragsgemäß erfolgte die Fahrzeugzustandsbewertung in demontagefreien Zustand.

Grundlage dieses Produktes stellt der Leitfaden für Fahrzeugrücknahmen und Bewertungen gemäß des Schadengrenzmusterkatalog des Auftraggebers dar. Die expliziten Feststellungen im Einzelfall trifft der Sachverständige objektiv im Rahmen der vorgegebenen Standards aufgrund eigener Sachkunde.

Fahrzeug-Identifizierung:
Die Fahrzeug-Identifizierungsnummer (FIN) wurde am Fahrzeug abgelesen und die Übereinstimmung im Verlauf der Besichtigung durch den Unterzeichner mit den vorgelegten Unterlagen festgestellt.

Besichtigungsbedingungen:
Die Besichtigungsbedingungen waren zur Beurteilung des Fahrzeuges ausreichend.

Allgemeinzustand:
Das Fahrzeug weist dem Alter und Einsatzzweck entsprechende Gebrauchsspuren auf.



Unterschrift Sachverständiger (Markus Böttcher)

Vorliegendes Druckexemplar wurde auf elektronischem Wege erzeugt. Der benannte Sachverständige versichert, dass der Inhalt die von ihm getroffenen Feststellungen korrekt wiedergibt. Es ist ohne Originalunterschrift gültig.

TÜV SÜD Auto Partner GmbH
Wiesenring 2
04159 Leipzig

Besichtigungsort
TÜV SÜD Auto Partner: MVI Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum:	13.10.2026
Protokollnummer:	**48136989**
Erstellt durch:	Markus Böttcher
Besichtigt durch:	Canziba

Übersichtsfotos




Abbildung 1: FIN



Abbildung 2: Schräg vorne



Abbildung 3: Schräg vorne



Abbildung 4: Schräg hinten



Abbildung 5: Schräg hinten



Abbildung 6: Montierte Bereifung

TÜV SÜD Auto Partner GmbH
Wiesenring 2
04159 Leipzig

Besichtigungsort
TÜV SÜD Auto Partner: MVI Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum:	13.10.2026
Protokollnummer:	**48136989**
Erstellt durch:	Markus Böttcher
Besichtigt durch:	Canziba



Abbildung 7: Innenraum vorne



Abbildung 8: Laderaum



Abbildung 9: Kombiinstrument



Abbildung 10: Kombiinstrument



Abbildung 11: Instrumententafel



Abbildung 12: Instrumententafel

TÜV SÜD Auto Partner GmbH
Wiesenring 2
04159 Leipzig

Besichtigungsort
TÜV SÜD Auto Partner: MVI Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum:	13.10.2026
Protokollnummer:	**48136989**
Erstellt durch:	Markus Böttcher
Besichtigt durch:	Canziba




Abbildung 13: Dokumente



Abbildung 14: Dokumente




Abbildung 15: Sonstiges

TÜV SÜD Auto Partner GmbH
Wiesenring 2
04159 Leipzig

Besichtigungsort
TÜV SÜD Auto Partner: MVI Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum:	13.10.2026
Protokollnummer:	**48136989**
Erstellt durch:	Markus Böttcher
Besichtigt durch:	Canziba

Beschädigungsfotos



Beschädigung #1: Tür vorn rechts: Tür - Kratzer - lackieren



Beschädigung #1: Tür vorn rechts: Tür - Kratzer - lackieren

046CC0172300
www.PS-Team de

Certificate of Conformity

Complete vehicles

The undersigned hereby certify that the vehicle:

0.1.	Make (Trade name of manufacturer):		SEAT
0.2.	Type:	Variant:	Version:
	KJ	BDLAA	FM6SFM6AJ0194BI21CAE
0.2.1.	Commercial name:		IBIZA
0.2.2.1.	Allowed Parameter Values for multistage type approval to use the base vehicle emission values		
	Final Vehicle actual mass [kg]:		----------
	Final Vehicle technically permissible maximum laden mass[kg]:		----------
	Frontal area for final vehicle [cm2]:		----------
	Rolling resistance [kg/t]:		----------
	Cross-sectional area of air entrance of the front grille [cm2]:		----------
0.2.3.1.	Interpolation family's identifier:		IP-MQB27ZZ_A0_0530-VSS-1
0.2.3.2.	ATCT family's identifier:		AT-2Q0_0V_0234_000-VSS-1
0.2.3.3.	PEMS family's identifier:		09-VSS-715W_KJ_DLAA_FM6_A_B-000
0.2.3.4.	Roadload family's identifier:		RL-MQ200_6F_17_029-WVW-1
0.2.3.5.	Roadload matrix family's identifier (if applicable):		----------
0.2.3.6.	Periodic regeneration family's identifier:		PR-VW_00219_00_000-WVW-1
0.2.3.7.	Evaporative test family's identifier:		EV-AW_DGW_D_ALACAA-WVW-1
0.4.	Vehicle category:		M1
0.5.	Company name and address of manufacturer:		SEAT, S.A., Autovia A-2, Km. 585, ES-08760 Martorell
0.6.	Location and method of attachment of the statutory plates:		On the right B-pillar,glued or bonded
	Location of the vehicle identification number:		In the engine compartment,right
0.9.	Name and address of the manufacturer's representative:		----------
0.10.	Vehicle identification number:		VSSZZZKJ1RR082142
0.11.	Date of manufacture of the vehicle:		2024-01-18

49. CO_2 emissions/fuel consumption/electric energy consumption:

1. All powertrains, except OVC hybrid electric vehicles (if applicable):

WLTP values	CO_2 emissions			Fuel consumption (/100 km)			Electric Consumption
	Petrol/ Diesel: (g/km)	Gas: CNG/LPG (g/km)	Other: (g/km)	Petrol/ Diesel: (L)	Gas: CNG/LPG (L)/(m³)	Others: (L)	(Wh/km)
Low:	154	---	---	6.8	---	---	------
Medium:	120	---	---	5.3	---	---	------
High:	107	---	---	4.7	---	---	------
Extra High:	126	---	---	5.6	---	---	------
Combined:	123	---	---	5.4	---	---	------

2. Electric range of pure electric vehicles (if applicable):

Electric range [km]: ----- Electric range city [km]: -----

3. Vehicle fitted with eco-innovation(s): yes

3.1. General code of the eco-innovation(s): e9 29 37

3.2. Total CO_2 emissions savings due to the eco-innovation(s):

3.2.2. WLTP savings (if applicable) [g/km]: Petrol/Diesel: 1.90 Gas (CNG/LPG): --- Others: ---

4. OVC hybrid electric vehicles (if applicable):

WLTP values (CO2 and fuel consumption sustaining, if not otherwise mentioned)	CO_2 emissions			Fuel consumption: (/100 km)			Electric Consumption (Wh/km)
	Petrol/ Diesel: (g/km)	Gas: CNG/LPG (g/km)	Others: (g/km)	Petrol/ Diesel: (L)	Gas: CNG / LPG (m³)/(L)	Other: (L)	
Low	---	---	---	---	---	---	------
Medium	---	---	---	---	---	---	------
High	---	---	---	---	---	---	------
Extra High	---	---	---	---	---	---	------
City	---	---	---	---	---	---	------
Combined (sustaining)	---	---	---	---	---	---	------
Combined (depleting)	---	---	---	---	---	---	------
Weighted, combined	---	---	---	---	---	---	------

5. Electric range of OVC hybrid electric vehicles (if applicable):

Equivalent All Electric Range [km]: (EAER): ---- (EAER city): ----

All Electric Range [km]: (AER): ---- (AER city): ----

51. For special purpose vehicles: Designation in accordance with CR (CE) 2018/858 annex I part A point 5: ----------

52. Remarks:

NO 16.2.: with trailer axle 2:+0 kg##NO 35.: alt. to pos 35 with deviating val.
in pos 49: 185/65 R15 88H#5,5JX15 ET40;##185/65 R15 88V#5,5JX15 ET40;##195/55 R1
6 91V XL#6,5JX16 ET47;##195/55 R16 91V XL#6,0JX16 ET45;##215/40 R18 89W XL#7,0JX
18 ET51;##215/45 R17 91W XL#7,0JX17 ET51;##185/60 R16 86H M+S#6,5JX16 ET47;##

54. Vehicle fitted with advanced vehicle systems: eCall, ESS, TPMS

55. Vehicle certified in accordance with UN-R No 155: no

56. Vehicle certified in accordance with UN-R No 156: no

conforms in all respects to the type described in approval e9*2007/46*3134*42 granted on 2023-10-11 and can be permanently registered in Member States having right hand traffic and using metric units for the speedometer and metric units for the odometer.

Martorell, 2024-01-18

Daniel Cortina Munuera
Director Quality Assurance

Martorell, 2024-01-18

Robin Christoph Bräutigam
Head of Technical Conformity

Internal Manufacturer's data VSSZZZKJ1RR082142

CoC Version: 1

Für dieses Dokument wurde eine Zulassungsbescheinigung Teil II (HB621088) ausgegeben. Landratsamt München

1.	Number of axles / wheels:	2 / 4
3.	Powered axles (number, position):	1, Axle 1
	Interconnection of powered axles:	----------
3.1.	Specify if the vehicle is non-automated/automated/fully automated:	non-automated
4.	Wheelbase[mm]:	2548
4.1.	Axle spacing [mm]:	2548
5.	Length [mm]:	4059
6.	Width [mm]:	1780
7.	Height [mm]:	1444
13.	Mass in running order [kg]:	1169
13.2.	Actual mass of the vehicle [kg]:	1201
16.	Technically permissible maximum masses:	
16.1.	Technically permissible maximum laden mass [kg]:	1625
16.2.	Technically permissible mass on each axle (1./2.) [kg]:	890 / 785
16.4.	Technically permissible maximum mass of the combination [kg]:	2725
18.	Technically permissible maximum towable mass in case of:	
18.1.	Drawbar trailer [kg]:	-----
18.3.	Centre-axle trailer [kg]:	1100
18.4.	Unbraked trailer [kg]:	580
19.	Technically permissible maximum static vertical mass at the coupling point [kg]:	50
20.	Manufacturer of the engine:	Volkswagen AG
21.	Engine code as marked on the engine:	DLA
22.	Working principle:	Positive ignition / 4 stroke
23.	Pure electric:	no
23.1.	Class of Hybrid (electric) vehicle:	----------
24.	Number and arrangement of cylinders:	3; in Line
25.	Engine capacity [cm³]:	999
26.	Fuel:	petrol
26.1.	Mono fuel/Bi fuel/Flex fuel/Dual fuel:	mono fuel vehicle
26.2.	Type of dual fuel engine:	-------
27.	Maximum power	
27.1.	Maximum net power [kW at min^{-1}] (internal combustion engine):	81.00 / 5500
27.3.	Maximum net power [kW] (electric motor):	-----
27.4.	Maximum 30 minutes power [kW] (electric motor):	------

28.	Gearbox (type):	manual

Gear	1	2	3	4	5	6	-----	-----	-----
28.1. Gearbox ratios:	3.769	1.947	1.281	0.973	0.778	0.642	-------	-------	-------
28.1.2. Final drive ratio:	4.056	4.056	4.056	4.056	4.056	4.056	-------	-------	-------

29.	Maximum speed [km/h]:	195
30.	Axle(s) track (1./2.) [mm]:	1499 / 1479
35.	Fitted tyre/wheel combination/energyefficiency class of RRC/type category used for CO_2 determination:	
	Axle 1:	215/45 R17 91W XL / 7,0JX17 ET51 / C / C1
	Axle 2:	215/45 R17 91W XL / 7,0JX17 ET51 / C / C1
36.	Trailer brake connections:	----------
38.	Code for bodywork:	AB
40.	Colour of vehicle:	GREY
41.	Number and configuration of doors:	5 / le. 2, ri. 2, ba. 1
42.	Number of seating positions (including the driver):	5
42.1.	Seat(s) designated for use only when the vehicle is stationary:	---
42.3.	Number of wheelchair user accessible position:	---
46.	Sound level	
	Stationary [dB(A) at min^{-1}]:	74.60 / 3750
	Drive-by [dB(A)]:	66.00
47.	Exhaust emission level:	EURO 6 AP
47.1	Parameters for emission testing of V_{ind}:	
47.1.1.	Test mass [kg]:	1276
47.1.2.	Frontal area [m²]:	--------

47.1.3. Road load coefficients	47.1.3.0. f0 [N]	47.1.3.1. f1 [N/(km/h)]	47.1.3.2. f2: [N/(km/h)²]
	101.5	0.507	0.02974

47.2.	Driving cycle:	
47.2.1.	Driving cycle class:	3b
47.2.2.	Downscaling factor (f_{dsc}):	-----
47.2.3.	Capped speed:	no
48.	Exhaust emissions:	715/2007*2018/1832AP

1.2. Test procedure: Type 1 (WLTP highest values) [mg/km] or WHSC (EURO VI) [mg/kWh]

Petrol / Diesel	CO	THC	NMHC	NO_x	THC + NO_x	NH_3 [ppm]	Particulates	Particles #
	177.2	23.0	19.9	45.3	-------	-------	0.0000	0.01E11
LPG/CNG	-------	-------	-------	-------	-------	-------	-------	--
Other	-------	-------	-------	-------	-------	-------	-------	--

2.2. Test procedure: WHTC (EURO VI) [mg/kWh]

Petrol / Diesel	CO	THC	NMHC	CH_4	NO_x	NH_3	Particulates	Particles #
	-------	-------	-------	-------	-------	-------	-------	--
LPG/CNG	-------	-------	-------	-------	-------	-------	-------	--
Other	-------	-------	-------	-------	-------	-------	-------	--

48.1.	Smoke corrected absorption coefficient [m^{-1}]:	-------
48.2.	Declared maximum RDE values (if applicable):	NO_x [mg/km] / Particles (number) with exponent (#/km)
	Complete RDE trip:	60.0 / 6.00 E11
	Urban RDE trip:	60.0 / 6.00 E11