TÜV SÜD Auto Partner GmbH
Gutenbergstraße 13
70771 Leinfelden-Echterdingen

Besichtigungsort
TÜV SÜD Auto Partner: MVI Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum: 26.10.2026
Protokollnummer: 48469932
Erstellt durch: Paula Busch
Besichtigt durch: Arijan Canziba

ZFAEFAG47PX138467

Angaben zum Fahrzeug

Halter		**Besichtigungszustand**	ausreichend
Kennzeichen		**Laufleistung (abgelesen)**	19.878 km
Hersteller	Fiat	**Restlauf bis Service**	304 Tag(e)
Typ/Modell	500	**HU (Bericht lag vor)**	09/2027
Fahrgestellnummer	ZFAEFAG47PX138467	**Leistung**	43 kW
Erstzulassung	24.04.2023	**Polster/Farbe**	Stoff / Schwarz
Letzte Wartung	08/2026, 19.269 km	**Lackierung**	Silber
Kraftstoffart	Elektro	**Getriebe**	Direktantrieb

Zustandsbericht

Wertmindernde Faktoren

Nr.	Bauteilgruppe	Beschreibung
1	Rad/Reifen	Leichtmetallfelge hinten rechts - Kratzer - Smart Repair

Gebrauchsspuren

Nr.	Bauteilgruppe	Beschreibung
1	Verglasung	Frontscheibe (Oberflächen Steinschläge) - Steinschlag - kein Abzug
2	Stossfänger hinten	Stossfänger hinten - Kratzer - kein Abzug

Fehlteile

Fehlteil

Festgestellte Nachlackierungen

Nr.	Ort
Keine feststellbar	

Hauptbereifung

Achse	Reifengröße	Hersteller	Reifentyp	Profiltiefe	Verktgl.	Zul.
1	195/55 R16 91V	Goodyear	Sommerreifen	7mm - 7mm	i.O.	i.O.
2	195/55 R16 91V	Goodyear	Sommerreifen	7mm - 7mm	i.O.	i.O.

Ersatz

Typ	Reifengröße	Hersteller	Reifentyp	Profiltiefe	Ablaufdatum
Tirefit					07/2027

Der Verschleißzustand sowie evtl. Schäden an der Bereifung sind wertmäßig berücksichtigt.

TÜV SÜD Auto Partner GmbH
Gutenbergstraße 13
70771 Leinfelden-Echterdingen

Besichtigungsort
TÜV SÜD Auto Partner: MVI Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum:	26.10.2026
Protokollnummer:	**48469932**
Erstellt durch:	Paula Busch
Besichtigt durch:	Arijan Canziba

Angaben zum Fahrzeug

Hersteller	Fiat	**Besichtigungszustand**	ausreichend
Typ/Modell	500	**Laufleistung (abgelesen)**	19.878 km
Fahrgestellnummer	ZFAEFAG47PX138467	**Erstzulassung**	24.04.2023

Angaben zum Auftrag:
Auftragsgemäß erfolgte die Fahrzeugzustandsbewertung in demontagefreien Zustand.

Grundlage dieses Produktes stellt der Leitfaden für Fahrzeugrücknahmen und Bewertungen gemäß des Schadengrenzmusterkatalog des Auftraggebers dar. Die expliziten Feststellungen im Einzelfall trifft der Sachverständige objektiv im Rahmen der vorgegebenen Standards aufgrund eigener Sachkunde.

Fahrzeug-Identifizierung:
Die Fahrzeug-Identifizierungsnummer (FIN) wurde am Fahrzeug abgelesen und die Übereinstimmung im Verlauf der Besichtigung durch den Unterzeichner mit den vorgelegten Unterlagen festgestellt.

Besichtigungsbedingungen:
Die Besichtigungsbedingungen waren zur Beurteilung des Fahrzeuges ausreichend.

Allgemeinzustand:
Das Fahrzeug weist dem Alter und Einsatzzweck entsprechende Gebrauchsspuren auf.

Unterschrift Sachverständiger (Paula Busch)

Vorliegendes Druckexemplar wurde auf elektronischem Wege erzeugt. Der benannte Sachverständige versichert, dass der Inhalt die von ihm getroffenen Feststellungen korrekt wiedergibt. Es ist ohne Originalunterschrift gültig.

TÜV SÜD Auto Partner GmbH
Gutenbergstraße 13
70771 Leinfelden-Echterdingen

Besichtigungsort
TÜV SÜD Auto Partner: MVI Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum:	26.10.2026
Protokollnummer:	**48469932**
Erstellt durch:	Paula Busch
Besichtigt durch:	Arijan Canziba

Übersichtsfotos



Abbildung 1: FIN



Abbildung 2: Schräg vorne



Abbildung 3: Schräg vorne



Abbildung 4: Schräg hinten



Abbildung 5: Schräg hinten



Abbildung 6: Montierte Bereifung



Abbildung 7: Montierte Bereifung



Abbildung 8: Montierte Bereifung



Abbildung 9: Montierte Bereifung



Abbildung 10: Innenraum vorne



Abbildung 11: Laderaum



Abbildung 12: Laderaum

TÜV SÜD Auto Partner GmbH
Gutenbergstraße 13
70771 Leinfelden-Echterdingen

Besichtigungsort
TÜV SÜD Auto Partner: MVI Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum:	26.10.2026
Protokollnummer:	**48469932**
Erstellt durch:	Paula Busch
Besichtigt durch:	Arijan Canziba



Abbildung 13: Kombiinstrument



Abbildung 14: Kombiinstrument



Abbildung 15: Instrumententafel



Abbildung 16: Instrumententafel




Abbildung 17: Dokumente




Abbildung 18: Dokumente



Abbildung 19: Sonstiges

TÜV SÜD Auto Partner GmbH
Gutenbergstraße 13
70771 Leinfelden-Echterdingen

Besichtigungsort
TÜV SÜD Auto Partner: MVI Oberschleißheim
Mittenheimer Str. 64
85764 Oberschleißheim

Besichtigungsdatum:	26.10.2026
Protokollnummer:	**48469932**
Erstellt durch:	Paula Busch
Besichtigt durch:	Arijan Canziba

Beschädigungsfotos



Beschädigung #1: Rad/Reifen: Leichtmetallfelge hinten rechts - Kratzer - Smart Repair



Beschädigung #1: Rad/Reifen: Leichtmetallfelge hinten rechts - Kratzer - Smart Repair

4. OVC hybrid electric vehicles: WLTP values

CO_2 emissions:

charge-sustaining					charge-depleting	
Low	Medium	High	Extra High	Combined	Combined	
-	-	-	-	-	-	g/km

Fuel consumption:

charge-sustaining					charge-depleting	
Low	Medium	High	Extra High	Combined	Combined	
-	-	-	-	-	-	-

Electric Consumption (EC):

Low	Medium	High	Extra High	City	Combined	
-	-	-	-	-	-	Wh/km

Weighted combined values:

CO_2 emissions		Fuel consumption		Electric Consumption (EC_{AC})	
-	g/km	-	-	-	Wh/km

5. Electric range of OVC hybrid electric vehicles

Equivalent All Electric Range (EAER):	-	km
Equivalent All Electric Range city (EAER city):	-	km
All Electric Range (AER):	-	km
All Electric Range city (AER city):	-	km

Miscellaneous

51. For special purpose vehicles: designation in accordance with Annex II Section 5 of 2007/46/EC / point 5 of Part A of Annex I to Regulation (EU) 2018/858 of the European Parliament and of the Council:
-

52. Remarks:
-

Additional tyre/wheel combinations: technical parameters (no reference to RR)

Axle1: 185/65R15 88T 6Jx15-40 - Axle2: 185/65R15 88T 6Jx15-40 - ; or
Axle1: 205/45R17 88V 6,5Jx17-41 - Axle2: 205/45R17 88V 6,5Jx17-41 -

Protocol Number
F: M10FATVP300R722 D: AVN000378
00 109

f14466a93d59784961 5c5fa0a407ce6d0bfe36b2

Für dieses Dokument wurde eine Zulassungsbescheinigung Teil II (GQ257899) ausgegeben. Landratsamt München

3

FCA
FIAT CHRYSLER AUTOMOBILES

046CC0147171
www.PS-Team.de

EC CERTIFICATE OF CONFORMITY

3110/91725824 0122034

2023-VHS-000640091

The undersigned **ENRICO BECCHIO SENIOR MANAGER, REGULATION & HOMOLOGATION** hereby certifies that the vehicle:

0.1. Make: **FIAT**
0.2. Type: **FA1** Variant: **1AEA0000A0** Version: **1D2B0**
0.2.1. Commercial name: **500**
0.2.2.1. Allowed Parameter Values for multistage type approval to use the base vehicle emission values:

Final Vehicle actual mass:	-	kg
Final Vehicle technically permissible maximum laden mass:	-	kg
Frontal area for final vehicle:	-	cm^2
Rolling resistance:	-	kg/t
Cross-sectional area of air entrance of the front grille:	-	cm^2

0.2.3. Identifiers: -
0.2.3.1. Interpolation family's identifier: **IP-03_FA1_0234-ZFA-1**
0.2.3.2. ATCT family's identifier: -
0.2.3.3. PEMS family's identifier: -
0.2.3.4. Roadload family's identifier: **RL-03_FA1_0093-ZFA-1**
0.2.3.5. Roadload Matrix family's identifier: -
0.2.3.6. Periodic regeneration family's identifier: -
0.2.3.7. Evaporative test family's identifier: -
0.4. Vehicle category: **M1**
0.5. Company name and address of manufacturer:
FCA Italy S.p.A. C.so G. Agnelli 200 - 10135 - Turin - Italy
0.6. Location and method of attachment of the statutory plates:
ON B PILLAR, LEFT VEHICLE SIDE ADHESIVE
Location of the vehicle identification number: **ON THE RIGHT SIDE OF THE FLOOR. IN THE FRONT PART OF THE PASSENGER COMPARTMENT**
0.9. Name and address of the manufacturer's representative (if any):
- -
0.10. Vehicle identification number: **ZFAEFAG47PX138467**
0.11. Date of manufacture of the vehicle: **09/02/2023**

conforms in all respects to the type described in approval **e3*2018/858*00001*09** granted on: **21/11/2022** and can be permanently registered in Member States having **RIGHT** hand traffic and using **METRIC** units for the speedometer and **METRIC** units for the odometer.

Place: **TURIN** Date: **09/02/2023**

Enrico Becchio

Signature

General construction characteristics

1. Number of axles: **2**
   and wheels: **4**
3. Powered axles (number, position, interconnection):
   1 FRONT -
3.1. Specify if the vehicle is: **non-automated**

Main dimensions

4. Wheelbase: **2322** mm
4.1 Axle spacing:
   1-2: **2322** mm
5. Length: **3631** mm
6. Width: **1683** mm
7. Height: **1529** mm

Masses

13. Mass in running order: **1405** kg
13.2. Actual mass of the vehicle: **1429** kg
16. Technically permissible maximum masses:
16.1. Technically permissible maximum laden mass: **1730** kg
16.2. Technically permissible mass on each axle:
   1. **920** kg
   2. **840** kg
16.4. Technically permissible maximum mass of the combination: **1730** kg
18. Technically permissible maximum towable mass in case of:
18.1. Drawbar trailer: - kg
18.3. Centre-axle trailer: - kg
18.4. Unbraked trailer: - kg
19. Technically permissible maximum static vertical mass at the coupling point: - kg

Power plant

20. Manufacturer of the engine:
   GKN
21. Engine code as marked on the engine:
   46348460
22. Working principle:
   - -
23. Pure electric: **YES**
23.1. Class of Hybrid [electric] vehicle: -
24. Number and arrangement of cylinders:
   - -
25. Engine capacity: - cm^3
26. Fuel: -
26.1. -
26.2. (Dual-fuel only) Type -
27. Maximum power
27.1. Maximum net power: (internal combustion engine)
   - - kW at - min^{-1}
27.3. Maximum net power: (electric motor) **87** kW
27.4. Maximum 30 minutes power: (electric motor) **43** kW
28. Gearbox (type):

AUTOMATIC SINGLE SPEED

28.1. Gearbox ratios

1st gear	**1**
2nd gear	-
3rd gear	-
4th gear	-
5th gear	-
6th gear	-
7th gear	-
8th gear	-
9th gear	-

28.1.1. Final drive ratio: **1:9,559**
28.1.2. Final drive ratios

1st gear	**1:9,559**
2nd gear	-
3rd gear	-
4th gear	-
5th gear	-
6th gear	-
7th gear	-
8th gear	-
9th gear	-

Maximum speed

29. Maximum speed: **150** km/h

Axles and suspension

30. Axle(s) track:
   1. **1470** mm
   2. **1460** mm
35. Fitted tyre/wheel combination/ energy efficiency class of rolling resistance coefficients (RRC) and tyre category used for CO_2 determination:

Axle1: 195/55R16 91V 6Jx16-41 - A C1

Axle2: 195/55R16 91V 6Jx16-41 - A C1

Brakes

36. Trailer brake connections: -

Bodywork

38. Code for bodywork: **AB - Hatchback**
40. Colour of vehicle: **RED**
41. Number and configuration of doors: **2**
   2 FRONT SIDE
42. Number of seating positions (including the driver): **4**
42.1. Seat(s) designated for use only when the vehicle is stationary: -
42.3. Number of wheelchair user accessible position: -

Environmental performances

46. Sound level

Stationary:	at engine speed:	Drive-by:
- dB(A)	- min^{-1}	**69** dB(A)

47. Exhaust emission level: **EURO 6 AX**
47.1. Parameters for emission testing of V_{ind}
47.1.1. Test mass, kg: **1494**
47.1.2. Frontal area, m^2: -
47.1.2.1. Projected frontal area of air entrance of the front grille, cm^2: -
47.1.3. Road load coefficients
47.1.3.0. f0, N: **93**
47.1.3.1. f1, N/(km/h): **0.227**
47.1.3.2. f2, N/(km/h)²: **0.03383**
47.2. Driving cycle:
47.2.1. Driving Cycle class: **3B**
47.2.2. Downscaling factor (f_{disc}): -
47.2.3. Capped speed: -
48. Exhaust emissions:
   Number of the base regulatory act and latest amending regulatory act applicable:
   715/2007*2018/1832AX
   1.2. Test procedure: **ELE WLTP**

	-	
CO	-	-
THC	-	-
NMHC	-	-
NO_x	-	-
$THC+NO_x$	-	-
NH_3	-	-
Particulates (mass)	-	-
Particles (number)	-	n./km

48.1. Smoke corrected absorption coefficient: - - m^{-1}
48.2. Declared maximum RDE values:

	-	
Complete RDE trip: NO_x :	-	mg/km
Particles (number) :	-	n./km
Urban RDE trip: NO_x :	-	mg/km
Particles (number) :	-	n./km

49. CO_2 emissions/fuel consumption/electric energy consumption:
   1. All powertrains, except OVC hybrid electric
   CO_2 emissions:

	-	
Low	-	g/km
Medium	-	g/km
High	-	g/km
Extra High	-	g/km
Combined	-	g/km

Fuel consumption:

	-
Low	-
Medium	-
High	-
Extra High	-
Combined	-

Electric Consumption (EC_{AC}):

Low	**95**	Wh/km
Medium	**97**	Wh/km
High	**115**	Wh/km
Extra High	**176**	Wh/km
Combined	**146**	Wh/km

2. Electric range of pure electric vehicles
Electric range: **305** km
Electric range city: **429** km
3. Vehicle fitted with eco-innovation(s): **NO**
3.1. General code of the eco-innovation(s): -
3.2. Total CO_2 emissions savings due to the eco-innovation(s):
3.2.2. WLTP saving: -
- g/km