

49. CO₂ emissions/fuel consumption/electric energy consumption:

1. All powertrains, except OVC hybrid electric vehicles (if applicable):

WLTP values	CO ₂ emissions			Fuel consumption (/100 km)			Electric Consumption (Wh/km)
	Petrol/ Diesel: (g/km)	Gas: CNG/LPG (g/km)	Other: (g/km)	Petrol/ Diesel: (L)	Gas: CNG/LPG (L)/(m ³)	Others: (L)	
Low:	237	---	---	10.5	---	---	---
Medium:	175	---	---	7.7	---	---	---
High:	150	---	---	6.6	---	---	---
Extra High:	172	---	---	7.6	---	---	---
Combined:	175	---	---	7.7	---	---	---

2. Electric range of pure electric vehicles (if applicable):

Electric range [km]:	---	Electric range city [km]:	---
----------------------	-----	---------------------------	-----

3. Vehicle fitted with eco-innovation(s):

yes

3.1. General code of the eco-innovation(s):

e5 29 37

3.2. Total CO₂ emissions savings due to the eco-innovation(s):

3.2.2. WLTP savings (if applicable) [g/km]:

Petrol/Diesel: 1.85

Gas (CNG/LPG): ----

Others: ----

4. OVC hybrid electric vehicles (if applicable):

WLTP values (CO ₂ and fuel consumption sustaining, if not otherwise mentioned)	CO ₂ emissions			Fuel consumption: (/100 km)			Electric Consumption (Wh/km)
	Petrol/ Diesel: (g/km)	Gas: CNG/LPG (g/km)	Others: (g/km)	Petrol/ Diesel: (L)	Gas: CNG / LPG (m ³)/L)	Other: (L)	
Low	----	----	----	----	----	----	-----
Medium	----	----	----	----	----	----	-----
High	----	----	----	----	----	----	-----
Extra High	----	----	----	----	----	----	-----
City	----	----	----	----	----	----	-----
Combined (sustaining)	----	----	----	----	----	----	-----
Combined (depleting)	----	----	----	----	----	----	-----
Weighted, combined	----	----	----	----	----	----	-----

5. Electric range of OVC hybrid electric vehicles (if applicable):

Equivalent All Electric Range [km]:	(EAER):	----	(EAER city):	----
All Electric Range [km]:	(AER):	----	(AER city):	----

51. For special purpose vehicles: Designation in accordance with CR (CE) 2018/858 annex I part A point 5:

52. Remarks:

NO 16.2.: with trailer axle 2+0 kg##NO 35.: alt. to pos 35 with deviating val.

S in pos 49: 245/40 R19 94W#8,0JX19 ET40,##245/45 R18 96W#8,0JX18 ET40,##245/45 R1

8 100V M+S#8,0JX18 ET40

Certificate of Conformity

046CC0195704



www PS-Team.de



Complete vehicles

The undersigned hereby certify that the vehicle:

0.1.	Make (Trade name of manufacturer):	CUPRA
0.2.	Type:	Variant:
	KM	CXDNEX1
		AD7SA07GC0074VN1BAMKM1
0.2.1.	Commercial name:	FORMENTOR
0.2.2.1.	Allowed Parameter Values for multistage type approval to use the base vehicle emission values	
	Final Vehicle actual mass [kg]:	-----
	Final Vehicle technically permissible maximum laden mass[kg]:	-----
	Frontal area for final vehicle [cm ²]:	-----
	Rolling resistance [kg/t]:	-----
	Cross-sectional area of air entrance of the front grille [cm ²]:	-----
0.2.3.1.	Interpolation family's identifier:	IP-MQB37WZ_A0_1230-VSS
0.2.3.2.	ATCT family's identifier:	AT-5Q0_OV_0350_000-VSS
0.2.3.3.	PEMS family's identifier:	05-VSS-715W_KM_DNNE_AD7_A-000
0.2.3.4.	Roadload family's identifier:	RL-DQ381_7A_19_002-WVV
0.2.3.5.	Roadload matrix family's identifier (if applicable):	-----
0.2.3.6.	Periodic regeneration family's identifier:	PR-AU_00109_00_000-WVV
0.2.3.7.	Evaporative test family's identifier:	EV-A1_DGW_D_AYAAXX-WVV
0.4.	Vehicle category:	M1
0.5.	Company name and address of manufacturer:	SEAT, S.A.
	Autovía A-2, Km. 585, ES-08760 Martorell	
0.6.	Location and method of attachment of the statutory plates:	
	On the right A-pillar, glued or bonded	
	Location of the vehicle identification number:	
	In the engine compartment, right	
0.9.	Name and address of the manufacturer's representative:	-----
0.10.	Vehicle identification number:	VSSZZZKM8TR024983
0.11.	Date of manufacture of the vehicle:	2025-10-13

conforms in all respects to the type described in approval e9*2007/46*4008*26 granted on 2025-05-29 and can be permanently registered in Member States having right hand traffic and using metric units for the speedometer and metric units for the odometer.

Martorell, 2025-10-13

Martorell, 2025-10-13

Daniel Cortina Munuera
Director Quality AssuranceDr. Lars Markworth
Head of Technical Conformity

Internal Manufacturer's data VSSZZZKM8TR024983



CoC Version: 1

54. Vehicle fitted with advanced vehicle systems: ADDW, AEBS, AIF, DDAW, eCall, EDR, ELKS, ESS, ISA, TPMS

55. Vehicle certified in accordance with UN-R No 155: yes

56. Vehicle certified in accordance with UN-R No 156: yes

1.	Number of axles / wheels:	2 / 4	28.	Gearbox (type):	automatic
3.	Powered axles (number, position):	2, Axle 1/2		Gear	
	Interconnection of powered axles:	cardan shaft	28.1.	Gearbox ratios:	
			28.1.2.	Final drive ratio:	
3.1.	Specify if the vehicle is non-automated/automated/fully automated:	non-automated	29.	Maximum speed [km/h]:	225
4.	Wheelbase [mm]:	2679	30.	Axle(s) track (1/2) [mm]:	1583 / 1555
4.1.	Axle spacing [mm]:	2679	35.	Fitted tyre/wheel combination/energyefficiency class of RRC/type category used for CO ₂ determination:	
5.	Length [mm]:	4451		Axle 1:	245/40 R19 94W / 8,0JX19 ET40 / B / C1
6.	Width [mm]:	1839		Axle 2:	245/40 R19 94W / 8,0JX19 ET40 / B / C1
7.	Height [mm]:	1537	36.	Trailer brake connections:	
13.	Mass in running order [kg]:	1575	38.	Code for bodywork:	AC
13.2.	Actual mass of the vehicle [kg]:	1669	40.	Colour of vehicle:	BROWN
16.	Technically permissible maximum masses:		41.	Number and configuration of doors:	5 / -le. 2, ri. 2, ba. 1
16.1.	Technically permissible maximum laden mass [kg]:	2100	42.	Number of seating positions (including the driver):	5
16.2.	Technically permissible mass on each axle (1./2.) [kg]:	1090 / 1060	42.1.	Seat(s) designated for use only when the vehicle is stationary:	---
16.4.	Technically permissible maximum mass of the combination [kg]:	3800	42.3.	Number of wheelchair user accessible position:	---
18.	Technically permissible maximum towable mass in case of:		46.	Sound level	
18.1.	Drawbar trailer [kg]:	---		Stationary [dB(A) at min ⁻¹]:	73.00 / 3750
18.3.	Centre-axle trailer [kg]:	1700		Drive-by [dB(A)]:	69.00
18.4.	Unbraked trailer [kg]:	750	47.	Exhaust emission level:	EURO 6 EB
19.	Technically permissible maximum static vertical mass at the coupling point [kg]:	80	47.1.	Parameters for emission testing of V _{ind} :	
20.	Manufacturer of the engine:	Audi AG	47.1.1.	Test mass [kg]:	1749
21.	Engine code as marked on the engine:	DNN	47.1.2.	Frontal area [m ²]:	
22.	Working principle:	Positive ignition / 4 stroke	47.1.3.	Road load coefficients	47.1.3.0. f0 [N] 47.1.3.1. f1 [N/(km/h)] 47.1.3.2. f2: [N/(km/h) ²]
23.	Pure electric:	no			166.9 0.115 0.04019
23.1.	Class of Hybrid (electric) vehicle:	---	47.2.	Driving cycle:	
24.	Number and arrangement of cylinders:	4, in Line	47.2.1.	Driving cycle class:	3b
25.	Engine capacity [cm ³]:	1984	47.2.2.	Downscaling factor (f _{desc}):	---
26.	Fuel:	petrol	47.2.3.	Capped speed:	no
26.1.	Mono fuel/BI fuel/Flex fuel/Dual fuel:	mono fuel vehicle	48.	Exhaust emissions:	715/2007*2023/443EB
26.2.	Type of dual fuel engine:	---	1.2.	Test procedure: Type 1 (WLTP highest values) [mg/km] or WHSC (EURO VI) [mg/kWh]	
27.	Maximum power			Petrol /	CO THC NMHC NO _x THC + NO _x NH ₃ [ppm] Particulates Particles #
27.1.	Maximum net power [kW at min ⁻¹] (internal combustion engine):	150.00 / 4500		Diesel	139.1 17.8 15.2 11.9 0.1600 0.41E11
27.3.	Maximum net power [kW] (electric motor):	---		LPG/CNG	---
27.4.	Maximum 30 minutes power [kW] (electric motor):	---		Other	---
			2.2.	Test procedure: WHTC (EURO VI) [mg/kWh]	
				Petrol /	CO THC NMHC CH ₄ NO _x NH ₃ Particulates Particles #
				Diesel	---
				LPG/CNG	---
				Other	---
48.1.	Smoke corrected absorption coefficient [m ⁻¹]:	---			
48.2.	Declared maximum RDE values (if applicable):			NO _x [mg/km] Particles (number) with exponent (#/km)	
	Complete RDE trip:	60.0 6.00 E11			
	Urban RDE trip:	60.0 6.00 E11			



Bild 1 : Diagonal vorn links



Bild 2 : Diagonal vorn rechts



Bild 3 : Diagonal hinten rechts



Bild 4 : Diagonal hinten links




Bild 5 : Fahrzeugunterseite



Bild 6 : Kombiinstrument (betriebsbereit) mit Km-Stand




Bild 7 : Serviceintervallanzeige




Bild 8 : Durch geöffnete Fahrertüre: Fahrersitz, Armaturenbrett und Schalthebel



Bild 9 : Durch geöffnete hintere Tür: Rücksitzbank




Bild 10 : Mittelkonsole (Radio/Navi eingeschaltet)



Bild 11 : Serviceheft letzter Eintrag, alle Fahrzeugschlüssel, Bordmappe

04.02.2026	7593	ATQ000089	2	2	150/4500	225
M1	AC		4451		1839	
VSSZZZKM8TR024983	6		1537		1575..	
CUPRA				80		
KM			175	2100	2100	
CXDNNE1			1090	1060		
AD7SAD7GC0074VN1BAMKM1			1090	1060		
			73	3750	69	
FORMENTOR			1700	750	5	
SEAT (E)			245/40 R19 94W			
Fz.z.Pers.bef.b. 8 Spl.			245/40 R19 94W			
Kombiilmousine						
715/2007*2023/443EB			Braun		8	
EURO6;WLTP;EB;PI/CI;M, N1, N2			e9*2007/46*4008*26			
Benzin			29.05.2025	K	HQ738640	
0001	36EB	1984				
7.2/8.2;+0 b.Anhängebetrieb*O.1:1900 bis 8% Steig.*techn.zu						
I.Ges-Masse d.Zugkombination:3800kg bis 8% Steig.:4000*ww.A						
HK lt EGTG*						

Bild 12 : ZLB Teil 1 (ohne Halterdaten)

Zustandsbericht / Minderwertgutachten

Vorgang

Auftraggeber
Besichtigung

Mobility Concept GmbH, Grünwalder Weg 34, 82041 Oberhaching
26.06.2026

Bemerkungen

Diese Dienstleistung wurde entsprechend den Vorgaben des Auftraggebers (Kriterien der fairen Fahrzeugbewertung) erstellt. Im Einzelfall können Abweichungen zum DEKRA Standard vorliegen.

Bei der Lackschichtdickenmessung wurden bei mindestens drei Messungen pro Bauteil Lackschichtdicken von 88 µm bis 112 µm festgestellt.

Es wurde eine optische Überprüfung auf Vorschäden und eine Lackschichtdickenmessung vorgenommen. Die augenscheinliche Überprüfung sowie die Lackschichtdickenmessung ergaben keine Hinweise auf Nachlackierungen, Instandsetzungsarbeiten oder reparierte Vorschäden.

Die vorgefundenen Besichtigungsbedingungen waren ausreichend. Das Fahrzeug / Objekt wurde von oben und auf einer Hebebühne von unten besichtigt. Im Rahmen der Fahrzeug / Objektbesichtigung wurde ein Probelauf des Motors durchgeführt.

Für die Bearbeitung des Vorganges standen folgende Unterlagen zur Verfügung: - Fz-Schein/Zul.Beschein. Teil I
2 Hauptschlüssel, 0 Nebenschlüssel vorgelegt.

Fahrzeugdaten

Erstzulassung	04.02.2026	Letzte Zulassung	04.02.2026
Hersteller	CUPRA	Marke	CUPRA
Typ / Verkaufsbez.	Formentor 2.0 TSI 4Drive DSG	Aufbauart	Kombi
Türen	5	Sitzplätze	5
Fahrzeug-Ident.-Nr.	VSSZZZKM8TR024983	HSN / TSN	7593 / ATO
Schlüssel-Nr.	40640576	Km-Stand abgelesen	5189
Nächste HU §29 StVZO	02 / 2029	Energiequelle / Kraftstoff	Elektro
Zylinderanzahl	/	Leistung (kW)	77
Schadstoffklasse:	2017/1151;WLTP;reine Elektrofz	Antriebsart	Allrad
Getriebe / Gänge	DSG / 7	Felgen	Leichtmetall
Farbe	Bronze (S8A) / Perlcoloreffekt / 3-Schicht	Polster / Farbe	Stoff / Schwarz

Es wird unterstellt, dass die Gesamtlauflistung dem abgelesenen Km-Stand entspricht.

Räder / Reifen

Achse	Reifenbezeichnung	Hersteller/Typ	Art	Profiltiefe
1 links	245 / 40 R 19 94 W	Bridgestone / Turanza T 005 FSL	S / O	6 mm
rechts	245 / 40 R 19 94 W	Bridgestone / Turanza T 005 FSL	S / O	6 mm
2 links	245 / 40 R 19 94 W	Bridgestone / Turanza T 005 FSL	S / O	7 mm
rechts	245 / 40 R 19 94 W	Bridgestone / Turanza T 005 FSL	S / O	7 mm
Notrad			S	

S/ Sommer; /O Original; /F Runflat;

Serienausstattung

Serie: 230-V-Steckdose im Kofferraum, Ablagefach in den Türen, Airbag: Airbags (7), Allradantrieb 4Drive, Automatische Distanzregelung ACC, Außenspiegel elektrisch einstell-, anklapp- und beheizbar, Bremslicht, drittes, CUPRA Drive Profile, CUPRA Pedalerie und Fußablage in silber/schwarz, Climatronic mit 3-Zonen-Temperaturregelung, Connectivity Box im Ablagefach der Mittelkonsole inkl. Wireless Charger, Dachhimmel in Schwarz, Dachreling in Glossy Black, Differenzialsperre, elektronisch (XDS) für Vorderachse, Dreipunkt-Automatik-Sicherheitsgurte, vorne und hinten, Einparkhilfe - ultraschall, vorn und hinten, Elektronische Parkbremse inkl. Auto-Hold-Funktion, Elektronische Stabilisierungskontrolle (ESC), Fensterheber elektrisch, mit Einklemmschutz und One-Touch-Funktion, Fernlichtassistent, Gepäckraumabdeckung, Gepäckraumbeleuchtung, Getriebe: 7-Gang-Doppelkupplungsgetriebe (DSG), Handschuhfach, beleuchtet, Heckscheibe beheizbar, Heckscheibewischer, Keyless Go (Motor Start/Stop Knopf), Kopfstützen, 2 vorn, 3 hinten, Lackierung: Uni, Leisten an den Seitenfenstern (außen) in Glossy Black, Lenkrad: CUPRA Supersportmultifunktionslenkrad, Leseleuchten vorne und hinten, Mittelarmlehne hinten mit Durchlademöglichkeit, Mittelarmlehne vorne, Müdigkeits- und Aufmerksamkeitserkennung, Notbremsassistent "Front Assist" mit Fußgänger- und Radfahrererkennung, Notruf-Service, Ottopartikelfilter, Paket: Licht- und Sicht, Paket: Voll-LED-Paket, Progressivlenkung, Radio: Digitaler Radioempfang DAB+, Radio: Media System Plus mit 12,9" Display, Radiozubehör: 6 Lautsprecher, Radiozubehör: USB-C-Schnittstelle 2 vorne / 2 hinten (Ladefunktion), Radiozubehör: Wireless Full Link Connectivity, Reifenkontrollanzeige, Räder: Leichtmetallräder "Tempest" 8J x 18", Räder: Tyre fit, Seitenscheiben ab 2. Sitzreihe und Heckscheibe dunkel getönt, Sitze: Beifahrersitz mit Höheneinstellung, Sitze: CUPRA Sportsitze vorne in "Sharp Textil", Sitze: Fahrersitz mit Höheneinstellung, Sitze: ISOFIX-Kindersitz-Sicherungssystem, in der 2. Sitzreihe links und rechts, Sitze: Lendenwirbelstütze für Fahrer und Beifahrer, Sitze: Rücksitzlehne asymmetrisch geteilt umklappbar, Sonnenblende auf Fahrer und Beifahrerseite mit Make-up Spiegel und Beleuchtung, Spurhalteassistent, Start-Stopp-System, Türeinstiegsleisten beleuchtet, vorne, Variabler Gepäckraumboden, Verkehrszeichenerkennung, Verzurrösen im Gepäckraum, Virtual Cockpit, Wegfahrsperre, elektronisch, Wärmeschutzverglasung, Zentralverriegelung inkl. Fernverriegelung zum Umklappen der Rücksitzbanklehne im Kofferraum

Allgemeinzustand und Wartung

Abgesehen von den beschriebenen Schäden/Mängeln weist das Fahrzeug/Objekt einen, bezogen auf Alter und Nutzung, üblichen Gesamtzustand auf.

Wartungsnachweis: digital
bis Wartung verbleiben: 24.900 km (zum Besichtigungszeitpunkt)

Akzeptierter Zustand / Gebrauchsspuren

Das Fahrzeug weist dem Alter, der Laufleistung und dem Einsatzzweck entsprechende Gebrauchsspuren auf.