TÜV SÜD Auto Partner GmbH
Wiesenring 2
04159 Leipzig

Besichtigungsort
TÜV SÜD Auto Partner:
Ingenieurbüro Carlando
Hainhäuser-Weg 95
30855 Langenhagen

Besichtigungsdatum: 16.10.2026
Protokollnummer: 48286862
Erstellt durch: Markus Böttcher
Besichtigt durch: X. Gashi

VSSZZZKJ7PR080117

Angaben zum Fahrzeug

Halter		**Besichtigungszustand**	ausreichend
Kennzeichen		**Laufleistung (abgelesen)**	72.287 km
Hersteller	Seat	**Restlauf bis Service**	243 Tag(e)
Typ/Modell	IBIZA	**HU (Bericht lag vor)**	04/2028
Fahrgestellnummer	VSSZZZKJ7PR080117	**Leistung**	81 kW
Hubraum	999 ccm	**Zylinder**	4
Erstzulassung	19.04.2023	**Polster/Farbe**	Stoff / Schwarz-Weiß
Letzte Wartung		**Lackierung**	Weiß
Kraftstoffart	Benzin	**Getriebe**	Automatik

Zustandsbericht

Gebrauchsspuren

Nr.	Bauteilgruppe	Beschreibung
Das Fahrzeug weist dem Alter und Einsatzzweck entsprechende Gebrauchsspuren auf.		

Fehlteile

Fehlteil

Festgestellte Nachlackierungen

Nr.	Ort

Hauptbereifung

Achse	Reifengröße	Hersteller	Reifentyp	Profiltiefe	Verktgl.	Zul.
1	185/65 R15 88H	Kumho	Sommerreifen	5mm - 5mm	i.O.	i.O.
2	185/65 R15 88H	Kumho	Sommerreifen	5mm - 5mm	i.O.	i.O.

Zusatzbereifung

Achse	Reifengröße	Hersteller	Reifentyp	Profiltiefe	Verktgl.	Zul.
1	185/65 R15 92T	Goodyear	Winterreifen	6mm - 6mm	i.O.	i.O.
2	185/65 R15 92T	Goodyear	Winterreifen	7mm - 7mm	i.O.	i.O.

Der Verschleißzustand sowie evtl. Schäden an der Bereifung sind wertmäßig berücksichtigt.

TÜV SÜD Auto Partner GmbH
Wiesenring 2
04159 Leipzig

Besichtigungsort
TÜV SÜD Auto Partner:
Ingenieurbüro Carlando
Hainhäuser-Weg 95
30855 Langenhagen

Besichtigungsdatum: 16.10.2026
Protokollnummer: 48286862
Erstellt durch: Markus Böttcher
Besichtigt durch: X. Gashi

Angaben zum Fahrzeug

Hersteller	Seat	**Besichtigungszustand**	ausreichend
Typ/Modell	IBIZA	**Laufleistung (abgelesen)**	72.287 km
Fahrgestellnummer	VSSZZZKJ7PR080117	**Erstzulassung**	19.04.2023

Angaben zum Auftrag:
Auftragsgemäß erfolgte die Fahrzeugzustandsbewertung in demontagefreien Zustand.

Grundlage dieses Produktes stellt der Leitfaden für Fahrzeugrücknahmen und Bewertungen gemäß des Schadengrenzmusterkatalog des Auftraggebers dar. Die expliziten Feststellungen im Einzelfall trifft der Sachverständige objektiv im Rahmen der vorgegebenen Standards aufgrund eigener Sachkunde.

Fahrzeug-Identifizierung:
Die Fahrzeug-Identifizierungsnummer (FIN) wurde am Fahrzeug abgelesen und die Übereinstimmung im Verlauf der Besichtigung durch den Unterzeichner mit den vorgelegten Unterlagen festgestellt.

Besichtigungsbedingungen:
Die Besichtigungsbedingungen waren zur Beurteilung des Fahrzeuges ausreichend.

Allgemeinzustand:
Das Fahrzeug weist dem Alter und Einsatzzweck entsprechende Gebrauchsspuren auf.



Unterschrift Sachverständiger (Markus Böttcher)

Vorliegendes Druckexemplar wurde auf elektronischem Wege erzeugt. Der benannte Sachverständige versichert, dass der Inhalt die von ihm getroffenen Feststellungen korrekt wiedergibt. Es ist ohne Originalunterschrift gültig.

TÜV SÜD Auto Partner GmbH
Wiesenring 2
04159 Leipzig

Besichtigungsort
TÜV SÜD Auto Partner:
Ingenieurbüro Carlando
Hainhäuser-Weg 95
30855 Langenhagen

Besichtigungsdatum:	16.10.2026
Protokollnummer:	**48286862**
Erstellt durch:	Markus Böttcher
Besichtigt durch:	X. Gashi

Übersichtsfotos



Abbildung 1: FIN



Abbildung 2: Schräg vorne



Abbildung 3: Schräg vorne



Abbildung 4: Schräg hinten



Abbildung 5: Schräg hinten



Abbildung 6: Montierte Bereifung



Abbildung 7: Innenraum vorne



Abbildung 8: Laderaum



Abbildung 9: Laderaum



Abbildung 10: Kombiinstrument



Abbildung 11: Kombiinstrument




Abbildung 12: Instrumententafel



Abbildung 13: Instrumententafel




Abbildung 14: Dokumente




Abbildung 15: Sonstiges



Abbildung 16: Zusatzbereifung



Abbildung 17: Zusatzbereifung



Abbildung 18: Zusatzbereifung



Abbildung 19: Zusatzbereifung

49. CO_2 emissions/fuel consumption/electric energy consumption:

1. All powertrains, except OVC hybrid electric vehicles (if applicable):

WLTP values	CO_2 emissions			Fuel consumption (/100 km)			Electric Consumption
	Petrol/ Diesel (g/km)	Gas CNG/LPG (g/km)	Other (g/km)	Petrol/ Diesel (L)	Gas CNG/LPG (L)/(m^3)	Other (L)	(Wh/km)
Low:	168	----	----	7.4	----	----	--------
Medium:	124	----	----	5.4	----	----	--------
High:	108	----	----	4.8	----	----	--------
Extra High:	126	----	----	5.6	----	----	--------
Combined:	126	----	----	5.5	----	----	--------

2. Electric range of pure electric vehicles (if applicable):

Electric range [km]: ----- Electric range city [km]: -----

3. Vehicle fitted with eco-innovation(s): yes

3.1. General code of the eco-innovation(s): e9 29

3.2. Total CO_2 emissions savings due to the eco-innovation(s):

3.2.2. WLTP savings (if applicable) [g/km]: Petrol/Diesel: 1.18 Gas (CNG/LPG): ---- Others: ----

4. OVC hybrid electric vehicles (if applicable):

WLTP values (CO2 and fuel consumption sustaining, if not otherwise mentioned)	CO_2 emissions			Fuel consumption: (/100 km)			Electric Consumption
	Petrol/ Diesel (g/km)	Gas CNG/LPG (g/km)	Others (g/km)	Petrol/ Diesel (L)	Gas: CNG / LPG (m^3)/(L)	Other (L)	(Wh/km)
Low	----	----	----	----	----	----	--------
Medium	----	----	----	----	----	----	--------
High	----	----	----	----	----	----	--------
Extra High	----	----	----	----	----	----	--------
City	----	----	----	----	----	----	--------
Combined (sustaining)	----	----	----	----	----	----	--------
Combined (depleting)	----	----	----	----	----	----	
Weighted, combined	----	----	----	----	----	----	--------

5. Electric range of OVC hybrid electric vehicles (if applicable):

Equivalent All Electric Range (EAER): ----- (EAER city): -----

All Electric Range [km]: (AER): ----- (AER city): -----

51. For special purpose vehicles: designation in accordance with CR (CE) 2018/858 annex I part A point 5: --------

52. Remarks:

NO 16.2.: with trailer axle 2:+0 kg##NO

35.: alt. to pos 35 with deviating val. in pos 49:##185/65 R15 88H#5,5JX15 ET40;

##185/65 R15 88V#5,5JX15 ET40;##195/55 R16 91V XL#6,5JX16 ET47;##195/55 R16 91V XL#6,0JX16 ET45;##215/40 R18 89W XL#7,0JX18 ET51;##215/45 R17 91W XL#7,0JX17 ET51;##185/60 R16 86H M+S#6,5JX16 ET47;##185/60 R16 86H M+S#6,0JX16 ET45;##

Certificate of Conformity

046CC0149212

www.PS-Team.de

Complete vehicles

The undersigned hereby certify that the vehicle:

0.1.	Make (Trade name of manufacturer):		SEAT
0.2.	Type:	Vanant:	Version:
	KJ	BDLAA	FD7SFD7CW0054BI1A1AACA8D
0.2.1.	Commercial name:		IBIZA
0.2.2.1.	Allowed Parameter Values for multistage type approval to use the base vehicle emission values		
	Final Vehicle actual mass [kg]:		--------- - ---------
	Final Vehicle technically permissible maximum laden mass[kg]:		--------- - ---------
	Frontal area for final vehicle [cm2]:		--------- - ---------
	Rolling resistance [kg/t]:		--------- - ---------
	Cross sectional area of air entrance of the front grille [cm2]:		--------- - ---
0.2.3.1.	Interpolation family's identifier:		IP-MQB27ZZ_A0_0534-VSS-1
0.2.3.2.	ATCT family's identifier:		AT-2Q0_0V_0234_000-VSS-1
0.2.3.3.	PEMS family's identifier:		09-VSS-715W_KJ_DLAA_FD7_A_B-000
0.2.3.4.	Roadload family's identifier:		RL-DQ200_7F_17_012-WVW-1
0.2.3.5.	Roadload matrix family's identifier (if applicable):		----------
0.2.3.6.	Periodic regeneration family's identifier:		PR-VW_00219_00_000-WVW-1
0.2.3.7.	Evaporative test family's identifier:		EV-AW_DGW_D_ALACAA-WVW-1
0.4.	Vehicle category:		M1
0.5.	Company name and address of manufacturer:		SEAT, S.A.,
	Autovia A-2, Km. 585, ES-08760 Martorell		
0.6.	Location and method of attachment of the statutory plates:		
	On the right B-pillar,glued or bonded		
	Location of the vehicle identification number:		
	In the engine compartment,nght		
0.9.	Name and address of the manufacturer's representative:		----------
	----------		
0.10.	Vehicle identification number:		VSSZZZKJ7PR080117
0.11.	Date of manufacture of the vehicle:		2023-01-18

conforms in all respects to the type described in approval e9*2007/46*3134*39 granted on 2022-10-20 and can be permanently registered in Member States having right hand traffic and using metric units for the speedometer and metric units for the odometer.

Martorell, 2023-01-18

Daniel Cortina Munuera
Director Quality Assurance

Martorell, 2023-01-18

Robin Christoph Bräutigam
Head of Technical Conformity

Internal Manufacturer's data

VSSZZZKJ7PR080117

0000.12.002 (07-20)

1.	Number of axles / wheels:	2 / 4
3.	Powered axles (number, position):	1, Axle 1
	Interconnection of powered axles:	----------
3.1.	Specify if the vehicle is non-automated/automated/fully automated:	non-automated
4.	Wheelbase[mm]:	2548
4.1.	Axle spacing [mm]:	2548
5.	Length [mm]:	4059
6.	Width [mm]:	1780
7.	Height [mm]:	1444
13.	Mass in running order [kg]:	1189
13.2.	Actual mass of the vehicle [kg]:	1203
16.	Technically permissible maximum masses:	
16.1.	Technically permissible maximum laden mass [kg]:	1605
16.2.	Technically permissible mass on each axle (1./2.) [kg]:	900 / 755
16.4.	Technically permissible maximum mass of the combination [kg]:	2705
18.	Technically permissible maximum towable mass in case of:	
18.1.	Drawbar trailer [kg]:	----
18.3.	Centre-axle trailer [kg]:	1100
18.4.	Unbraked trailer [kg]:	590
19.	Technically permissible maximum static vertical mass at the coupling point [kg]:	50
20.	Manufacturer of the engine:	Volkswagen AG
21.	Engine code as marked on the engine:	DLA
22.	Working principle:	Positive ignition / 4 stroke
23.	Pure electric:	no
23.1.	Class of Hybrid (electric) vehicle:	----------
24.	Number and arrangement of cylinders:	3; in Line
25.	Engine capacity [cm³]:	999
26.	Fuel:	petrol
26.1.	Mono fuel/Bi fuel/Flex fuel/Dual fuel:	mono fuel vehicle
26.2.	Type of dual fuel engine:	--------
27.	Maximum power	
27.1.	Maximum net power [kW at min^{-1}] (internal combustion engine):	81.00 / 5500
27.3.	Maximum net power [kW] (electric motor):	-----
27.4.	Maximum 30 minutes power [kW] (electric motor):	------

28.	Gearbox (type):	automatic							
	Gear	----	----	----	----	----	----	----	----	----
28.1.	Gearbox ratios:	-------	-------	-------	-------	-------	-------	-------	-------	-------
28.1.2.	Final drive ratio:	-------	-------	-------	-------	-------	-------	-------	-------	-------

29.	Maximum speed [km/h]:	195
30.	Axle(s) track (1./2.) [mm]:	1499 / 1479
35.	Fitted tyre/wheel combination/energyefficiency class of RRC/type category used for CO_2 determination:	
	Axle 1:	185/65 R15 88H / 5,5JX15 ET40 / A / C1
	Axle 2:	185/65 R15 88H / 5,5JX15 ET40 / A / C1
36.	Trailer brake connections:	----------
38.	Code for bodywork:	AB
40.	Colour of vehicle:	WHITE
41.	Number and configuration of doors:	5 / le. 2, ri. 2, ba. 1
42.	Number of seating positions (including the driver):	5
42.1.	Seat(s) designated for use only when the vehicle is stationary:	---
42.3.	Number of wheelchair user accessible position:	---
46.	Sound level	
	Stationary [dB(A) at min^{-1}]:	73.20 / 3750
	Drive-by [dB(A)]:	65.00
47.	Exhaust emission level:	EURO 6 AP
47.1	Parameters for emission testing of V_{ind}:	
47.1.1.	Test mass [kg]:	1277
47.1.2.	Frontal area [m²]:	-------

47.1.3. Road load coefficients

47.1.3.0. f0 [N]	47.1.3.1. f1 [N/(km/h)]	47.1.3.2. f2: [N/(km/h)²]
103.8	0.132	0.03196

47.2.	Driving cycle:	
47.2.1.	Driving cycle class:	3b
47.2.2.	Downscaling factor (f_{dsc}):	-----
47.2.3.	Capped speed:	no
48.	Exhaust emissions:	715/2007*2018/1832AP

1.2. Test procedure: Type 1 (WLTP highest values) [mg/km] or WHSC (EURO VI) [mg/kWh]

Petrol / Diesel	CO	THC	NMHC	NO_x	THC + NO_x	NH_3 [ppm]	Particulates	Particles #
	191.1	24.5	21.6	36.9	--------	--------	0.2100	0.04E11
LPG/CNG	-------	-------	-------	-------	-------	-------	-------	--
Other	-------	-------	-------	-------	-------	-------	-------	--

2.2. Test procedure: WHTC (EURO VI) [mg/kWh]

Petrol / Diesel	CO	THC	NMHC	CH_4	NO_x	NH_3	Particulates	Particles #
	-------	-------	-------	-------	-------	-------	-------	--
LPG/CNG	-------	-------	-------	-------	-------	-------	-------	--
Other	-------	-------	-------	-------	-------	-------	-------	--

48.1.	Smoke corrected absorption coefficient [m^{-1}]:		-------
48.2.	Declared maximum RDE values (if applicable):	NO_x [mg/km]	Particles (number) with exponent (#/km)
	Complete RDE trip:	60.0	6.00 E11
	Urban RDE trip:	60.0	6.00 E11